



Code <https://github.com/krishnaik06/Search-Engine-LLM>


Will deploy the search engine that we developed in streamlit cloud




Here you will be able to deploy any number of apps




Any secrets that you are using, use it in this way




you will access that in the code like this




now deploy the code and use it




The other way of code deployment is using huggingface spaces





<https://github.com/krishnaik06/Search-Engine-LLM>

To deploy it you need to create github actions, where in the yaml you need to mention the url for the code deployment



Hub

Search documentation Ctrl+K

EN 251

- Sign-In with HF button
- Spaces Changelog
- Advanced Topics
 - Using OpenCV in Spaces
 - More ways to create Spaces
 - Managing Spaces with Github Actions**
 - Managing Spaces with CircleCI Workflows
 - Custom Python Spaces
 - How to Add a Space to ArXiv
 - Cookie limitations in Spaces
 - Set URL query and hash
- Other
- Organizations
- Billing

```
branches: [main]

# to run this workflow manually from the Actions tab
workflow_dispatch:

jobs:
  sync-to-hub:
    runs-on: ubuntu-latest
    steps:
      - uses: actions/checkout@v3
        with:
          fetch-depth: 0
          lfs: true
      - name: Push to hub
        env:
          HF_TOKEN: ${ secrets.HF_TOKEN }
        run: git push https://HF_USERNAME:$HF_TOKEN@huggingface.co/spaces
```

Managing Spaces with Github Actions

Finally, create an Action that automatically checks the file size of any new pull request:

```
name: Check file size
on:
  # or directly 'on: [push]' to run the action on every p
pull_request:
  branches: [main]
```

Search-Engine-With-LLM-and-Agents / .github / workflows / main.yml in main

Edit Preview

Spaces 2 No wrap

```
1 name: Sync to Hugging Face hub
2 on:
3   push:
4     branches: [main]
5
6   # to run this workflow manually from the Actions tab
7   workflow_dispatch:
8
9 jobs:
10  sync-to-hub:
11    runs-on: ubuntu-latest
12    steps:
13      - uses: actions/checkout@v3
14        with:
15          fetch-depth: 0
16          lfs: true
17      - name: Push to hub
18        env:
19          HF_TOKEN: ${ secrets.HF_TOKEN }
20        run: git push https://HF_USERNAME:$HF_TOKEN@huggingface.co/spaces/HF_USERNAME/SPACE_NAME main
```

Use **Control + Shift + m** to toggle the **tab** key moving focus. Alternatively, use **esc** then **tab** to move to the next interactive element on the page.

Marketplace

Search

Feature

▶

▶

▶

▶

Spaces

Krishnaik06

Search_Engine

like 0

Running

AppFilesCommunitySettings

Settings

Enter your Groq API Key:

.....



LangChain - Chat with search

In this example, we're using `StreamlitCallbackHandler` to display the thoughts and actions of an agent in an interactive Streamlit app. Try more LangChain  Streamlit Agent examples at github.com/langchain-ai/streamlit-agent.

A

Hi,I'm a chatbot who can search the web. How can I help you?



what is machine learning



Machine learning is a subfield of artificial intelligence that enables computers to automatically improve their performance on a task by learning from data, without being explicitly programmed. It is a form of AI that can adapt to a wide range of inputs, including large data sets and human instruction

What is machine learning?

I