







LAB-1

Physical 01 : 00 : 00 START











```
Administrator: Command Prompt
N/A Hardware not present
C:\Users\user>ncpa.cpl
C:\Users\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::2ceb:ceb5:788:1e35%11
    IPv4 Address. . . . . : 50.0.0.10
    Subnet Mask . . . . . : 255.0.0.0
    Default Gateway . . . . . : 

Tunnel adapter isatap.{42A1F8B7-36A8-4EF7-81AF-C694F5F3D81B}:


    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : 
    IPv6 Address. . . . . : 2002::3200:a::3200:a
    Default Gateway . . . . . : 


Tunnel adapter 6T04 Adapter:


    Connection-specific DNS Suffix  . : 
    IPv6 Address. . . . . : 2002::3200:a::3200:a
    Default Gateway . . . . . : 


C:\Users\user>
```














Administrator: Command Prompt

C:\Users\user>getmac

Physical Address	Transport Name
50-79-11-01-A0-00	\Device\NPF{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}
N/A	Hardware not present
N/A	Hardware not present

C:\Users\user>ncpa.cpl

C:\Users\user>ipconfig

Windows IP Configuration


Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix . . . :
Link-local IPv6 Address : fe80::35fd:cc8:7b31:c87e%11
Autoconfiguration IPv4 Address. . . : 169.254.200.126
Subnet Mask : 255.255.0.0
Default Gateway :

Tunnel adapter isatap.{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:

Media State : Media disconnected
Connection-specific DNS Suffix . . . :

C:\Users\user>_





```
C:\> Administrator: Command Prompt


Media State . . . . . : Media disconnected
Connection-specific DNS Suffix  . : 
Tunnel adapter 6T04 Adapter:
Connection-specific DNS Suffix  . : 
IPv6 Address . . . . . : 2002:3200:a::3200:a
Default Gateway . . . . . : 
C:\Users\user>ping 50.0.0.20


Pinging 50.0.0.20 with 32 bytes of data:
Reply from 50.0.0.10: Destination host unreachable.
Reply from 50.0.0.10: Destination host unreachable.
Reply from 50.0.0.10: Destination host unreachable.
Reply from 50.0.0.10: Destination host unreachable.

Ping statistics for 50.0.0.20:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),


C:\Users\user>sysdm.cpl
C:\Users\user>sysdm.cpl
```











11:55 AM


























New folder Properties

Permissions for New folder

Share Permissions

Group or user names:

Everyone

Add... Remove

Permissions for Everyone	Allow	Deny
Full Control	☒	☐
Change	☒	☐
Read	☒	☐

[Learn about access control and permissions](#)

OK Cancel Apply

