

COUNT REGISTRATION USING PHP

**A Project Report Submitted to the Thiruvalluvar University - Vellore
in partial fulfillment of the Degree of
Bachelor of Computer Applications**

SUBMITTED BY

HARIHARAN E	Reg.No.24524U09038
JAI GANESH R	Reg.No.24524U09044
ARUN M	Reg.No.24524U09018
AMARTHIYASEN AC	Reg.No.24524U09012

UNDER THE GUIDANCE OF

Ms. M.ESWARI, M.Sc.
Assistant Professor
Department of Computer Applications
Karan Arts and Science College
Thenmathur, Tiruvannamalai - 606603.



DEPARTMENT OF COMPUTER APPLICATIONS
KARAN ARTS AND SCIENCE COLLEGE [Co-Ed]

(Affiliated to Thiruvalluvar University, Vellore)
THENMATHUR, TIRUVANNAMALAI – 606603.
TAMILNADU.

NOVEMBER – 2026

CERTIFICATE

CERTIFICATE

This is to certify that the project, entitled **“COUNT REGISTRATION USING PHP”**

Submitted By

HARIHARAN E	Reg.No.24524U09038
JAI GANESH R	Reg.No.24524U09044
ARUN M	Reg.No.24524U09018
AMARTHIYASEN AC	Reg.No.24524U09012

BACHELOR OF COMPUTER APPLICATIONS degree in the **Department Of Computer Applications, Karan Arts and Science College (Co-Ed), Tiruvannamalai, Affiliated to Thiruvalluvar University – Vellore.** I further certify this work has not previously formed the basis of award the candidate of any Degree/Diploma/Associateship/Fellowship and any other similar title to candidate of any University.

Date:

Place:

INTERNAL GUIDE

HEAD OF THE DEPARTMENT

INTERNAL EXAMINER

EXTERNAL EXAMINER

PRINCIPAL

DECLARATION

DECLARATION

We hereby declare that this work, entitled “**COUNT REGISTRATION USING PHP**”, submitted to the Thiruvalluvar University - Vellore, in partial fulfillment of the requirements for the award of the Degree of **Bachelor of Computer Applications** is a record of original and independent project work done by me during **November 2026** under the Supervision and Guidance of **Ms.M.ESWARI,M.Sc., Assistant Professor, Department of Computer Applications, Karan Arts and Science College [Co-Ed], Tiruvannamalai**, to the best of my knowledge the work reported has not formed the basis for the award of any Degree/ Diploma/Associateship/Fellowship or other similar title to any candidate in any University.

REGISTER NUMBER	NAME OF THE STUDENTS	SIGNATURE
24524U09038	HARIHARAN E	
24524U09044	JAI GANESH R	
24524U09018	ARUN M	
24524U09012	AMARTHIYASEN AC	

DATE:

PLACE:

ACKNOWLEDGEMENT

ACKNOWLEDGEMENT

I express my sincere thanks to the Honourable our **Vice Chairman Er. E.V. KUMARAN M.E** and the **Registrar Dr. P. SANTHAKUMAR, M.Sc., M.Phil., Ph.D.,** for granting permission to do project and for their full support, blessing and encouragement for the successful completion of my project work.

I am extremely grateful to **Dr. A. MURUGANANDAM, M.Sc., M.Phil., M.C.A., B.Ed., Ph.D., Principal, Karan Arts and Science College[Co-Ed], Tiruvannamalai,** for permitting me to do project and motivation throughout the project to complete my work effectively.

We extremely thankful to **Mr. R. NERHU M.Com., M.Phil., B.Ed.,** Vice Principal he motivated and encouraged for doing the project work.

We sincerely thankful to our **Head of the Department Mrs. M. BHUVANESHWARI, M.C.A, B.Ed.,** Assistant Professor, Department of Computer Applications who has given the official permission for doing the project.

I wish to express my profound gratitude and indebtedness to my esteemed **Supervisor, Ms. M.ESWARI M.Sc., Assistant Professor, Department of Computer Applications, Karan Arts and Science College[Co-Ed], Tiruvannamalai,** who encouraged and extended ethical support and meticulously guided me throughout my project. Her constructive comments, constant advice and valuable suggestions at each and every stage of the study helped me to complete this project work successfully.

Gratitude comes from the bottom of heart. First of all, I thank god almighty who is continuously blessing and always behind with me to do good activities. I sincerely thank to my parents and my family members who give me to this world and make me as an educated and good man by sacrificing their valuable life.

My heartfelt thanks to our college faculty members and all other supporting staff members for their encouragement to do the project work successfully.

Last but not the least, I must thank all my friends, well-wishers who have provided me with the right direction and guidance to complete the research work in a successful way.

CONTENTS

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE NO
1	INTRODUCTION	1
2	SYSTEM SPECIFICATION	3
3	MODULES	8
4	IMPLEMENTATION AND TESTING	11
5	SOURCE CODE	16
6	OUTPUT	46
7	CONCLUSION	51
8	BIBLIOGRAPHY	53

ABSTRACT

The Count Registration PHP is a web-based registration management system developed to collect, store, manage, and count registration details efficiently. The main purpose of this project is to replace the traditional manual registration process with a simple and user-friendly online system. In the manual method, maintaining records, searching for information, updating details, and calculating the total number of registrations can take more time and may lead to errors. In this proposed system, users can enter their registration details through an online registration form. The system validates the required information before storing the data. The validated registration details are stored in a MySQL database, which provides centralized and organized record management. Whenever a new registration is successfully completed, the system automatically updates the total registration count and displays the current number of registrations. The project uses HTML and CSS for designing the user interface, PHP for server-side processing and validation, and MySQL for database storage and retrieval. An admin module can be used to view, search, and manage registration records and to monitor the registration count through a dashboard. The system therefore reduces manual work, improves accuracy, provides faster access to registration records, and makes the overall registration process more efficient. The Count Registration PHP system can also be further enhanced by adding features such as authentication, report generation, data filtering, export options, and advanced dashboards.

Chapter- 1

INTRODUCTION

INTRODUCTION:

In Count Registration PHP is a web-based application developed to simplify and manage the registration process digitally. The system is designed to collect registration details from users through an online registration form and store the information in a structured database. In a traditional registration system, details are often maintained manually using paper records or spreadsheets. Managing a large number of registrations manually can be time-consuming and may result in errors while entering, searching, updating, or counting records. This project provides a computerized solution to overcome these difficulties. The system uses PHP for server-side processing, HTML and CSS for designing the registration interface, and MySQL for storing and retrieving registration data. When a user submits the registration form, the entered information is validated and stored in the database.

1. One of the important features of this system is automatic registration counting. Whenever a new registration is successfully added, the system can retrieve the total number of registered users from the database and display the current count. This makes it easier for the administrator to monitor registrations without manually counting the records.
2. The system also provides facilities for managing registration records, such as viewing and searching stored information. Overall, Count Registration PHP provides a simple, organized, and efficient method for handling registration data and maintaining the total registration count.

Chapter- 2

SYSTEM SPECIFICATION

SYSTEM SPECIFICATION

Hardware specification:

The Software is developed in the system having following configuration.

Processor : AMD Ryzen 3 7320U with Radeon Graphics

Ram : 8 GB

Software Specification:

FrontEnd : HTML,CSS

Operating system : Windows,Linux

Backend : PHP

Database : MySQL

Front End:

HTML,CSS

- HTML (HyperText Markup Language) is used to create the basic structure of the Count Registration web page. It defines the different elements required for the registration form, such as name, email, phone number and the register button. HTML allows users to enter their registration details and submit the form to the backend for processing.
- CSS (Cascading Style Sheets) is used to design and improve the appearance of the registration page. It controls the layout, spacing, text appearance, input fields, buttons and overall presentation of the webpage. CSS helps to make the registration form simple, organized and user-friendly.
- **Role of HTML**
 1. Creates the registration form structure
 2. Provides input fields for user details
 3. Creates Register button
 4. Organizes the webpage content
 5. Sends entered form data for processing
 6. Role of CSS
 7. Designs the registration form
 8. Controls layout and alignment
 9. Provides proper spacing between elements
 10. Styles input fields and buttons
 11. Improves the overall user interface and readability

BACKEND(PHP)

PHP is used as the backend programming language in the Count Registration system. It handles the data submitted by the user through the registration form and performs the required server-side processing. When the user enters details such as name and email and submits the form, PHP receives the submitted data and connects with the MySQL database. The PHP program inserts the registration details into the registrations table and stores them for future use. It also retrieves the total number of records from the database using the COUNT(*) function and displays the current total registration count. Therefore, PHP acts as the main connection between the frontend registration form and the MySQL database, helping the system process, store and retrieve registration information efficiently. PHP is used as the backend programming language in the Count Registration system. It handles the data submitted by the user through the registration form and performs the required server-side processing. When the user enters details such as name and email and submits the form, PHP receives the submitted data through the appropriate request method, such as POST. It validates the input by checking that required fields are completed, email addresses are correctly formatted, and submitted values are safe before processing them. PHP then connects to the MySQL database using the configured database credentials and inserts the validated registration details into the registrations table, preferably through a prepared statement to help prevent SQL injection. To determine the current number of registrations, the program executes a query such as SELECT COUNT(*) FROM registrations. The COUNT(*) function counts all rows in the table, and PHP retrieves and displays this total to the user. Therefore, PHP acts as the main connection between the frontend registration form and the MySQL database, helping the system process, validate, store, and retrieve registration information efficiently

MySQL

MySQL is an open-source Relational Database Management System (RDBMS) used to store and manage the data of the COUNT REGISTRATION application. It stores information such as products, stock, customers, and sales in organized tables. In the PCOUNT REGISTRATION USING PHP , MySQL is used as the main database for storing important information such as battery products, stock details, customer information, admin details, and sales transactions.

Features

- Easy to use
- Fast data processing
- Secure data storage
- Supports SQL
- Table-based data management
- Works well with PHP

Chapter- 3

MODULES

MODULES

Project description:

The Admin Login Module is an important security component of the Count Registration PHP Project. It provides authorized access to the administrator for managing registration records. The administrator enters a valid username and password through the login form. The PHP application verifies the entered credentials against the stored database information. If the credentials are correct, the administrator is allowed to access the management functions of the system. This module helps protect registration information from unauthorized access and provides a secure way for the administrator to manage the application. The User Registration Module allows new users to register their information through an online registration form. The user enters the required details, and the PHP application validates the submitted information before storing it in the MySQL database. This module reduces manual registration work and provides an organized method for collecting user information.

- ADMIN LOGIN
- USER REGISTRATION
- USER LOGIN
- REGISTRATION ENTRY
- COUNT CALCULATION
- DSEARCH AND FILTER

User Interface

The Admin Login Module is an important module in the Count Registration PHP project that provides secure access to the administrator. The administrator enters a valid username and password in the login form to access the system. The PHP application receives the login details and verifies them against the information stored in the MySQL database. If the entered credentials are correct, the administrator is allowed to enter the management section of the application. After successful login, the administrator can manage registration records and access other authorized functions such as viewing, searching, updating, deleting and counting registration details.

User registration

The User Registration Module is a major module of the Count Registration PHP project that is used to collect and store the details of new users in an organized manner. This module provides an online registration form through which users can enter the required registration information. The entered details are received and processed by the PHP application. Before storing the information, the system validates the submitted data to ensure that the registration details are properly entered. After successful validation, the PHP application stores the registration information in the MySQL database.

User login

The User Login Module is an important part of the Count Registration PHP project that allows registered users to securely access the system using their login credentials. After completing the registration process, the user can enter the username and password provided or created during registration.

Registration Entry

The Registration Entry Module is one of the main modules of the Count Registration PHP project. It is responsible for collecting and storing registration

records in the system. Through this module, the required registration information is entered into the registration form by the user. Once the form is submitted, the PHP application receives and processes the entered data. The system checks the submitted information and prepares it for storage in the database. After successful processing, the registration details are inserted into the appropriate table in the MySQL database

Chapter- 4

TESTING

IMPLEMENTATION AND TESTING

Software Testing:

The purpose of testing is to discover errors. Testing is the process of trying to discover every conceivable fault or weakness in a work product. It provides a way to check the functionality of components, sub-assemblies, assemblies and or a finished product it is the process of exercising software with the intent of ensuring that the Software system meets its requirements and user expectations and does not fail in an unacceptable manner. There are various types of test. Each test type addresses a specific testing requirement.

Types of testing:

1. Unit testing
2. White-box testing
3. Black-box testing
4. Validation testing
5. Backend testing

Unit Testing:

Unit testing involves the design of test cases that validate that the internal program logic is functioning properly, and that program input produces valid outputs. All decision branches and internal code flow should be validated. It is the testing of individual software units of the application .it is done after the completion of an individual unit before integration. This is a structural testing, that relies on knowledge of its construction and is invasive. Unit tests perform basic tests at component level and test a specific business process, application, and/or system configuration. Unit tests ensure that each unique path of a business process performs accurately to the documented specifications and contains clearly defined inputs and expected results.

White-box Testing:

It is a test case design method that uses the control structure of the procedural design to drive test cases. Using white box testing methods it was guaranteed that most of the independent paths within modules had been exercised at least once, all logical decision on their true and false sides, executed all loops at their boundaries and exercised internal data structures to ensure their data validity.in the PowerStock system, the tester can check the PHP code responsible for updating battery stock after a sale and verify that the stock quantity is calculated and updated correctly. White Box Testing helps identify coding errors, logical errors, and security issues, thereby improving the reliability and quality of the software. In this method, the tester has knowledge of how the program is written and checks whether the internal operations work correctly. It focuses on testing statements, conditions, loops, functions, and different execution paths in the program

White box testing has been done to achieve the following objectives. Logic errors and incorrect assumptions are inversely proportional to the probability that a program path will be executed. Errors tend to creep into the work when design and implementation functions, condition or control that is out of the mainstream. We often believe that logical path is not likely to be executed when the fact it may be executed on regular basis. When program is translated into programming language source code, it is likely that some typing errors will occur. Many will be uncovered by syntax and type checking mechanism but others may go undetected until testing begins.

Black-box Testing:

Although tests are designed to uncover errors, they are also used to demonstrate that the software functions are operational, input is properly accepted and output is correctly produced and that the integrity of external information is maintained. A black box test examines some of fundamental aspects of a system with little regard for the internal logical structure of the software.

All input screens were thoroughly tested for data validity and smoothness of data entry operations. Test cases were so formulated to verify whether the system works properly in rare conditions also. Error conditions were checked. Data entry operations are to be user friendly and smooth. It would be easier for the operators if they can enter data through key board only. Using mouse and keyboard alternatively will affect the speed of data entry. Care was taken to make data entry as smooth as possible. Flow of object was made convenient to the data entry operations. Testing also tested wrong input for data value.

Validation Testing:

Validation testing can be defined as many, but a single definition is that validation succeeds when the software functions in a manner that can be reasonable excepted by the customer. After validation test have been conducted one of the two possible conditions exists.

The function or performance characteristics are acceptable and confirmed to specification. A decision from specification is uncovered and defining list is created. System validation checks the quality of software in both simulated and live environment. First the software goes through a phase in which errors and failures based on simulated user requirements are verified and studied.

Chapter- 5

SOURCE CODE

SOURCE CODE

REACTJS:

Index.php - Admin

```
<?php
session_start(); error_reporting(0); include ("includes/config.php");

if(isset($_POST['submit']))
{
    $username=$_POST['username'];
    $password=md5($_POST['password']);
    $query=mysqli_query($con,"SELECT * FROM admin WHERE
username='$username' and password='$password'");
    $num=mysqli_fetch_array($query);
    if($num>0)
    {
        $extra="change-password.php";
        $_SESSION['alogin']=$_POST['username'];
        $_SESSION['id']=$num['id'];
        $host=$_SERVER['HTTP_HOST'];
        $uri=rtrim(dirname($_SERVER['PHP_SELF']),'\');
        header("location:http://$host$uri/$extra"); exit();
    } else
    {
        $_SESSION['errmsg']="Invalid username or password";
        $extra="index.php";
        $host = $_SERVER['HTTP_HOST'];
        $uri = rtrim(dirname($_SERVER['PHP_SELF']),'\');
        header("location:http://$host$uri/$extra"); exit();
    }
}
?>
```

```

<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width, initial-
scale=1, maximum-scale=1" />
  <meta name="description" content="" />
  <meta name="author" content="" />
  <title>Admin Login</title>
  <link href="assets/css/bootstrap.css" rel="stylesheet" />
  <link href="assets/css/font-awesome.css" rel="stylesheet" />
  <link href="assets/css/style.css" rel="stylesheet" />
</head>

<body>
<?php include('includes/header.php');?>

<div class="content-wrapper">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <h4 class="page-head-line">Please Login To Enter </h4>
      </div>
    </div>

    <span style="color:red;"><?php echo
htmlentities($_SESSION['errmsg']); ?><?php echo
htmlentities($_SESSION['errmsg']="");?></span>
    <form name="admin" method="post">
      <div class="row">
        <div class="col-md-6">
          <label>Enter Username : </label>
          <input type="text" name="username" class="form-control"
required />

          <label>Enter Password : </label>
          <input type="password" name="password" class="formcontrol"
required />

```

```

<hr />

<button type="submit" name="submit" class="btn
btninfo"><span class="glyphicon glyphicon-user"></span> &nbsp;Log
Me In </button>&nbsp;
</div>
</form>

<div class="col-md-6">
<div class="alert alert-info">
    This is a free bootstrap admin template with basic pages you
    need to craft your project.
    Use this template for free to use for personal and commercial
    use.
    <br />
    <strong> Some of its features are given below :</strong>
    <ul>
        <li>Responsive Design Framework Used</li>
        <li>Easy to use and customize</li>
        <li>Font awesome icons included</li>
        <li>Clean and light code used.</li>
    </ul>
</div>
</div>
</div>
</div>
</div>

<!-- CONTENT-WRAPPER SECTION END-->
<?php include('includes/footer.php');?>
<!-- FOOTER SECTION END-->
<!-- JAVASCRIPT AT THE BOTTOM TO REDUCE THE
LOADING TIME -->
<!-- CORE JQUERY SCRIPTS -->
<script src="assets/js/jquery-1.11.1.js"></script>
<!-- BOOTSTRAP SCRIPTS -->
<script src="assets/js/bootstrap.js"></script>

```

```
</body>
</html>
```

```
-----
Sessions.php - Admin
-----
```

```
<?php
session_start(); include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
{
    header('location:index.php');
} else {

    if(isset($_POST['submit']))
    {
        $sesssion=$_POST['sesssion'];
        $ret=mysqli_query($con,"insert into session(session)
values('$sesssion')");
        if($ret)
        {
            $_SESSION['msg']="Session Created Successfully !!";
        } else
        {
            $_SESSION['msg']="Error : Session not created";
        }
    }
    if(isset($_GET['del']))
    {
        mysqli_query($con,"delete from session where id =
".$_GET['id'].");
        $_SESSION['delmsg']="Session deleted !!";
    }
?>
```

```
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
```

```

<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width, initial-
scale=1, maximum-scale=1" />
  <meta name="description" content="" />
  <meta name="author" content="" />
  <title>Admin | Session</title>
  <link href="assets/css/bootstrap.css" rel="stylesheet" />
  <link href="assets/css/font-awesome.css" rel="stylesheet" />
  <link href="assets/css/style.css" rel="stylesheet" />
</head>

<body>
<?php include('includes/header.php');?>
<!-- LOGO HEADER END-->
<?php if($_SESSION['alogin']!="")
{ include('includes/menubar.php'); }
?>
<!-- MENU SECTION END-->
<div class="content-wrapper">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <h1 class="page-head-line">Add session </h1>
      </div>
    </div>

    <div class="row" >
      <div class="col-md-3"></div>
      <div class="col-md-6">
        <div class="panel panel-default">
          <div class="panel-heading">
            Session
          </div>

          <font color="green" align="center"><?php echo
htmlentities($_SESSION['msg']);?><?php echo
htmlentities($_SESSION['msg']="");?></font>

```

```

<div class="panel-body">
  <form name="session" method="post">
    <div class="form-group">
      <label for="session">Create Session </label>
      <input type="text" class="form-control" id="sesssion"
name="sesssion" placeholder="Session" />
    </div>

    <button type="submit" name="submit" class="btn
btndefault">Submit</button>
  </form>
</div>
</div>
</div>
</div>

```

```

<font color="red" align="center"><?php echo
htmlentities($_SESSION['delmsg']);?><?php echo
htmlentities($_SESSION['delmsg']="");?></font>
<div class="col-md-12">
  <!-- Bordered Table -->
  <div class="panel panel-default">
    <div class="panel-heading">
      Manage Session
    </div>
    <!-- /.panel-heading -->
    <div class="panel-body">
      <div class="table-responsive table-bordered">
        <table class="table">
          <thead>
            <tr>
              <th>#</th>
              <th>Session</th>
              <th>Creation Date</th>
              <th>Action</th>
            </tr>
          </thead>

```

```

        <tbody>
        <?php
        $sql=mysqli_query($con,"select * from session");
        $cnt=1;
        while($row=mysqli_fetch_array($sql))
        {
        ?>
            <tr>
            <td><?php echo $cnt;?></td>
            <td><?php echo htmlentities($row['session']);?></td>
            <td><?php echo htmlentities($row['creationDate']);?></td>
            <td>
                <a href="session.php?id=<?php echo
                $row['id']?>&del=delete" onClick="return confirm('Are you sure you
                want to delete?')">
                    <button class="btn btn-danger">Delete</button>
                </a>
            </td>
            </tr>
        <?php
        $cnt++;
        } ?>
        </tbody>
        </table>
        </div>
        </div>
        </div>
        <!-- End Bordered Table -->
        </div>
        </div>
        </div>
        <!-- CONTENT-WRAPPER SECTION END-->
        <?php include('includes/footer.php');?>
        <!-- FOOTER SECTION END-->
        <!-- JAVASCRIPT AT THE BOTTOM TO REDUCE THE
        LOADING TIME -->
        <!-- CORE JQUERY SCRIPTS -->

```

```

<script src="assets/js/jquery-1.11.1.js"></script>
<!-- BOOTSTRAP SCRIPTS -->
<script src="assets/js/bootstrap.js"></script>
</body>
</html>
<?php } ?>

```

Semester.php - Admin

```

<?php
session_start(); include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
{
    header('location:index.php');
} else {

    if(isset($_POST['submit']))
    {
        $semester=$_POST['semester'];
        $ret=mysqli_query($con,"insert into semester(semester)
values('$semester')");
        if($ret)
        {
            $_SESSION['msg']="Semester Created Successfully !!";
        } else
        {
            $_SESSION['msg']="Error : Semester not created";
        }
    }
    if(isset($_GET['del']))
    {
        mysqli_query($con,"delete from semester where id =
".$_GET['id'].");
        $_SESSION['delmsg']="semester deleted !!";
    }
}

```

?>

```
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width, initial-
scale=1, maximum-scale=1" />
  <meta name="description" content="" />
  <meta name="author" content="" />
  <title>Admin | Semester</title>
  <link href="assets/css/bootstrap.css" rel="stylesheet" />
  <link href="assets/css/font-awesome.css" rel="stylesheet" />
  <link href="assets/css/style.css" rel="stylesheet" />
</head>

<body>
<?php include('includes/header.php');?>
<!-- LOGO HEADER END-->
<?php if($_SESSION['alogin']!="")
{
  include('includes/menubar.php');
}
?>
<!-- MENU SECTION END-->
<div class="content-wrapper">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <h1 class="page-head-line">Semester </h1>
      </div>
    </div>
  </div>

  <div class="row" >
    <div class="col-md-3"></div>
    <div class="col-md-6">
      <div class="panel panel-default">
        <div class="panel-heading">
```

Semester
</div>

```
<font color="green" align="center"><?php echo  
htmlentities($_SESSION['msg']);?><?php echo  
htmlentities($_SESSION['msg']="");?></font>  
<div class="panel-body">  
  <form name="semester" method="post">  
    <div class="form-group">  
      <label for="semester">Add Semester </label>  
      <input type="text" class="form-control" id="semester"  
name="semester" placeholder="semester" required />  
    </div>  
  
    <button type="submit" name="submit" class="btn  
btndefault">Submit</button>  
  </form>  
</div>  
</div>  
</div>  
</div>
```

```
<font color="red" align="center"><?php echo  
htmlentities($_SESSION['delmsg']);?><?php echo  
htmlentities($_SESSION['delmsg']="");?></font>
```

```
<div class="col-md-12">  
  <!-- Bordered Table -->  
  <div class="panel panel-default">  
    <div class="panel-heading">  
      Manage Semester  
    </div>  
    <!-- /.panel-heading -->  
    <div class="panel-body">  
      <div class="table-responsive table-bordered">  
        <table class="table">  
          <thead>  
            <tr>
```

```

        <th>#</th>
        <th>Semester</th>
        <th>Creation Date</th>
        <th>Action</th>
    </tr>
</thead>
<tbody>
<?php
$sql=mysqli_query($con,"select * from semester");
$cnt=1;
while($row=mysqli_fetch_array($sql))
{
?>
        <tr>
            <td><?php echo $cnt;?></td>
            <td><?php echo htmlentities($row['semester']);?></td>
            <td><?php echo htmlentities($row['creationDate']);?></td>
            <td>
                <a href="semester.php?id=<?php echo
$row['id']?>&del=delete" onClick="return confirm('Are you sure you
want to delete?')">
                    <button class="btn btn-danger">Delete</button>
                </a>
            </td>
        </tr>
<?php
    $cnt++;
} ?>
        </tbody>
    </table>
</div>
</div>
</div>
<!-- End Bordered Table -->
</div>
</div>
</div>

```

```

<!-- CONTENT-WRAPPER SECTION END-->
<?php include('includes/footer.php');?>
<!-- FOOTER SECTION END-->
<!-- JAVASCRIPT AT THE BOTTOM TO REDUCE THE
LOADING TIME -->
<!-- CORE JQUERY SCRIPTS -->
<script src="assets/js/jquery-1.11.1.js"></script>
<!-- BOOTSTRAP SCRIPTS -->
<script src="assets/js/bootstrap.js"></script>
</body>
</html>
<?php } ?>

```

Department.php - Admin

```

<?php
session_start(); include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
{
    header('location:index.php');
} else {

    if(isset($_POST['submit']))
    {
        $department=$_POST['department'];
        $ret=mysqli_query($con,"insert into department(department)
values('$department')");
        if($ret)
        {
            $_SESSION['msg']="Department Created Successfully !!";
        } else
        {
            $_SESSION['msg']="Error : Department not created";
        }
    }
}

```

```

if(isset($_GET['del']))
{
    mysqli_query($con,"delete from department where id =
".$_GET['id'].");
    $_SESSION['delmsg']="Department deleted !!";
}
?>

```

```

<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-
scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>Admin | department</title>
    <link href="assets/css/bootstrap.css" rel="stylesheet" />
    <link href="assets/css/font-awesome.css" rel="stylesheet" />
    <link href="assets/css/style.css" rel="stylesheet" />
</head>

```

```

<body>
<?php include('includes/header.php');?>
<!-- LOGO HEADER END-->
<?php if($_SESSION['alogin']!="")
{
    include('includes/menubar.php');
}
?>
<!-- MENU SECTION END-->
<div class="content-wrapper">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <h1 class="page-head-line">Department </h1>
            </div>
        </div>
    </div>

```

```

<div class="row" >
  <div class="col-md-3"></div>
  <div class="col-md-6">
    <div class="panel panel-default">
      <div class="panel-heading">
        Department
      </div>

      <font color="green" align="center"><?php echo
htmlentities($_SESSION['msg']);?><?php echo
htmlentities($_SESSION['msg']="");?></font>
      <div class="panel-body">
        <form name="dept" method="post">
          <div class="form-group">
            <label for="department">Add Department </label>
            <input type="text" class="form-control" id="department"
name="department" placeholder="department" required />
          </div>

```

[-- page 45 (rest of this form + start of the results table) is missing from the upload --]

```

      <td><?php echo htmlentities($row['department']);?></td>
      <td><?php echo htmlentities($row['creationDate']);?></td>
      <td>
        <a href="department.php?id=<?php echo
$row['id']?>&del=delete" onClick="return confirm('Are you sure you
want to delete?')">
          <button class="btn btn-danger">Delete</button>
        </a>
      </td>
    </tr>
  <?php
    $cnt++;
  } ?>
  </tbody>
</table>

```

```

        </div>
    </div>
</div>
<!-- End Bordered Table -->
</div>
</div>
</div>

<!-- CONTENT-WRAPPER SECTION END-->
<?php include('includes/footer.php');?>
<!-- FOOTER SECTION END-->
<!-- JAVASCRIPT AT THE BOTTOM TO REDUCE THE
LOADING TIME -->
<!-- CORE JQUERY SCRIPTS -->
<script src="assets/js/jquery-1.11.1.js"></script>
<!-- BOOTSTRAP SCRIPTS -->
<script src="assets/js/bootstrap.js"></script>
</body>
</html>
<?php } ?>

```

Course.php - Admin

```

<?php
session_start(); include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
{
    header('location:index.php');
} else {

if(isset($_POST['submit']))
{
    $coursecode=$_POST['coursecode'];
    $coursename=$_POST['coursename'];
    $courseunit=$_POST['courseunit'];

```

```

        $seatlimit=$_POST['seatlimit'];
        $ret=mysqli_query($con,"insert
course(courseCode,courseName,courseUnit,noofSeats)
values('$coursecode','$coursename','$courseunit','$seatlimit')");
        if($ret)
        {
            $_SESSION['msg']="Course Created Successfully !!";
        } else {
            $_SESSION['msg']="Error : Course not created";
        }
    }
    if(isset($_GET['del']))
    {
        mysqli_query($con,"delete from course where id =
".$_GET['id'].");
        $_SESSION['delmsg']="Course deleted !!";
    }
?>

```

```

<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-
scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>Admin | Course</title>
    <link href="assets/css/bootstrap.css" rel="stylesheet" />
    <link href="assets/css/font-awesome.css" rel="stylesheet" />
    <link href="assets/css/style.css" rel="stylesheet" />
</head>

<body>
<?php include('includes/header.php');?>
<!-- LOGO HEADER END-->
<?php if($_SESSION['alogin']!="")
{

```

```

include('includes/menubar.php');
}
?>
<!-- MENU SECTION END-->
<div class="content-wrapper">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <h1 class="page-head-line">Course </h1>
      </div>
    </div>

    <div class="row" >
      <div class="col-md-3"></div>
      <div class="col-md-6">
        <div class="panel panel-default">
          <div class="panel-heading">
            Course
          </div>

          <font color="green" align="center"><?php echo
htmlentities($_SESSION['msg']);?><?php echo
htmlentities($_SESSION['msg']="");?></font>

          <div class="panel-body">
            <form name="dept" method="post">
              <div class="form-group">
                <label for="coursecode">Course Code </label>
                <input type="text" class="form-control" id="coursecode"
name="coursecode" placeholder="Course Code" required />
              </div>

              <div class="form-group">
                <label for="coursename">Course Name </label>
                <input type="text" class="form-control" id="coursename"
name="coursename" placeholder="Course Name" required />
              </div>
            </form>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

```

```

    <div class="form-group">
      <label for="courseunit">Course unit </label>
      <input type="text" class="form-control" id="courseunit"
name="courseunit" placeholder="Course Unit" required />
    </div>

```

```

    <div class="form-group">
      <label for="seatlimit">Seat limit </label>
      <input type="text" class="form-control" id="seatlimit"
name="seatlimit" placeholder="Seat limit" required />
    </div>

```

```

    <button type="submit" name="submit" class="btn
btndefault">Submit</button>
  </form>
</div>
</div>
</div>
</div>

```

```

<font color="red" align="center"><?php echo
htmlentities($_SESSION['delmsg']);?><?php echo
htmlentities($_SESSION['delmsg']="");?></font>

```

```

<div class="col-md-12">
  <!-- Bordered Table -->
  <div class="panel panel-default">
    <div class="panel-heading">
      Manage Course
    </div>
    <!-- /.panel-heading -->
    <div class="panel-body">
      <div class="table-responsive table-bordered">
        <table class="table">
          <thead>
            <tr>
              <th>#</th>
              <th>Course Code</th>

```

```

        <th>Course Name </th>
        <th>Course Unit</th>
        <th>Seat limit</th>
        <th>Creation Date</th>
        <th>Action</th>
    </tr>
</thead>
<tbody>

<?php
$sql=mysqli_query($con,"select * from course");
$cnt=1;
while($row=mysqli_fetch_array($sql))
{
    ?>
    <tr>
        <td><?php echo $cnt;?></td>
        <td><?php echo htmlentities($row['courseCode']);?></td>
        <td><?php echo htmlentities($row['courseName']);?></td>
        <td><?php echo htmlentities($row['courseUnit']);?></td>
        <td><?php echo htmlentities($row['noofSeats']);?></td>
        <td><?php echo htmlentities($row['creationDate']);?></td>
        <td>
            <a href="edit-course.php?id=<?php echo $row['id']?>">
                <button class="btn btn-primary"><i class="fa fa-edit
"></i> Edit</button>
            </a>


```

Chapter- 6


OUTPUT

OUTPUT


ADMIN PAGE:



HOME PAGE:



STUDENT LOGIN :




The screenshot shows a web browser window with the URL `http://localhost/student_registration_portal/register.php`. The page title is "Student Registration Portal". The navigation bar includes links for Home, Register, Find My ID, and Admin. The main content area displays the "Student Registration Form" with the following fields:

- Student Name (text input)
- Date of Birth (text input with format mm/dd/yyyy and a calendar icon)
- Gender (dropdown menu with "-- Select --")
- Email (text input)
- Phone Number (text input)
- Address (text input with a text area icon)
- Department (text input with example "e.g. Computer Applications")
- Course (text input with example "e.g. BCA")
- Year / Semester (text input)
- College Name (text input)

The Windows taskbar at the bottom shows the date and time as 1:03 PM on 9/18/2026, along with system icons for weather, search, and network.

REGISTRATION CHECK:




The screenshot shows a web browser window with the URL `http://localhost/student_registration_portal/student.php`. The page title is "Student Registration Portal". The navigation bar includes links for Home, Register, Find My ID, and Admin. The main content area displays the "Search My Registered Details" section with the following elements:

- Instruction: "Enter your Student Registration ID (for example STU20260001) to view your details."
- Registration ID (text input with example "STU20260001")
- Search button

The footer of the page reads "Student Registration & ID Generation Portal". The Windows taskbar at the bottom shows the date and time as 1:04 PM on 9/18/2026, along with system icons for weather, search, and network.

ADMIN ACCOUNT:



Chapter- 7

CONCLUSION

CONCLUSION

The Count Registration Using PHP project provides a simple and efficient way to manage student registration and login details. The system stores student information securely using PHP and MySQL and automatically displays the total number of registered students. It reduces manual work, avoids duplicate records, and makes registration management easier for administrators. This project demonstrates how HTML, CSS, PHP, MySQL, and XAMPP can be combined to develop a useful web-based registration system. Overall, the system is easy to use, efficient, and suitable for managing student registrations digitally. The system provides important functions such as Admin Login, User Registration, User Login, Registration Entry, and Registration Count Management. The admin can securely access the system and manage the registration records. Users can provide their required details through the registration form, and the information can be stored in the database for future reference. The registration count can be maintained automatically based on the records available in the database. This makes the process faster and more reliable than maintaining records manually. The project also demonstrates how a database-driven web application can be developed using PHP and MySQL. PHP is used for server-side processing, HTML is used to create the structure of the web pages, CSS is used to improve the appearance and layout, and MySQL is used to store and manage registration information. The combination of these technologies provides a suitable environment for developing a simple and effective registration management application. Overall, the Count Registration Using PHP project successfully provides a computerized solution for handling registration records and counting registered users. It improves data organization, reduces paperwork, saves time, and provides easier access to registration information. The system can also be enhanced in the future by adding features such as search and filter options, report generation, data export, email notifications, improved security.

Chapter- 8

BIBLIOGRAPHY

BIBLIOGRAPHY:

1. Luke Welling and Laura Thomson, PHP and MySQL Web Development, Pearson Education.
2. Steven Holzner, PHP: The Complete Reference, McGraw-Hill Education.
3. Jon Duckett, HTML and CSS: Design and Build Websites, Wiley.
4. PHP Documentation, PHP: Hypertext Preprocessor — reference material for PHP programming and web development.
5. MySQL Documentation, MySQL Reference Manual — reference material for database creation, SQL queries, and database management.
6. W3Schools, PHP, HTML, CSS and MySQL tutorials — used as a reference for web development concepts and programming syntax.
7. GeeksforGeeks, PHP, MySQL, HTML and CSS programming references — used for understanding programming concepts and database connectivity.

8. TutorialsPoint, PHP and MySQL tutorials — used as a reference for PHP programming and database operations.
9. MDN Web Docs, HTML and CSS documentation — used as a reference for web-page structure and styling.

BOOKS :

1. BIBLIOGRAPHY – BOOKS
2. Luke Welling and Laura Thomson, PHP and MySQL Web Development, Pearson Education.
3. Robin Nixon, Learning PHP, MySQL & JavaScript, O'Reilly Media.
4. Steve Suehring, PHP, MySQL, JavaScript & HTML5 All-in-One For Dummies, Wiley.
5. Ullman, Larry, PHP for the Web: Visual QuickStart Guide, Peachpit Press.
6. Jon Duckett, HTML and CSS: Design and Build Websites, Wiley.
7. Thomas Powell, HTML & CSS: The Complete Reference, McGraw-Hill Education.
8. Paul Dubois, MySQL Cookbook, O'Reilly Media

