File Edit Selection View Go Run Terminal Help studentdb Sign In

Explorer

stude...

Problems Output Debug Console Terminal Ports mongosh

```
PS D:\FSWD\studentdb> mongosh
test> use studentDB
switched to db studentDB
studentDB> db.createCollection("students")
{ ok: 1 }
studentDB> db.students.insertOne({
|     name: "Arun",
|     age: 21,
|     course: "MERN Stack",
|     status: "active"
| })
{
  acknowledged: true,
  insertedId: ObjectId('6ae741027fdaeede204f8ad2')
}
studentDB> db.students.insertMany([
|     {
|         name: "Priya",
|         age: 22,
|         course: "MERN Stack",
|         status: "active"
|     },
|     {
|         name: "Kumar",
|         age: 20,
|         course: "Python",
|         status: "completed"
|     },
|     {
|         name: "Divya",
|         age: 23,
|         course: "Java",
|         status: "active"
|     }
| ])
{
  acknowledged: true,
```

Chat

Sessi...

Set BYOK utility models

Unlocks full AI features.

Configure


Describe what to b...

Local

Outline

Timeline

0 0 Go Live Continue (NE)


File Edit Selection View Go Run Terminal Help
studentdb
Sign In
Explorer
stude...
Chat
Sessi...
Problems Output Debug Console Terminal Ports
mongosh
PS D:\FSWD\studentdb> mongosh
acknowledged: true,
insertedIds: {
'0': ObjectId('6ae741107fdaeede204f8ad3'),
'1': ObjectId('6ae741107fdaeede204f8ad4'),
'2': ObjectId('6ae741107fdaeede204f8ad5')
}
}
studentDB> db.students.find()
[
{
_id: ObjectId('6ae741027fdaeede204f8ad2'),
name: 'Arun',
age: 21,
course: 'MERN Stack',
status: 'active'
},
{
_id: ObjectId('6ae741107fdaeede204f8ad3'),
name: 'Priya',
age: 22,
course: 'MERN Stack',
status: 'active'
},
{
_id: ObjectId('6ae741107fdaeede204f8ad4'),
name: 'Kumar',
age: 20,
course: 'Python',
status: 'completed'
},
{
_id: ObjectId('6ae741107fdaeede204f8ad5'),
name: 'Divya',
age: 23,
course: 'Java',
status: 'active'
Set BYOK utility models
Unlocks full AI features.
Configure
Describe what to b...
Local
Outline
Timeline
0 0
Go Live
Continue (NE)

File Edit Selection View Go Run Terminal Help studentdb Sign In

Explorer

stude...

Chat

Sessi...

Problems Output Debug Console Terminal Ports mongosh

```
PS D:\FSWD\studentdb> mongosh
  }
]
studentDB> db.students.find({
|   course: "MERN Stack"
| })
[
  {
    _id: ObjectId('6ae741027fdaeede204f8ad2'),
    name: 'Arun',
    age: 21,
    course: 'MERN Stack',
    status: 'active'
  },
  {
    _id: ObjectId('6ae741107fdaeede204f8ad3'),
    name: 'Priya',
    age: 22,
    course: 'MERN Stack',
    status: 'active'
  }
]
studentDB> db.students.findOne({
|   name: "Arun"
| })
{
  _id: ObjectId('6ae741027fdaeede204f8ad2'),
  name: 'Arun',
  age: 21,
  course: 'MERN Stack',
  status: 'active'
}
studentDB> db.students.updateOne(
|   { name: "Arun" },
|   { $set: { status: "completed" } }
| )
{
```

Set BYOK utility models

Unlocks full AI features.

Configure


Describe what to b...


Local


Outline


Timeline


0 0 Go Live Continue (NE)



File Edit Selection View Go Run Terminal Help
studentdb
Sign In
Explorer
stude...
Chat
Sessi...
Problems Output Debug Console Terminal Ports
mongosh
PS D:\FSWD\studentdb> mongosh
acknowledged: true,
insertedId: null,
matchedCount: 1,
modifiedCount: 1,
upsertedCount: 0
}
studentDB> db.students.updateMany(
| { course: "MERN Stack" },
| { $set: { status: "completed" } }
|)
{
acknowledged: true,
insertedId: null,
matchedCount: 2,
modifiedCount: 1,
upsertedCount: 0
}
studentDB> db.students.deleteOne({
| name: "Vijay"
| })
{ acknowledged: true, deletedCount: 0 }
studentDB> db.students.deleteMany({})
{ acknowledged: true, deletedCount: 4 }
studentDB> db.students.find({
| age: { $gt: 20 }
| })
studentDB> use studentDB
already on db studentDB
studentDB> db.students.insertMany([
| {
| name: "Arun",
| age: 21,
| course: "MERN Stack",
| status: "active",
| email: "arun@gmail.com"
Set BYOK utility models
Unlocks full AI features.
Configure
Describe what to b...
Local
Outline
Timeline
Go Live
Continue (NE)


File Edit Selection View Go Run Terminal Help
studentdb
Sign In
Explorer
studentdb
Chat
Sessi...
Problems Output Debug Console Terminal Ports
mongosh
PS D:\FSWD\studentdb> mongosh
name: "Priya",
age: 22,
course: "MERN Stack",
status: "active",
email: "priya@gmail.com"
},
{
name: "Kumar",
age: 20,
course: "Python",
status: "completed",
email: "kumar@gmail.com"
},
{
name: "Divya",
age: 23,
course: "Java",
status: "active"
},
{
name: "Vijay",
age: 19,
course: "MERN Stack",
status: "completed",
email: "vijay@gmail.com"
}
])
{
acknowledged: true,
insertedIds: {
'0': ObjectId('6ae743917fdaeede204f8ad6'),
'1': ObjectId('6ae743917fdaeede204f8ad7'),
'2': ObjectId('6ae743917fdaeede204f8ad8'),
'3': ObjectId('6ae743917fdaeede204f8ad9'),
'4': ObjectId('6ae743917fdaeede204f8ada')
}
Set BYOK utility models
Unlocks full AI features.
Configure
Describe what to b...
Local
Outline
Timeline
0 0
Go Live
Continue (NE)


File Edit Selection View Go Run Terminal Help
studentdb
Sign In
Explorer
studentdb
Chat
Sessi...
Problems Output Debug Console Terminal Ports
mongosh
PS D:\FSWD\studentdb> mongosh
}
studentDB> db.students.find()
[
{
_id: ObjectId('6ae743917fdaeede204f8ad6'),
name: 'Arun',
age: 21,
course: 'MERN Stack',
status: 'active',
email: 'arun@gmail.com'
},
{
_id: ObjectId('6ae743917fdaeede204f8ad7'),
name: 'Priya',
age: 22,
course: 'MERN Stack',
status: 'active',
email: 'priya@gmail.com'
},
{
_id: ObjectId('6ae743917fdaeede204f8ad8'),
name: 'Kumar',
age: 20,
course: 'Python',
status: 'completed',
email: 'kumar@gmail.com'
},
{
_id: ObjectId('6ae743917fdaeede204f8ad9'),
name: 'Divya',
age: 23,
course: 'Java',
status: 'active'
},
{
_id: ObjectId('6ae743917fdaeede204f8ada'),
Set BYOK utility models
Unlocks full AI features.
Configure
Describe what to b...
Local
Outline
Timeline
Go Live
Continue (NE)


File Edit Selection View Go Run Terminal Help
studentdb
Sign In
Explorer
stude...
Chat
Sessi...
Problems Output Debug Console Terminal Ports
mongosh
PS D:\FSWD\studentdb> mongosh
name: 'Vijay',
age: 19,
course: 'MERN Stack',
status: 'completed',
email: 'vijay@gmail.com'
}
]
studentDB> db.students.find({
| age: { $gt: 20 }
| })
[
{
_id: ObjectId('6ae743917fdaeede204f8ad6'),
name: 'Arun',
age: 21,
course: 'MERN Stack',
status: 'active',
email: 'arun@gmail.com'
},
{
_id: ObjectId('6ae743917fdaeede204f8ad7'),
name: 'Priya',
age: 22,
course: 'MERN Stack',
status: 'active',
email: 'priya@gmail.com'
},
{
_id: ObjectId('6ae743917fdaeede204f8ad9'),
name: 'Divya',
age: 23,
course: 'Java',
status: 'active'
}
]
studentDB> db.students.find({
Set BYOK utility models
Unlocks full AI features.
Configure
Describe what to b...
Local
Outline
Timeline
0 0
Go Live
Continue (NE)


File Edit Selection View Go Run Terminal Help
studentdb
Sign In
Explorer
stude...
Chat
Sessi...
Problems Output Debug Console Terminal Ports
mongosh
PS D:\FSWD\studentdb> mongosh
| age: { $lt: 22 }
| })
[
{
_id: ObjectId('6ae743917fdaeede204f8ad6'),
name: 'Arun',
age: 21,
course: 'MERN Stack',
status: 'active',
email: 'arun@gmail.com'
},
{
_id: ObjectId('6ae743917fdaeede204f8ad8'),
name: 'Kumar',
age: 20,
course: 'Python',
status: 'completed',
email: 'kumar@gmail.com'
},
{
_id: ObjectId('6ae743917fdaeede204f8ada'),
name: 'Vijay',
age: 19,
course: 'MERN Stack',
status: 'completed',
email: 'vijay@gmail.com'
}
]
studentDB> db.students.find({
| course: { $in: ["MERN Stack", "Python"] }
| })
[
{
_id: ObjectId('6ae743917fdaeede204f8ad6'),
name: 'Arun',
age: 21,
Set BYOK utility models
Unlocks full AI features.
Configure
Describe what to b...
Local
Outline
Timeline
Go Live
Continue (NE)


File Edit Selection View Go Run Terminal Help
studentdb
Sign In
Explorer
stude...
Chat
Sessi...
Problems Output Debug Console Terminal Ports
mongosh
PS D:\FSWD\studentdb> mongosh
course: 'MERN Stack',
status: 'active',
email: 'arun@gmail.com'
},
{
_id: ObjectId('6ae743917fdaeede204f8ad7'),
name: 'Priya',
age: 22,
course: 'MERN Stack',
status: 'active',
email: 'priya@gmail.com'
},
{
_id: ObjectId('6ae743917fdaeede204f8ad8'),
name: 'Kumar',
age: 20,
course: 'Python',
status: 'completed',
email: 'kumar@gmail.com'
},
{
_id: ObjectId('6ae743917fdaeede204f8ada'),
name: 'Vijay',
age: 19,
course: 'MERN Stack',
status: 'completed',
email: 'vijay@gmail.com'
}
]
studentDB> db.students.find({
| $and: [
| { age: { $gt: 20 } },
| { status: "active" }
|]
| })
[
Set BYOK utility models
Unlocks full AI features.
Configure
Describe what to b...
Local
Outline
Timeline
0 0
Go Live
Continue (NE)

File Edit Selection View Go Run Terminal Help

studentdb

Sign In

Explorer

studentdb

Chat

Sessi...

Problems Output Debug Console Terminal Ports

mongosh

```
PS D:\FSWD\studentdb> mongosh
  {
    _id: ObjectId('6ae743917fdaeede204f8ad6'),
    name: 'Arun',
    age: 21,
    course: 'MERN Stack',
    status: 'active',
    email: 'arun@gmail.com'
  },
  {
    _id: ObjectId('6ae743917fdaeede204f8ad7'),
    name: 'Priya',
    age: 22,
    course: 'MERN Stack',
    status: 'active',
    email: 'priya@gmail.com'
  },
  {
    _id: ObjectId('6ae743917fdaeede204f8ad9'),
    name: 'Divya',
    age: 23,
    course: 'Java',
    status: 'active'
  }
]
studentDB> db.students.find({
|     $or: [
|         { course: "Java" },
|         { course: "Python" }
|     ]
| })
[
  {
    _id: ObjectId('6ae743917fdaeede204f8ad8'),
    name: 'Kumar',
    age: 20,
    course: 'Python',
```

Set BYOK utility models

Unlocks full AI features.

Configure

Describe what to b...

Local


Outline


Timeline

0 0

Go Live

Continue (NE)


File Edit Selection View Go Run Terminal Help
studentdb
Sign In
Explorer
studentdb
Chat
Sessi...
Problems Output Debug Console Terminal Ports
mongosh
PS D:\FSWD\studentdb> mongosh
status: 'completed',
email: 'kumar@gmail.com'
},
{
_id: ObjectId('6ae743917fdaeede204f8ad9'),
name: 'Divya',
age: 23,
course: 'Java',
status: 'active'
}
]
studentDB> db.students.find({
email: { $exists: true }
})
[
{
_id: ObjectId('6ae743917fdaeede204f8ad6'),
name: 'Arun',
age: 21,
course: 'MERN Stack',
status: 'active',
email: 'arun@gmail.com'
},
{
_id: ObjectId('6ae743917fdaeede204f8ad7'),
name: 'Priya',
age: 22,
course: 'MERN Stack',
status: 'active',
email: 'priya@gmail.com'
},
{
_id: ObjectId('6ae743917fdaeede204f8ad8'),
name: 'Kumar',
age: 20,
course: 'Python',
Set BYOK utility models
Unlocks full AI features.
Configure
Describe what to b...
Local
Outline
Timeline
Go Live
Continue (NE)


File Edit Selection View Go Run Terminal Help
studentdb
Sign In
Explorer
stude...
Chat
Sessi...
Problems Output Debug Console Terminal Ports
mongosh
PS D:\FSWD\studentdb> mongosh
},
{
_id: ObjectId('6ae743917fdaeede204f8ad8'),
name: 'Kumar',
age: 20,
course: 'Python',
status: 'completed',
email: 'kumar@gmail.com'
},
{
_id: ObjectId('6ae743917fdaeede204f8ada'),
name: 'Vijay',
age: 19,
course: 'MERN Stack',
status: 'completed',
email: 'vijay@gmail.com'
}
]
studentDB>
Set BYOK utility models
Unlocks full AI features.
Configure
Describe what to b...
Local
Outline
Timeline
Go Live
Continue (NE)