

## NOTES

1. DRAWINGS DIMENSIONS ARE TO BE READ NOT TO BE SCALED.
2. ARCHITECTURAL DRAWING MUST BE READ IN CONJUNCTION WITH ALL OTHER SERVICE DRAWINGS AND CONTRACT DOCUMENTS AND IN CASE OF ANY DISCREPANCIES AMONG THESE DRAWINGS, THE CONTRACT DOCUMENTS SHALL PREVAIL.
3. ALL THE LEVELS AND DIMENSIONS MUST BE CHECKED AND VERIFIED BY THE MAIN CONTRACTOR BEFORE THE COMMENCEMENT OF ANY ITEM OF WORK ON THE SITE OR THE PREPARATION OF THE SHOP DRAWINGS.
4. THE INVESTOR'S EXTERNAL FACING SHOPFRONT SIGNAGE (IF ANY) MUST STRICTLY COMPLY WITH THE OWNER'S REQUIREMENTS AND DIRECTIONS.
5. NO CHIMNEYS AND/OR PENETRATIONS OF ANY DESCRIPTION WILL BE ALLOWED THROUGH THE ROOF OF THE BUILDING.
6. SUPPLY STORAGE AND PROTECTION OF EXPANSION JOINTS COVERS AND RELATED ACCESSORIES INSIDE ALL INTERIOR SPACES IS BY THE OWNER. INSTALLATION OF THE VAPOR BARRIER, FIRE BARRIER & INSULATION DRAPE ASSEMBLY WILL BE BY THE OWNER.
7. THIS DRAWING IS INDICATIVE ONLY ( NOT TO BE USED FOR CONSTRUCTION ) AND IS ACCURATE AS AT THE DATE SHOWN ON THE DRAWING.
8. THIS DRAWING IS SUBJECT TO CHANGE AS PLANNING, DEVELOPMENT AND CONSTRUCTION CONTINUES THROUGH UNTIL OPENING OF THE CENTRE.
9. IT IS THE RESPONSIBILITY OF THE RECIPIENT OF THIS DRAWING TO UPDATE THEMSELVES WITH ANY SUBSEQUENT REVIEWS, UPDATES, ADDITIONS, DELETIONS AND /OR SUBSTITUTIONS.
10. IT IS THE RESPONSIBILITY OF THE INVESTOR TO UNDERAKE AN ON-SITE MEASURE TO VERIFY ALL DIMENSIONS SHOWN ON THIS DRAWING.
11. TAJDEEN REAL ESTATE CO. DOES NOT ACCEPT ANY LIABILITY OF ANY FORM FOR THE RECIPIENT'S USE AND/OR INTERPRETATION OF THIS DRAWING.
12. THE DRAWING IS NOT TO BE USED FOR ANY FLOORING SUPPORTING SYSTEMS NOT EXCEED MORE THAN 100MM DEPTH TO AVOID ANY DAMAGE THAT MAY CAUSED IN THE IMBEDDED PVC CONDUIT.

## FOR REVIEW

OWNER

تاجدين  
TAMDEEN  
GROUP

PROJECT TITLE

Al Khitran Outlet Mall

CONSULTANTS

cracknell SSH

DESIGN ARCHITECT

CALLISONRTKL  
A DESIGN CONSULTANCY OF ARCADIS

ENGINEER OF RECORD



OH ENGINEERING CONSULTANT  
P.O. Box 808 JAWHARY CODE 102007 - KUWAIT  
PHONE: 24620208 - 24620219 FAX: 24356111  
E-mail: oha@oha.com

MANAGED BY

تاجدين  
TAMDEEN  
MANAGEMENT  
P.O. BOX: 28060 SAKAT 13151, KUWAIT  
TEL: +965 25362330  
FAX: +965 25362330  
WWW.TAMDEENMALLS.COM

DRAWING TITLE:


GROUND FLOOR  
ANCHOR ELEC. PLAN

UNIT NO.

G-60

USAGE. ANCHOR

TRADE	SCALE	DATE
ELEC	1:100 @ A0	MAY 2020
DRAWN BY	CHECKED BY	APPROVED BY
--	M.RAMADAN	--
DRAWING NO.	OF	REV.
E-01	04 OF 08	00



FACP-GF-ANC5

LOCATED AT SUPERMARKET

NOTES:  
FIRE ALARM & DIF SYSTEMS AS PER DESIGN DRAWINGS  
FIREWORKS LINE INCLUDING  
BLOCK WALL

## LEGEND:

SYMBOL	DESCRIPTION
<input checked="" type="checkbox"/>	200A 1P+N ISOLATING SWITCH
<input checked="" type="checkbox"/>	TARGET METER
<input checked="" type="checkbox"/>	SMOKE DETECTOR
<input checked="" type="checkbox"/>	CEILING RECESSED VOICE EVACUATION SPEAKER
<input checked="" type="checkbox"/>	HEAT DETECTOR
<input checked="" type="checkbox"/>	INTERFACE TO GAS DETECTION SYSTEM
<input checked="" type="checkbox"/>	FIRE ALARM MANUAL STATION
<input checked="" type="checkbox"/>	FIRE ALARM CONTROL PANEL
<input checked="" type="checkbox"/>	ICP DATA CABINET 120 WALL MOUNT

S.NO	DESCRIPTION	LOAD IN K.W
1	LIGHT POWER & EQUIPMENT	872.50 K.W
2	AHU-G-0006/3 NOS EACH 7.50 K.W	7.500 K.W
AHU-G-0006/K		5.500 K.W
MUA-G-0006		4.000 K.W
KEP-G-0006		38.500 K.W
TOTAL LOAD		912.00 K.W

GENERAL NOTES:  
1. THIS DRAWING IS TO BE Laid FROM SUPER MARKET  
2. ELECTRICAL PANEL LOCATION TO BE LOCATED ON ROOF  
3. FOR ELECTRICAL SUPPLY TO KEF.