






Programme	: BTech. CSE Core	Semester	: Win 2021-22
Course	: Java Programming	Code	: CSE1007
Faculty	: Dr. Pradeep K	Slot	: L9+L10
Name	: Hariket Suresh Kumar Sheth	Register No.	: 20BCE1975

1. Create a text file (Example: aa.txt) and write contents into the file using Java.

```
package lab7;
import java.io.*;
import java.util.*;

public class Lab7 {
    public static void main(String[] args) {
        File file = new File("C:\\Users\\Hariket Sheth\\Desktop\\Lab7.txt");
        boolean result;
        try {
            result = file.createNewFile();
            if (result)
                System.out.println("file created " + file.getCanonicalPath());
            else
                System.out.println("File already exist at location: " +
file.getCanonicalPath());
        } catch (IOException e) {
            e.printStackTrace();
        }
        try {
            FileOutputStream fos = new FileOutputStream(file.getCanonicalPath(),
true);
            System.out.print("Enter file content: ");
            Scanner sc = new Scanner(System.in);
            String str = sc.nextLine() + "\n";
            byte[] b = str.getBytes();
            fos.write(b);
            fos.close();
            System.out.println("file saved.");
        } catch (Exception e) {
            e.printStackTrace();
        }
    }
}
```

## OUTPUT:




2. Read the text file contents and print all the contents using java.

```
package lab7;
import java.io.*;
import java.util.*;

public class Lab7 {
    public static void main(String[] args) {
        try {
            File file = new File("C:\\Users\\Hariket Sheth\\Desktop\\Lab7.txt");
            FileReader fr = new FileReader(file);
            BufferedReader br = new BufferedReader(fr);
            StringBuffer sb = new StringBuffer();
            String line;
            while ((line = br.readLine()) != null) {
                sb.append(line);
                sb.append("\n");
            }
            fr.close();
            System.out.println("Contents of File: ");
            System.out.println(sb.toString());
        } catch (IOException e) {
            e.printStackTrace();
        }
    }
}
```

## OUTPUT:



The screenshot shows a Notepad window titled 'Lab7 - Notepad' with the following text:

```
My name is Hariket Sukesh Kumar Sheth
Register No.: 20BCE1975
Course: CSE1007
Name: Java Programming
Faculty: Dr. Pradeep K
```

Below the Notepad window is an 'Output - Lab7 (run)' console window. It displays the same text as the Notepad window, preceded by 'run:'. At the bottom, it shows 'BUILD SUCCESSFUL (total time: 0 seconds)'.

3. Write a Java Program to perform the following operations using `FileOutputStream` and `FileInputStream` classes
  - To Read the Content and Write the Content into a File
  - To Count the Number of Lines in a file
  - To Count the Number of Vowels and Consonants from a File
  - To Count the Number of Words from a File
  - Read a character from a file and check its case. If it is Upper, then convert it into Lower else convert it into Upper and finally write it into another character.

```
package lab7;
import java.io.*;
import java.util.*;

public class Lab7 {
    public static void main(String[] args) {
        int count = 0, count_vowel=0, count_con=0;
        int count_words = 0;
        try {
            File file = new File("C:\\Users\\Hariket Sheth\\Desktop\\Lab7.txt");
            FileReader fr = new FileReader(file);
            BufferedReader br = new BufferedReader(fr);
            StringBuffer sb = new StringBuffer();
            String line;
            StringBuffer converted = new StringBuffer();
            while ((line = br.readLine()) != null) {
                sb.append(line);
                sb.append("\n");
                String[] words=line.split(" ");
                for(int i=0; i<line.toString().length();i++){
                    char temp = line.toString().charAt(i);
                    if(Character.isLowerCase(temp))
                        converted.append(Character.toUpperCase(temp));
                    else if(Character.isUpperCase(temp))
                        converted.append(Character.toLowerCase(temp));
                    else

```

```

        converted.append(temp);
    }
    converted.append('\n');
    count_words += words.length;
    for(int i=0;i<words.length;i++){
        for(int j=0;j<words[i].length();j++){
            char ch= Character.toLowerCase(words[i].charAt(j));
            if(ch == 'a' || ch == 'e' || ch == 'i' || ch == 'o' || ch == 'u')
                count_vowel += 1;
            else if(ch != ' ')
                count_con +=1;
        }
    }
}
fr.close();
Scanner sc = new Scanner(file);
while(sc.hasNextLine()) {
    sc.nextLine();
    count++;
}
System.out.println("Contents of File: ");
System.out.print(sb.toString());
System.out.println("Number of Lines: "+count);
System.out.println("Number of Vowels: "+count_vowel);
System.out.println("Number of Consonants: "+count_con);
System.out.println("Number of Words: "+count_words);
System.out.println("\nContents of Converted File: ");
System.out.print(converted.toString());
} catch (Exception e) {
    e.printStackTrace();
}
}
}

```

## OUTPUT:

```

Output - Lab7 (run) x
run:
Contents of File:
My name is Hariket Sukesh Kumar Sheth
Register No.: 20BCE1975
Course: CSE1007
Name: Java Programming
Faculty: Dr. Pradeep K

Number of Lines: 6
Number of Vowels: 32
Number of Consonants: 73
Number of Words: 20

Contents of Converted File:
mY NAME IS hARIKET sUKESH kUMAR sHETH
rEGISTER nO.: 20bce1975
cOURSE: cse1007
nAME: jAVA pROGRAMMING
fACULTY: dR. pRADEEP k

BUILD SUCCESSFUL (total time: 0 seconds)

```




4. Deduce the Java programs for the following Input and Output stream classes with the help of predefined methods provided in each class.
  - BufferedOutputStream and BufferedInputStream
  - SequenceInputStream
  - ByteArrayOutputStream and ByteArrayInputStream
  - DataOutputStream and DataInputStream
  - Java FilterOutputStream and Java FilterInputStream

## A. BufferedOutputStream and BufferedInputStream

```
package lab7;
import java.io.*;
import java.util.*;

import java.io.*;
public class Lab7 {
    public static void main(String args[]) throws Exception {
        FileInputStream fin=new FileInputStream("C:\\\\Users\\\\Hariket
Sheth\\\\Desktop\\\\Lab7-1.txt");
        BufferedInputStream bin=new BufferedInputStream(fin);
        int i;
        while((i =bin.read())!=-1){
            System.out.print((char)i);
        }
        FileOutputStream fout = new FileOutputStream("C:\\\\Users\\\\Hariket
Sheth\\\\Desktop\\\\Lab7-2.txt");
        BufferedOutputStream bout = new BufferedOutputStream(fout);
        String s = "This data would be inserted in the second file";
        byte b[] = s.getBytes();
        bout.write(b);
        bout.flush();
        bout.close();
        fout.close();
        System.out.println("Done and Tested");
    }
}
```



### OUTPUT:



## B. SequenceInputStream

```
package lab7;
import java.io.*;
public class Lab7 {
    public static void main(String args[]) throws Exception {
        FileInputStream fin1 = new FileInputStream("C:\\Users\\Hariket
Sheth\\Desktop\\Lab7-1.txt");
        FileInputStream fin2 = new FileInputStream("C:\\Users\\Hariket
Sheth\\Desktop\\Lab7-2.txt");
        FileOutputStream fout = new FileOutputStream("C:\\Users\\Hariket
Sheth\\Desktop\\Lab7-out.txt");
        SequenceInputStream output = new SequenceInputStream(fin1, fin2);
        int i;
        while ((i = output.read()) != -1) {
            fout.write(i);
        }
        output.close();
        fout.close();
        fin1.close();
        fin2.close();
        System.out.println("The Contents of File1 and File2 are read and put in Lab7-
out.txt");
        System.out.println("Operation Successful !!");
    }
}
```

## OUTPUT:



```
Lab7-1 - Notepad
File Edit View

This is the content of the File 1. Let's end the content here.
```

```
Lab7-2 - Notepad
File Edit View

This marks the beginning of the data in File 2. The content of File 2 gets over here.
```

```
Lab7-out - Notepad
File Edit View

This is the content of the File 1. Let's end the content here. This marks the beginning of the data in File 2. The content of File 2 gets over here.
```




### C. ByteArrayOutputStream and ByteArrayInputStream

```
package lab7;

import java.io.*;
public class Lab7 {
    public static void main(String[] args) throws IOException {
        FileOutputStream fout1 = new FileOutputStream("C:\\Users\\Hariket
Sheth\\Desktop\\Lab7-1.txt");
        FileOutputStream fout2 = new FileOutputStream("C:\\Users\\Hariket
Sheth\\Desktop\\Lab7-2.txt");
        byte[] buf = {72, 97, 114, 105, 107, 101, 116, 32, 83, 104, 101, 116, 104};
        ByteArrayInputStream byt = new ByteArrayInputStream(buf);
        int k = 0;
        while ((k = byt.read()) != -1) {
            char ch = (char) k;
            System.out.println(ch + " (ASCII: " + k + ")");
        }
        ByteArrayOutputStream bout = new ByteArrayOutputStream();
        bout.write(buf);
        bout.writeTo(fout1);
        bout.writeTo(fout2);

        bout.flush();
        bout.close();
    }
}
```

## OUTPUT:





## D. DataOutputStream and DataInputStream

```
package lab7;



import java.io.*;

public class Lab7 {
    public static void main(String[] args) throws IOException {
        InputStream input = new FileInputStream("C:\\Users\\Hariket Sheth\\Desktop\\Lab7-1.txt");
        FileOutputStream fout2 = new FileOutputStream("C:\\Users\\Hariket Sheth\\Desktop\\Lab7-2.txt");

        DataInputStream inst = new DataInputStream(input);
        int count = input.available();
        byte[] ary = new byte[count];
        inst.read(ary);

        DataOutputStream data = new DataOutputStream(fout2);
        data.write(ary);
        data.flush();
        data.close();
        System.out.println("Operation Successful !!");
    }
}
```

### OUTPUT:



## E. Java FilterOutputStream and Java FilterInputStream

```
package lab7;

import java.io.*;

public class Lab7 {
    public static void main(String[] args) throws IOException {

        File data = new File("C:\\Users\\Hariket Sheth\\Desktop\\Lab7-1.txt");
        File output = new File("C:\\Users\\Hariket Sheth\\Desktop\\Lab7-2.txt");
        FileInputStream file = new FileInputStream(data);
        FilterInputStream filter = new BufferedInputStream(file);
        FileOutputStream file1 = new FileOutputStream(output);
        FilterOutputStream filter1 = new FilterOutputStream(file1);

        int k =0;
        while((k=filter.read())!=-1){
            System.out.print((char)k);
            filter1.write((char)k);
            filter1.flush();
        }
        System.out.print("\n");
        file.close();
        filter.close();
        filter1.close();
        file1.close();

        System.out.println("Operation Successful !!");
    }
}
```

### OUTPUT:

