

Terminal

Win1 x Win2 x

Administrator: Command Prompt

C:\Users\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix	:	:
Link-local IPv6 Address	:	fe80::2ceb:ccb5:788:1e35%11
IPv4 Address.	:	50.0.0.10
Subnet Mask	:	255.0.0.0
Default Gateway	:	:

Tunnel adapter isatap.{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:

Media State	:	Media disconnected
Connection-specific DNS Suffix	:	:

Tunnel adapter 6T04 Adapter:

Connection-specific DNS Suffix	:	:
IPv6 Address.	:	2002:3200:a::3200:a
Default Gateway	:	:

C:\Users\user>

10
11/10/2011



Terminal

Win1 x Win2 x

Administrator: Command Prompt

C:\Users\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix	:	:
Link-local IPv6 Address	:	fe80::35fd:cc8:9b31:c87e%11
IPv4 Address	:	50.0.0.20
Subnet Mask	:	255.0.0.0
Default Gateway	:	:

Tunnel adapter isatap.{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:

Media State	:	Media disconnected
Connection-specific DNS Suffix	:	:

Tunnel adapter 6T04 Adapter:

Connection-specific DNS Suffix	:	:
IPv6 Address	:	2002:3200:14::3200:14
Default Gateway	:	:

C:\Users\user>



Terminal

Win1 x Win2 x

Administrator: Command Prompt

unnel adapter 6T04 Adapter:

Connection-specific DNS Suffix . :
IPv6 Address : 2002:3200:a::3200:a
Default Gateway :

C:\Users\user>ping 50.0.0.20

'ping' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\user>ping 50.0.0.20


Pinging 50.0.0.20 with 32 bytes of data:

Reply from 50.0.0.20: bytes=32 time=2ms TTL=128
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128
Reply from 50.0.0.20: bytes=32 time=1ms TTL=128

Ping statistics for 50.0.0.20:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 2ms, Average = 1ms

C:\Users\user>



Terminal

Win1 x Win2 x

