

PC1

Physical Config Desktop Programming Attributes

Terminal

```
GigabitEthernet0/2      unassigned      YES unset      administratively down down
Vlan1                  unassigned      YES unset      administratively down down
Router#conf t
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#interface gigabitethernet0/0
Router(config-if)#shutdown

Router(config-if)#
%LINK-5-CHANGED: Interface GigabitEthernet0/0, changed state to administratively down
exit
Router(config)#exit
Router#
%SYS-5-CONFIG_I: Configured from console by console
show ip interface brief
Interface      IP-Address      OK? Method Status      Protocol
GigabitEthernet0/0  10.0.0.1        YES manual  administratively down down
GigabitEthernet0/1  unassigned      YES unset   administratively down down
GigabitEthernet0/2  unassigned      YES unset   administratively down down
Vlan1          unassigned      YES unset   administratively down down
Router#
Router#
Router#conf t
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#interface gigabitethernet0/0
Router(config-if)#no shutdown

Router(config-if)#
%LINK-3-UPDOWN: Interface GigabitEthernet0/0, changed state to down

%LINEPROTO-5-UPDOWN: Line protocol on Interface GigabitEthernet0/0, changed state to up

Router(config-if)#exit
Router(config)#exit
Router#
%SYS-5-CONFIG_I: Configured from console by console
show ip interface brief
Interface      IP-Address      OK? Method Status      Protocol
GigabitEthernet0/0  10.0.0.1        YES manual  up          up
GigabitEthernet0/1  unassigned      YES unset   administratively down down
GigabitEthernet0/2  unassigned      YES unset   administratively down down
Vlan1          unassigned      YES unset   administratively down down
Router#
```

Top

Search