

C:\WINDOWS\system32\cmd.exe

```
Connection-specific DNS Suffix . :  
IP Address . . . . . : 50.0.0.10  
Subnet Mask . . . . . : 255.0.0.0  
Default Gateway . . . . . : 50.0.0.1
```

C:\Documents and Settings\user>ping 172.16.0.20

Pinging 172.16.0.20 with 32 bytes of data:

```
Reply from 172.16.0.20: bytes=32 time=2ms TTL=127  
Reply from 172.16.0.20: bytes=32 time=3ms TTL=127  
Reply from 172.16.0.20: bytes=32 time=1ms TTL=127  
Reply from 172.16.0.20: bytes=32 time=1ms TTL=127
```

Ping statistics for 172.16.0.20:

```
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
Minimum = 1ms, Maximum = 3ms, Average = 1ms
```

C:\Documents and Settings\user>ping 172.16.0.10

Pinging 172.16.0.10 with 32 bytes of data:

```
Request timed out.  
Request timed out.  
Request timed out.  
Request timed out.
```

Ping statistics for 172.16.0.10:

```
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
```

C:\Documents and Settings\user>ping 172.16.0.10

Pinging 172.16.0.10 with 32 bytes of data:

```
Reply from 172.16.0.10: bytes=32 time=2ms TTL=63  
Reply from 172.16.0.10: bytes=32 time=1ms TTL=63  
Reply from 172.16.0.10: bytes=32 time=1ms TTL=63  
Reply from 172.16.0.10: bytes=32 time=1ms TTL=63
```

terminal

Win × ROUTER × Linux-1 × Winserver × DNS ×

Enter configuration commands, one per line. End with CNTL/Z.

ROUTER(config)#int e0/0

ROUTER(config-if)#ip add 172.16.0.1 255.0.0.0

ROUTER(config-if)#no sh

ROUTER(config-if)#exit

ROUTER(config)#int e0/1

ROUTER(config-if)#int e0/0

*Sep 1 02:23:08.088: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped
d)

ROUTER(config-if)#exit

ROUTER(config)#int e0/0

ROUTER(config-if)#no ip add 172.16.0.1 255.0.0.0

ROUTER(config-if)#ip add 172.16.0.1 255.255.0.0

ROUTER(config-if)#no sh

ROUTER(config-if)#exit

ROUTER(config)#int e0/1

ROUTER(config-if)#ip add 8.0.0.1 255.0.0.0

ROUTER(config-if)#no sh

ROUTER(config-if)#exit

ROUTER(config)#int e0/2

ROUTER(config-if)#ip add 50.0.0.1 255.0.0.0

ROUTER(config-if)#no sh

ROUTER(config-if)#exit

ROUTER(config)#exit

ROUTER#s

*Sep 1 02:25:07.887: %SYS-5-CONFIG_I: Configured from console by console


ROUTER#sh ip int br


Interface	IP-Address	OK?	Method	Status
Ethernet0/0	172.16.0.1	YES	manual	up
Ethernet0/1	8.0.0.1	YES	manual	up
Ethernet0/2	50.0.0.1	YES	manual	up
Ethernet0/3	unassigned	YES	TFTP	down

ROUTER#

DHCP=NO

```
# service network restart
route: ioctl 0x890c failed: No such process
Removing default gateway for Ethernet interface ..... [FAILED]
shutting down Ethernet interface eth0 ..... [ OK ]
shutting down loopback interface lo ..... [ OK ]
bringing up loopback interface lo ..... [ OK ]
bringing up Ethernet interface eth0 ..... [ OK ]
set up default gateway ..... [ OK ]
#
```





hari krishnan This file is located in /home/httpd

Windows Server

Internet Information Services

Welcome

Bienvenue

Tervetuloa

ようこそ Benvenuto 歡迎

Bem-vindo

Bienvenido

Hoş geldiniz

ברוכים הבאים

Welkom

Vítejte
Καλώς
ορίσαστε

Välkommen

환영합니다

Добро
пожаловать

Üdvözljük

Microsoft

Willkommen

Velkommen

Witamy