

Unit-4

Pratical-1

```
Microsoft Windows [Version 10.0.26200.8246]
(c) Microsoft Corporation. All rights reserved.

C:\Users\harik>D:

D:\>mkdir maven-practical

D:\>cd maven-practical

D:\maven-practical>mvn archetype:generate -DgroupId=com.example -DartifactId=my-app1 -DarchetypeArtifactId=maven-archetype-quickstart
-DinteractiveMode=false
[INFO] Scanning for projects...
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-metadata.xml
Downloading from central: https://repo.maven.apache.org/maven2/org/codehaus/mojo/maven-metadata.xml
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-metadata.xml (21 kB at 33 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/org/codehaus/mojo/maven-metadata.xml (14 kB at 11 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-archetype-plugin/maven-metadata.xml
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-archetype-plugin/maven-metadata.xml (1.1
kB at 30 kB/s)
[INFO] -----< org.apache.maven:standalone-pom >-----
[INFO] Building Maven Stub Project (No POM) 1
[INFO] -----[ pom ]-----
[INFO]
[INFO] >>> archetype:3.4.1:generate (default-cli) > generate-sources @ standalone-pom >>>
[INFO]
[INFO] <<< archetype:3.4.1:generate (default-cli) < generate-sources @ standalone-pom <<<
[INFO]
[INFO] --- archetype:3.4.1:generate (default-cli) @ standalone-pom ---
[INFO] Generating project in Batch mode
Downloading from central: https://repo.maven.apache.org/maven2/archetype-catalog.xml
Downloaded from central: https://repo.maven.apache.org/maven2/archetype-catalog.xml (18 MB at 24 MB/s)
[INFO] -----
[INFO] Using following parameters for creating project from Old (1.x) Archetype: maven-archetype-quickstart:1.0
[INFO] -----
[INFO] Parameter: basedir, Value: D:\maven-practical
[INFO] Parameter: package, Value: com.example

D:\maven-practical>cd my-app1

D:\maven-practical\my-app1>dir
Volume in drive D is Hari
Volume Serial Number is F899-F900

Directory of D:\maven-practical\my-app1

19-04-2026  14:17    <DIR>          .
19-04-2026  14:17    <DIR>          ..
19-04-2026  14:17                656 pom.xml
19-04-2026  14:17    <DIR>          src
                    1 File(s)        656 bytes
                    3 Dir(s)      122,154,438,656 bytes free

D:\maven-practical\my-app1>notepad src/main/java/com/example/App.java

D:\maven-practical\my-app1>mvn compile
[INFO] Scanning for projects...
[INFO] -----< com.example:my-app1 >-----
[INFO] Building my-app1 1.0-SNAPSHOT
[INFO] from pom.xml
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ my-app1 ---
```

```

[INFO] from pom.xml
[INFO] -----[ jar ]-----
[INFO] --- resources:3.3.1:resources (default-resources) @ my-appl ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory D:\maven-practical\my-appl\src\main\resources
[INFO] --- compiler:3.13.0:compile (default-compile) @ my-appl ---
[INFO] Recompiling the module because of changed source code.
[WARNING] File encoding has not been set, using platform encoding windows-1252, i.e. build is platform dependent!
[INFO] Compiling 1 source file with javac [debug target 1.8] to target\classes
[WARNING] bootstrap class path not set in conjunction with -source 8
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 1.291 s
[INFO] Finished at: 2026-04-19T14:18:43+05:30
[INFO] -----

D:\maven-practical\my-appl>mvn test
[INFO] Scanning for projects...
[INFO] -----< com.example:my-appl >-----
[INFO] Building my-appl 1.0-SNAPSHOT
[INFO] from pom.xml
[INFO] -----[ jar ]-----
[INFO] --- resources:3.3.1:resources (default-resources) @ my-appl ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory D:\maven-practical\my-appl\src\main\resources
[INFO] --- compiler:3.13.0:compile (default-compile) @ my-appl ---
[INFO] Nothing to compile - all classes are up to date.
[INFO] --- resources:3.3.1:testResources (default-testResources) @ my-appl ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory D:\maven-practical\my-appl\src\test\resources
[INFO]

```

```

Command Prompt
[INFO] skip non existing resourceDirectory D:\maven-practical\my-appl\src\test\resources
[INFO] --- compiler:3.13.0:testCompile (default-testCompile) @ my-appl ---
[INFO] Recompiling the module because of changed source code.
[WARNING] File encoding has not been set, using platform encoding windows-1252, i.e. build is platform dependent!
[INFO] Compiling 1 source file with javac [debug target 1.8] to target\test-classes
[WARNING] bootstrap class path not set in conjunction with -source 8
[INFO] --- surefire:3.2.5:test (default-test) @ my-appl ---
[INFO] Using auto detected provider org.apache.maven.surefire.junit3.JUnit3Provider
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running com.example.AppTest
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.030 s -- in com.example.AppTest
[INFO] Results:
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 2.303 s
[INFO] Finished at: 2026-04-19T14:18:54+05:30
[INFO] -----

D:\maven-practical\my-appl>
D:\maven-practical\my-appl>mvn package
[INFO] Scanning for projects...
[INFO] -----< com.example:my-appl >-----
[INFO] Building my-appl 1.0-SNAPSHOT
[INFO] from pom.xml
[INFO] -----[ jar ]-----
[INFO] --- resources:3.3.1:resources (default-resources) @ my-appl ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!

```

```
Command Prompt
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO] --- jar:3.4.1:jar (default-jar) @ my-app1 ---
[INFO] Building jar: D:\maven-practical\my-app1\target\my-app1-1.0-SNAPSHOT.jar
[INFO]
[INFO] BUILD SUCCESS
[INFO]
[INFO] Total time: 2.289 s
[INFO] Finished at: 2026-04-19T14:19:08+05:30
[INFO]
-----
D:\maven-practical\my-app1>target/my-app1-1.0-SNAPSHOT.jar
'target' is not recognized as an internal or external command,
operable program or batch file.

D:\maven-practical\my-app1>java -cp target/my-app1-1.0-SNAPSHOT.jar com.example.App
Hello, Maven!

D:\maven-practical\my-app1>notepad pom.xml

D:\maven-practical\my-app1>mvn clean install
[INFO] Scanning for projects...
[INFO]
[INFO] -----< com.example:my-app1 >-----
[INFO] Building my-app1 1.0-SNAPSHOT
[INFO] from pom.xml
[INFO] -----[ jar ]-----
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-install-plugin/3.1.2/maven-install-plugin-3.1.2.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-install-plugin/3.1.2/maven-install-plugin-3.1.2.pom (8.5 kB at 12 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/logging/log4j/log4j-core/2.20.0/log4j-core-2.20.0.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/logging/log4j/log4j-core/2.20.0/log4j-core-2.20.0.pom (11 kB at 74 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/logging/log4j/log4j/2.20.0/log4j-2.20.0.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/logging/log4j/log4j/2.20.0/log4j-2.20.0.pom (67 kB at 836 kB/s)

Command Prompt
[INFO] --- jar:3.4.1:jar (default-jar) @ my-app1 ---
[INFO] Building jar: D:\maven-practical\my-app1\target\my-app1-1.0-SNAPSHOT.jar
[INFO]
[INFO] --- install:3.1.2:install (default-install) @ my-app1 ---
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/resolver/maven-resolver-util/1.9.18/maven-resolver-util-1.9.18.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/resolver/maven-resolver-util/1.9.18/maven-resolver-util-1.9.18.pom (2.9 kB at 33 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/resolver/maven-resolver/1.9.18/maven-resolver-1.9.18.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/resolver/maven-resolver/1.9.18/maven-resolver-1.9.18.pom (22 kB at 324 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/resolver/maven-resolver-api/1.9.18/maven-resolver-api-1.9.18.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/resolver/maven-resolver-api/1.9.18/maven-resolver-api-1.9.18.pom (2.7 kB at 38 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/resolver/maven-resolver-util/1.9.18/maven-resolver-util-1.9.18.jar
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/resolver/maven-resolver-util/1.9.18/maven-resolver-util-1.9.18.jar (157 kB at 412 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/resolver/maven-resolver-api/1.9.18/maven-resolver-api-1.9.18.jar (196 kB at 304 kB/s)
[INFO] Installing D:\maven-practical\my-app1\pom.xml to C:\Users\harik\.m2\repository\com\example\my-app1\1.0-SNAPSHOT\my-app1-1.0-SNAPSHOT.pom
[INFO] Installing D:\maven-practical\my-app1\target\my-app1-1.0-SNAPSHOT.jar to C:\Users\harik\.m2\repository\com\example\my-app1\1.0-SNAPSHOT\my-app1-1.0-SNAPSHOT.jar
[INFO]
[INFO] BUILD SUCCESS
[INFO]
[INFO] Total time: 10.819 s
[INFO] Finished at: 2026-04-19T14:20:57+05:30
[INFO]
-----
D:\maven-practical\my-app1>java -cp target/my-app1-1.0-SNAPSHOT.jar com.example.App
Hello, Maven!

D:\maven-practical\my-app1>
```

Practical-2

```

Microsoft Windows [Version 10.0.26200.8246]
(c) Microsoft Corporation. All rights reserved.

C:\Users\harik>D:

D:\>mkdir docker-maven-practical

D:\>cd docker-maven-practical

D:\docker-maven-practical>mvn archetype:generate -DgroupId=com.example -DartifactId=docker-maven-demo -DarchetypeArtifactId=maven-archetype-quickstart -DinteractiveMode=false
[INFO] Scanning for projects...
[INFO] -----< org.apache.maven:standalone-pom >-----
[INFO] Building Maven Stub Project (No POM) 1
[INFO] -----[ pom ]-----
[INFO]
[INFO] >>> archetype:3.4.1:generate (default-cli) > generate-sources @ standalone-pom >>>
[INFO]
[INFO] <<< archetype:3.4.1:generate (default-cli) < generate-sources @ standalone-pom <<<
[INFO]
[INFO] --- archetype:3.4.1:generate (default-cli) @ standalone-pom ---
[INFO] Generating project in Batch mode
[INFO]
[INFO] Using following parameters for creating project from Old (1.x) Archetype: maven-archetype-quickstart:1.0
[INFO]
[INFO] Parameter: basedir, Value: D:\docker-maven-practical
[INFO] Parameter: package, Value: com.example
[INFO] Parameter: groupId, Value: com.example
[INFO] Parameter: artifactId, Value: docker-maven-demo
[INFO] Parameter: packageName, Value: com.example
[INFO] Parameter: version, Value: 1.0-SNAPSHOT
[INFO] project created from Old (1.x) Archetype in dir: D:\docker-maven-practical\docker-maven-demo
[INFO]
[INFO] BUILD SUCCESS
[INFO]
[INFO] Total time: 1.773 s
[INFO] Finished at: 2026-04-19T14:34:48+05:30
[INFO]

```

```

[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory D:\docker-maven-practical\docker-maven-demo\src\test\resources
[INFO]
[INFO] --- compiler:3.13.0:testCompile (default-testCompile) @ docker-maven-demo ---
[INFO] Recompiling the module because of changed dependency.
[WARNING] File encoding has not been set, using platform encoding windows-1252, i.e. build is platform dependent!
[INFO] Compiling 1 source file with javac [debug target 1.8] to target\test-classes
[WARNING] bootstrap class path not set in conjunction with -source 8
[INFO]
[INFO] --- surefire:3.2.5:test (default-test) @ docker-maven-demo ---
[INFO] Using auto detected provider org.apache.maven.surefire.junit.JUnit3Provider
[INFO]
[INFO] T E S T S
[INFO]
[INFO] Running com.example.AppTest
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.033 s -- in com.example.AppTest
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO] --- jar:3.4.1:jar (default-jar) @ docker-maven-demo ---
[INFO] Building jar: D:\docker-maven-practical\docker-maven-demo\target\docker-maven-demo-1.0-SNAPSHOT.jar
[INFO]
[INFO] BUILD SUCCESS
[INFO]
[INFO] Total time: 3.145 s
[INFO] Finished at: 2026-04-19T14:35:24+05:30
[INFO]

D:\docker-maven-practical\docker-maven-demo>notepad Dockerfile

D:\docker-maven-practical\docker-maven-demo>ren Dockerfile.txt Dockerfile

D:\docker-maven-practical\docker-maven-demo>notepad pom.xml

```

```
Command Prompt
[INFO] project created from Old (1.x) Archetype in dir: D:\docker-maven-practical\docker-maven-demo
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 1.773 s
[INFO] Finished at: 2026-04-19T14:34:48+05:30
[INFO] -----

D:\docker-maven-practical>cd docker-maven-demo

D:\docker-maven-practical\docker-maven-demo>notepad src/main/java/com/example/App.java

D:\docker-maven-practical\docker-maven-demo>mvn clean package
[INFO] Scanning for projects...
[INFO]
[INFO] -----< com.example:docker-maven-demo >-----
[INFO] Building docker-maven-demo 1.0-SNAPSHOT
[INFO] from pom.xml
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- clean:3.2.0:clean (default-clean) @ docker-maven-demo ---
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ docker-maven-demo ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory D:\docker-maven-practical\docker-maven-demo\src\main\resources
[INFO]
[INFO] --- compiler:3.13.0:compile (default-compile) @ docker-maven-demo ---
[INFO] Recompiling the module because of changed source code.
[WARNING] File encoding has not been set, using platform encoding windows-1252, i.e. build is platform dependent!
[INFO] Compiling 1 source file with javac [debug target 1.8] to target\classes
[WARNING] bootstrap class path not set in conjunction with -source 8
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ docker-maven-demo ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory D:\docker-maven-practical\docker-maven-demo\src\test\resources
[INFO]
[INFO] --- compiler:3.13.0:testCompile (default-testCompile) @ docker-maven-demo ---
[INFO] Recompiling the module because of changed dependency.
[INFO]

[INFO] -----< com.example:docker-maven-demo >-----
[INFO] Building docker-maven-demo 1.0-SNAPSHOT
[INFO] from pom.xml
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- clean:3.2.0:clean (default-clean) @ docker-maven-demo ---
[INFO] Deleting D:\docker-maven-practical\docker-maven-demo\target
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ docker-maven-demo ---
[INFO] skip non existing resourceDirectory D:\docker-maven-practical\docker-maven-demo\src\main\resources
[INFO]
[INFO] --- compiler:3.13.0:compile (default-compile) @ docker-maven-demo ---
[INFO] Recompiling the module because of changed source code.
[INFO] Compiling 1 source file with javac [debug target 17] to target\classes
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ docker-maven-demo ---
[INFO] skip non existing resourceDirectory D:\docker-maven-practical\docker-maven-demo\src\test\resources
[INFO]
[INFO] --- compiler:3.13.0:testCompile (default-testCompile) @ docker-maven-demo ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 1 source file with javac [debug target 17] to target\test-classes
[INFO]
[INFO] --- surefire:3.2.5:test (default-test) @ docker-maven-demo ---
[INFO] Using auto detected provider org.apache.maven.surefire.junit4.JUnit4Provider
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running com.example.AppTest
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.071 s -- in com.example.AppTest
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
[INFO] --- jar:3.3.0:jar (default-jar) @ docker-maven-demo ---
[INFO] Building jar: D:\docker-maven-practical\docker-maven-demo\target\docker-maven-demo-1.0-SNAPSHOT.jar
```

```

[INFO] Scanning for projects...
[INFO]
[INFO] -----< com.example.docker-maven-demo >-----
[INFO] Building docker-maven-demo 1.0-SNAPSHOT
[INFO] from pom.xml
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- clean:3.2.0:clean (default-clean) @ docker-maven-demo ---
[INFO] Deleting D:\docker-maven-practical\docker-maven-demo\target
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ docker-maven-demo ---
[INFO] skip non existing resourceDirectory D:\docker-maven-practical\docker-maven-demo\src\main\resources
[INFO]
[INFO] --- compiler:3.13.0:compile (default-compile) @ docker-maven-demo ---
[INFO] Recompiling the module because of changed source code.
[INFO] Compiling 1 source file with javac [debug target 17] to target\classes
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ docker-maven-demo ---
[INFO] skip non existing resourceDirectory D:\docker-maven-practical\docker-maven-demo\src\test\resources
[INFO]
[INFO] --- compiler:3.13.0:testCompile (default-testCompile) @ docker-maven-demo ---
[INFO] Recompiling the module because of changed dependency.
[INFO] Compiling 1 source file with javac [debug target 17] to target\test-classes
[INFO]
[INFO] --- surefire:3.2.5:test (default-test) @ docker-maven-demo ---
[INFO] Using auto detected provider org.apache.maven.surefire.junit4.JUnit4Provider
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running com.example.AppTest
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.029 s -- in com.example.AppTest
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
[INFO]

```

```

[INFO]
[INFO]
[INFO] --- jar:3.3.0:jar (default-jar) @ docker-maven-demo ---
[INFO] Building jar: D:\docker-maven-practical\docker-maven-demo\target\docker-maven-demo-1.0-SNAPSHOT.jar
[INFO]
[INFO] BUILD SUCCESS
[INFO]
[INFO] Total time: 2.015 s
[INFO] Finished at: 2026-04-19T14:55:36+05:30
[INFO]
D:\docker-maven-practical\docker-maven-demo>docker build -t docker-maven-demo .
[+] Building 21.4s (9/9) FINISHED docker:desktop-linux
=> [internal] load build definition from Dockerfile 0.0s
=> => transferring dockerfile: 180B 0.0s
=> [internal] load metadata for docker.io/library/eclips 3.9s
=> [auth] library/eclipse-temurin:pull token for registr 0.0s
=> [internal] load .dockerignore 0.0s
=> => transferring context: 2B 0.0s
=> [1/3] FROM docker.io/library/eclipse-temurin:21-jdk@ 16.2s
=> => resolve docker.io/library/eclipse-temurin:21-jdk@s 0.0s
=> => sha256:e9d29f6a4c60335d154318f22c7 2.28kB / 2.28kB 0.7s
=> => sha256:2ef33ef1b9930d5fb66257dbd8f7e 156B / 156B 1.1s
=> => sha256:3b9a1e97487bbf567fd39c 157.87MB / 157.87MB 14.9s
=> => sha256:a2c74f5c2809456d4eald8df7 22.97MB / 22.97MB 4.7s
=> => sha256:b40150c1c2717d324cdb17278 29.73MB / 29.73MB 4.7s
=> => extracting sha256:b40150c1c2717d324cdb17278c8efdfa 0.6s
=> => extracting sha256:a2c74f5c2809456d4eald8df7e9a8c6c 0.5s
=> => extracting sha256:3b9a1e97487bbf567fd39c1a971160f2 1.1s
=> => extracting sha256:2ef33ef1b9930d5fb66257dbd8f7e1 0.0s
=> => extracting sha256:e9d29f6a4c60335d154318f22c76be42 0.0s
=> [internal] load build context 0.1s
=> => transferring context: 2.61kB 0.0s
=> [2/3] WORKDIR /app 0.3s
=> [3/3] COPY target/docker-maven-demo-1.0-SNAPSHOT.jar 0.1s
=> exporting to image 0.5s
=> => exporting layers 0.2s
=> => exporting manifest sha256:d69a87dd338c1ccdc6c900e84 0.0s
=> => exporting config sha256:8e44a926c52e7004e11c6efc14 0.0s
=> => exporting attestation manifest sha256:ce83dbf3094b 0.0s

```

```
Command Prompt
=> [internal] load build definition from Dockerfile      0.0s
=> => transferring dockerfile: 180B                    0.0s
=> [internal] load metadata for docker.io/library/eclips 3.9s
=> [auth] library/eclipse-temurin:pull token for registr 0.0s
=> [internal] load .dockerignore                       0.0s
=> => transferring context: 2B                          0.0s
=> [1/3] FROM docker.io/library/eclipse-temurin:21-jdk@ 16.2s
=> => resolve docker.io/library/eclipse-temurin:21-jdk@s 0.0s
=> => sha256:e9d29f6a4c60335d154318f22c7 2.28kB / 2.28kB 0.7s
=> => sha256:2ef33ef1b9930d5fb66257dbd8f7e 156B / 156B 1.1s
=> => sha256:3b9a1e97487bbf567fd39c 157.87MB / 157.87MB 14.9s
=> => sha256:a2c74f5c2809456d4eald8df7 22.97MB / 22.97MB 4.7s
=> => sha256:b40150c1c2717d324cdb17278 29.73MB / 29.73MB 4.7s
=> => extracting sha256:b40150c1c2717d324cdb17278c8efdfa 0.6s
=> => extracting sha256:a2c74f5c2809456d4eald8df7e9a8c6c 0.5s
=> => extracting sha256:3b9a1e97487bbf567fd39c1a971160f2 1.1s
=> => extracting sha256:2ef33ef1b9930d5fb66257dbd8f7e1 0.0s
=> => extracting sha256:e9d29f6a4c60335d154318f22c76be42 0.0s
=> [internal] load build context                       0.1s
=> => transferring context: 2.61kB                     0.0s
=> [2/3] WORKDIR /app                                0.3s
=> [3/3] COPY target/docker-maven-demo-1.0-SNAPSHOT.jar 0.1s
=> => exporting to image                                0.5s
=> => exporting layers                                  0.2s
=> => exporting manifest sha256:d69a87dd338clccd6c900e84 0.0s
=> => exporting config sha256:8e44a926c52e7004e11c6efc14 0.0s
=> => exporting attestation manifest sha256:ce83dbf3094b 0.0s
=> => exporting manifest list sha256:02cc3c17121a5062c3b 0.0s
=> => naming to docker.io/library/docker-maven-demo:late 0.0s
=> => unpacking to docker.io/library/docker-maven-demo:l 0.1s

View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/xto9sklfnxqo9csnsd5j3f7tc

.\docker-maven-practical\docker-maven-demo>docker run docker-maven-demo
Hello from Docker + Maven!

.\docker-maven-practical\docker-maven-demo>
```

Output

```
=> => unpacking to docker.io/library/docker-maven-demo:late 0.1s

View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/xto9sklfnxqo9csnsd5j3f7tc

D:\docker-maven-practical\docker-maven-demo>docker run docker-maven-demo
Hello from Docker + Maven!

D:\docker-maven-practical\docker-maven-demo>
```

Pratical – 3

```

Microsoft Windows [Version 10.0.26200.8246]
(c) Microsoft Corporation. All rights reserved.

C:\Users\harik>D:

D:\>mkdir Web

D:\>cd Web

D:\Web>mvn archetype:generate -DgroupId=com.demo -DartifactId=web-demo -DarchetypeArtifactId=maven-archetype-webapp -DinteractiveMode=false
[INFO] Scanning for projects...
[INFO] -----< org.apache.maven:standalone-pom >-----
[INFO] Building Maven Stub Project (No POM) 1
[INFO] -----[ pom ]-----
[INFO] >>> archetype:3.4.1:generate (default-cli) > generate-sources @ standalone-pom >>>
[INFO] <<< archetype:3.4.1:generate (default-cli) < generate-sources @ standalone-pom <<<
[INFO] --- archetype:3.4.1:generate (default-cli) @ standalone-pom ---
[INFO] Generating project in Batch mode
[INFO] Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/archetypes/maven-archetype-webapp/1.0/maven-archetype-webapp-1.0.jar
[INFO] Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/archetypes/maven-archetype-webapp/1.0/maven-archetype-webapp-1.0.jar (3.9 kB at 6.6 kB/s)
[INFO] Using following parameters for creating project from Old (1.x) Archetype: maven-archetype-webapp:1.0
[INFO] Parameter: basedir, Value: D:\Web
[INFO] Parameter: package, Value: com.demo
[INFO] Parameter: groupId, Value: com.demo
[INFO] Parameter: artifactId, Value: web-demo
[INFO] Parameter: packageName, Value: com.demo
[INFO] Parameter: version, Value: 1.0-SNAPSHOT
[INFO] project created from Old (1.x) Archetype in dir: D:\Web\web-demo
[INFO] BUILD SUCCESS

```

```

D:\Web>cd web-demo

D:\Web\web-demo>src/main/webapp/index.jsp
'src' is not recognized as an internal or external command,
operable program notepad src/main/webapp/index.jsp

D:\Web\web-demo>notepad src/main/webapp/index.jsp

D:\Web\web-demo>notepad pom.xml

D:\Web\web-demo>mvn clean install
[INFO] Scanning for projects...
[INFO] -----< com.demo:web-demo >-----
[INFO] Building web-demo Maven Webapp 1.0-SNAPSHOT
[INFO] from pom.xml
[INFO] -----[ war ]-----
[INFO] Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-war-plugin/3.4.0/maven-war-plugin-3.4.0.pom
[INFO] Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-war-plugin/3.4.0/maven-war-plugin-3.4.0.pom (8.4 kB at 23 kB/s)
[INFO] Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-war-plugin/3.4.0/maven-war-plugin-3.4.0.jar
[INFO] Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-war-plugin/3.4.0/maven-war-plugin-3.4.0.jar (83 kB at 520 kB/s)
[INFO] --- clean:3.2.0:clean (default-clean) @ web-demo ---
[INFO] --- resources:3.3.1:resources (default-resources) @ web-demo ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] Copying 0 resource from src/main/resources to target/classes
[INFO] --- compiler:3.13.0:compile (default-compile) @ web-demo ---
[INFO] No sources to compile
[INFO] --- resources:3.3.1:testResources (default-testResources) @ web-demo ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory D:\Web\web-demo\src\test\resources
[INFO]


```

```

D:\Web\web-demo>mvn tomcat7:run
[INFO] Scanning for projects...
[INFO]
[INFO] -----< com.demo:web-demo >-----
[INFO] Building web-demo Maven Webapp 1.0-SNAPSHOT
[INFO] from pom.xml
[INFO] -----[ war ]-----
[INFO]
[INFO] >>> tomcat7:2.2:run (default-cli) > process-classes @ web-demo >>>
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ web-demo ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] Copying 0 resource from src/main/resources to target/classes
[INFO]
[INFO] --- compiler:3.13.0:compile (default-compile) @ web-demo ---
[INFO] No sources to compile
[INFO]
[INFO] <<< tomcat7:2.2:run (default-cli) < process-classes @ web-demo <<<
[INFO]
[INFO] --- tomcat7:2.2:run (default-cli) @ web-demo ---
[INFO] Running war on http://localhost:9090/
[INFO] Using existing Tomcat server configuration at D:\Web\web-demo\target\tomcat
[INFO] create webapp with contextPath:
Apr 19, 2026 9:25:07 PM org.apache.coyote.AbstractProtocol init
INFO: Initializing ProtocolHandler ["http-bio-9090"]
Apr 19, 2026 9:25:07 PM org.apache.catalina.core.StandardService startInternal
INFO: Starting service Tomcat
Apr 19, 2026 9:25:07 PM org.apache.catalina.core.StandardEngine startInternal
INFO: Starting Servlet Engine: Apache Tomcat/7.0.47
Apr 19, 2026 9:25:08 PM org.apache.coyote.AbstractProtocol start
INFO: Starting ProtocolHandler ["http-bio-9090"]
|

```

Output-



Hello! This webpage is running using Maven.

Pratical-4

```
Command Prompt - mvn jett  X + v
Microsoft Windows [Version 10.0.26200.8246]
Microsoft Corporation. All rights reserved.

Users\harik>D:

>mkdir JettyProject

>cd JettyProject

JettyProject>mvn archetype:generate -DgroupId=com.example -DartifactId=my-webapp -DarchetypeArtifactId=maven-archetype-webapp -DarchetypeVersion=1.4 -DinteractiveMode=false
[INFO] Scanning for projects...
[INFO]
[INFO] -----< org.apache.maven:standalone-pom >-----
[INFO] Building Maven Stub Project (No POM) 1
[INFO] -----[ pom ]-----
[INFO]
[INFO] >>> archetype:3.4.1:generate (default-cli) > generate-sources @ standalone-pom >>>
[INFO]
[INFO] <<< archetype:3.4.1:generate (default-cli) < generate-sources @ standalone-pom <<<
[INFO]
[INFO] --- archetype:3.4.1:generate (default-cli) @ standalone-pom ---
[INFO] Generating project in Batch mode
[INFO] Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/archetypes/maven-archetype-webapp/1.4/maven-archetype-webapp-1.4.jar
[INFO] Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/archetypes/maven-archetype-webapp/1.4/maven-archetype-webapp-1.4.jar (6.8 kB at 16 kB/s)
[INFO]
[INFO] Using following parameters for creating project from Archetype: maven-archetype-webapp:1.4
[INFO]
[INFO] Parameter: groupId, Value: com.example
[INFO] Parameter: artifactId, Value: my-webapp
[INFO] Parameter: version, Value: 1.0-SNAPSHOT
[INFO] Parameter: package, Value: com.example
[INFO] Parameter: packageInPathFormat, Value: com/example
[INFO] Parameter: package, Value: com.example
[INFO] Parameter: groupId, Value: com.example
[INFO] Parameter: version, Value: 1.0-SNAPSHOT
[INFO] Parameter: package, Value: com.example
[INFO] Parameter: packageInPathFormat, Value: com/example
[INFO] Parameter: package, Value: com.example
[INFO] Parameter: groupId, Value: com.example
[INFO] Parameter: artifactId, Value: my-webapp
[INFO] Parameter: version, Value: 1.0-SNAPSHOT
[INFO] Project created from Archetype in dir: D:\JettyProject\my-webapp
[INFO]
[INFO] BUILD SUCCESS
[INFO]
[INFO] Total time: 2.046 s
[INFO] Finished at: 2026-04-19T21:37:57+05:30
[INFO]
[INFO]
.\JettyProject>cd my-webapp

.\JettyProject\my-webapp>notepad src\main\webapp\index.jsp

.\JettyProject\my-webapp>notepad pom.xml

.\JettyProject\my-webapp>mvn clean package
[INFO] Scanning for projects...
[INFO]
[INFO] -----< com.example:my-webapp >-----
[INFO] Building my-webapp 1.0-SNAPSHOT
[INFO] from pom.xml
[INFO] -----[ war ]-----
[INFO]
[INFO] --- clean:3.2.0:clean (default-clean) @ my-webapp ---
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ my-webapp ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory D:\JettyProject\my-webapp\src\main\resources
[INFO]
[INFO] --- compiler:3.13.0:compile (default-compile) @ my-webapp ---
[INFO] No sources to compile
[INFO]
```


```

[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory D:\JettyProject\my-webapp\src\test\resources
[INFO]
[INFO] --- compiler:3.13.0:testCompile (default-testCompile) @ my-webapp ---
[INFO] No sources to compile
[INFO]
[INFO] --- surefire:3.2.5:test (default-test) @ my-webapp ---
[INFO] No tests to run.
[INFO]
[INFO] --- war:3.4.0:war (default-war) @ my-webapp ---
[INFO] Packaging webapp
[INFO] Assembling webapp [my-webapp] in [D:\JettyProject\my-webapp\target\my-webapp-1.0-SNAPSHOT]
[INFO] Processing war project
[INFO] Copying webapp resources [D:\JettyProject\my-webapp\src\main\webapp]
[INFO] Building war: D:\JettyProject\my-webapp\target\my-webapp-1.0-SNAPSHOT.war
[INFO]
[INFO] BUILD SUCCESS
[INFO]
[INFO] Total time: 1.626 s
[INFO] Finished at: 2026-04-19T21:39:13+05:30
[INFO]
D:\JettyProject\my-webapp>mvn jetty:run-war
[INFO] Scanning for projects...
Downloading from central: https://repo.maven.apache.org/maven2/org/eclipse/jetty/maven-metadata.xml
Downloaded from central: https://repo.maven.apache.org/maven2/org/eclipse/jetty/maven-metadata.xml (408 B at 739 B/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/eclipse/jetty/jetty-maven-plugin/9.4.54.v20240208/jetty-maven-plugin-9.4.54.v20240208.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/eclipse/jetty/jetty-maven-plugin/9.4.54.v20240208/jetty-maven-plugin-9.4.54.v20240208.pom (12 kB at 177 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/eclipse/jetty/jetty-project/9.4.54.v20240208/jetty-project-9.4.54.v20240208.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/eclipse/jetty/jetty-project/9.4.54.v20240208/jetty-project-9.4.54.v20240208.pom (73 kB at 380 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/testcontainers/testcontainers-bom/1.16.1/testcontainers-bom-1.16.1.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/testcontainers/testcontainers-bom/1.16.1/testcontainers-bom-1.16.1.pom (7.2 kB at 40 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/infinispan/infinispan-bom/11.0.18.Final/infinispan-bom-11.0.18.Final.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/infinispan/infinispan-bom/11.0.18.Final/infinispan-bom-11.0.18.Final.pom (127 kB at 122 kB/s)
[INFO]
[INFO] -----< com.example:my-webapp >-----
[INFO] Building my-webapp 1.0-SNAPSHOT
[INFO] from pom.xml
[INFO] -----[ war ]-----
[INFO]
[INFO] >>> jetty:9.4.54.v20240208:run-war (default-cli) > package @ my-webapp >>>
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ my-webapp ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory D:\JettyProject\my-webapp\src\main\resources
[INFO]
[INFO] --- compiler:3.13.0:compile (default-compile) @ my-webapp ---
[INFO] No sources to compile
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ my-webapp ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory D:\JettyProject\my-webapp\src\test\resources
[INFO]
[INFO] --- compiler:3.13.0:testCompile (default-testCompile) @ my-webapp ---
[INFO] No sources to compile
[INFO]
[INFO] --- surefire:3.2.5:test (default-test) @ my-webapp ---
[INFO] No tests to run.
[INFO]
[INFO] --- war:3.4.0:war (default-war) @ my-webapp ---
[INFO] Packaging webapp
[INFO] Assembling webapp [my-webapp] in [D:\JettyProject\my-webapp\target\my-webapp-1.0-SNAPSHOT]
[INFO] Processing war project
[INFO] Copying webapp resources [D:\JettyProject\my-webapp\src\main\webapp]
[INFO] Building war: D:\JettyProject\my-webapp\target\my-webapp-1.0-SNAPSHOT.war
[INFO]
[INFO] <<< jetty:9.4.54.v20240208:run-war (default-cli) < package @ my-webapp <<<
[INFO]
[INFO] --- jetty:9.4.54.v20240208:run-war (default-cli) @ my-webapp ---
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/maven-core/3.9.0/maven-core-3.9.0.pom

```

```
Command Prompt - mvn jett x
Downloaded from central: https://repo.maven.apache.org/maven2/javax/websocket/javax.websocket-client-api/1.0/javax.websocket-client-api-1.0.jar (27 kB at 4.6 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/taglibs/taglibs-standard-impl/1.2.5/taglibs-standard-impl-1.2.5.jar
Downloaded from central: https://repo.maven.apache.org/maven2/org/eclipse/jetty/apache-jstl/9.4.54.v20240208/apache-jstl-9.4.54.v20240208.jar (13 kB at 2.1 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/javax/transaction/javax.transaction-api/1.3/javax.transaction-api-1.3.jar
Progress (5): 0.5/1.1 MB | 0.2/2.9 MB | 40 kB | 41/206 kB | 7.7/Progress (5): 0.5/1.1 MB | 0.2/2.9 MB | 40 kB | 41/206 kB | 8.2/
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/taglibs/taglibs-standard-spec/1.2.5/taglibs-standard-spec-1.2.5.jar (40 kB at 6.8 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/javax/transaction/javax.transaction-api/1.3/javax.transaction-api-1.3.jar (28 kB at 4.7 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/taglibs/taglibs-standard-impl/1.2.5/taglibs-standard-impl-1.2.5.jar (206 kB at 35 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/org/mortbay/jasper/apache-jsp/8.5.70/apache-jsp-8.5.70.jar (1.1 MB at 175 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/org/eclipse/jdt/ecj/3.19.0/ecj-3.19.0.jar (2.9 MB at 430 kB/s)
[INFO] Logging initialized @23682ms to org.eclipse.jetty.util.log.Slf4jLog
[INFO] Configuring Jetty for project: my-webapp
[INFO] Context path = /my-webapp
[INFO] Tmp directory = D:\JettyProject\my-webapp\target\tmp
[INFO] Web defaults = org.eclipse.jetty.webapp.webdefault.xml
[INFO] Web overrides = none
[INFO] jetty-9.4.54.v20240208; built: 2024-02-08T19:42:39.027Z; git: cef3fbd6d736a21e7d541a5db490381d95a2047d; jvm 17.0.16+12-LTS-247
[INFO] Scanning elapsed time=43ms
[INFO] DefaultSessionIdManager workerName=node0
[INFO] No SessionScavenger set, using defaults
[INFO] node0 Scavenging every 600000ms
[INFO] Started o.e.j.m.p.JettyWebAppContext@b788dc2{Archetype Created Web Application,/my-webapp,file:///D:/JettyProject/my-webapp/target/my-webapp-1.0-SNAPSHOT,AVAILABLE}{D:\JettyProject\my-webapp\target\my-webapp-1.0-SNAPSHOT.war}
[INFO] Started ServerConnector@3d9c8c3c{HTTP/1.1, (http/1.1)}{0.0.0.0:8081}
[INFO] Started @24334ms
[INFO] Started Jetty Server
```

Output



Jetty Server is Working ☐ ☐ ☐

Pratical-5

```
Microsoft Windows [Version 10.0.26200.8246]
(c) Microsoft Corporation. All rights reserved.

C:\Users\harik>D:

D:\>mkdir DevOps-Java-App

D:\>cd DevOps-Java-App

D:\DevOps-Java-App>mvn archetype:generate -DgroupId=com.example -DartifactId=my-webapp -DarchetypeArtifactId=maven-archetype-webapp -DinteractiveMode=false
[INFO] Scanning for projects...
[INFO] -----< org.apache.maven:standalone-pom >-----
[INFO] Building Maven Stub Project (No POM) 1
[INFO] -----[ pom ]-----
[INFO]
[INFO] >>> archetype:3.4.1:generate (default-cli) > generate-sources @ standalone-pom >>>
[INFO]
[INFO] <<< archetype:3.4.1:generate (default-cli) < generate-sources @ standalone-pom <<<
[INFO]
[INFO] --- archetype:3.4.1:generate (default-cli) @ standalone-pom ---
[INFO] Generating project in Batch mode
[INFO] -----
[INFO] Using following parameters for creating project from Old (1.x) Archetype: maven-archetype-webapp:1.0
[INFO]
[INFO] Parameter: basedir, Value: D:\DevOps-Java-App
[INFO] Parameter: package, Value: com.example
[INFO] Parameter: groupId, Value: com.example
[INFO] Parameter: artifactId, Value: my-webapp
[INFO] Parameter: packageName, Value: com.example
[INFO] Parameter: version, Value: 1.0-SNAPSHOT
[INFO] project created from Old (1.x) Archetype in dir: D:\DevOps-Java-App\my-webapp
[INFO]
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 1.406 s
[INFO] Finished at: 2026-04-19T22:08:37+05:30
[INFO] -----
```

```
Command Prompt
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 1.406 s
[INFO] Finished at: 2026-04-19T22:08:37+05:30
[INFO] -----

D:\DevOps-Java-App>cd my-webapp

D:\DevOps-Java-App\my-webapp>notepad src\main\webapp\index.jsp

D:\DevOps-Java-App\my-webapp>mvn clean package
[INFO] Scanning for projects...
[INFO] -----< com.example:my-webapp >-----
[INFO] Building my-webapp Maven Webapp 1.0-SNAPSHOT
[INFO] from pom.xml
[INFO] -----[ war ]-----
[INFO]
[INFO] --- clean:3.2.0:clean (default-clean) @ my-webapp ---
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ my-webapp ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] Copying 0 resource from src/main/resources to target/classes
[INFO]
[INFO] --- compiler:3.13.0:compile (default-compile) @ my-webapp ---
[INFO] No sources to compile
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ my-webapp ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory D:\DevOps-Java-App\my-webapp\src\test\resources
[INFO]
[INFO] --- compiler:3.13.0:testCompile (default-testCompile) @ my-webapp ---
[INFO] No sources to compile
[INFO]
[INFO] --- surefire:3.2.5:test (default-test) @ my-webapp ---
[INFO] No tests to run.
[INFO]
[INFO] --- war:3.4.0:war (default-war) @ my-webapp ---
[INFO] Packaging webapp
[INFO] Assembling webapp [my-webapp] in [D:\DevOps-Java-App\my-webapp\target\my-webapp]
```

```
Command Prompt
D:\DevOps-Java-App>notepad Dockerfile

D:\DevOps-Java-App>notepad Dockerfile

D:\DevOps-Java-App>ren ren Dockerfile.txt Dockerfile
The syntax of the command is incorrect.

D:\DevOps-Java-App>ren Dockerfile.txt Dockerfile


D:\DevOps-Java-App>docker build -t my-java-app .
[+] Building 4.6s (9/9) FINISHED      docker:desktop-linux
=> [internal] load build definition from Dockerfile      0.0s
=> => transferring dockerfile: 297B      0.0s
=> [internal] load metadata for docker.io/library/tomcat 3.8s
=> [auth] library/tomcat:pull token for registry-1.docke 0.0s
=> [internal] load .dockerignore      0.0s
=> => transferring context: 2B      0.0s
=> [1/3] FROM docker.io/library/tomcat:9.0@sha256:999fb3 0.0s
=> => resolve docker.io/library/tomcat:9.0@sha256:999fb3 0.0s
=> [internal] load build context      0.0s
=> => transferring context: 1.81kB      0.0s
=> CACHED [2/3] RUN rm -rf /usr/local/tomcat/webapps/*    0.0s
=> [3/3] COPY my-webapp/target/my-webapp.war /usr/local/ 0.1s
=> exporting to image      0.4s
=> => exporting layers      0.1s
=> => exporting manifest sha256:799cb2b8da2058402bce20a6 0.0s
=> => exporting config sha256:916906fcb4606d30085432c9fb 0.0s
=> => exporting attestation manifest sha256:1a87865fd8b2 0.0s
=> => exporting manifest list sha256:6b4ac9195bbd09d4c8d 0.0s
=> => naming to docker.io/library/my-java-app:latest      0.0s
=> => unpacking to docker.io/library/my-java-app:latest    0.0s

View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/k4252ee5hf7sxtg2wjrz3y6wd

D:\DevOps-Java-App>docker run -d -p 8082:8080 my-java-app
e658d8169f2ce01b82d11fbd6f763aab3f75a8655ca99b12dbfc4c9cceece206

D:\DevOps-Java-App>
```

Output



Cloud Deployment using Docker ðŸš€