


Unit-6

Practical -1 Simple pipeline



The image shows two screenshots of the Jenkins web interface. The top screenshot is the 'New Item' page, and the bottom screenshot is the 'Configure' page for a new pipeline.

Top Screenshot: New Item

The browser address bar shows `localhost:8080/view/all/newJob`. The Jenkins logo and 'All' dropdown are visible. The page title is 'New Item'.

Enter an item name

simple-pipeline1

Select an item type

- Pipeline**
Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.
- Freestyle project**
Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.
- Multi-configuration project**
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.
- Folder**
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.
- Multibranch Pipeline**

Bottom Screenshot: Configure

The browser address bar shows `localhost:8080/job/simple-pipeline2/configure`. The Jenkins logo and 'simple-pipeline2' dropdown are visible. The page title is 'Configure'.

Configure

- General
- Triggers
- Pipeline**
- Advanced

Pipeline

Define your Pipeline using Groovy directly or pull it from source control.

Definition

Pipeline script

Script

```
6 echo 'Building the project...'
7 }
8 }
9 stage('Test') {
10 steps {
11 echo 'Running tests...'
12 }
13 }
14 stage('Deploy') {
15 steps {
16 echo 'Deploying the application...'
17 }
18 }
19 }
20 }
```

try sample Pipeline...

Unit 6 : CI/CD with Jenkins - In x Console - #1 - Jenkins x +

localhost:8080/job/simple-pipeline2/lastBuild/console

Jenkins / simple-pipeline2 / #1

Status

</> Changes

Console Output

Edit Build Information

Timings

Pipeline Overview

Restart from Stage

Replay

Pipeline Steps

Workspaces

Console

Download Copy View as plain text

```
Started by user Hari Krishna Mahato
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in C:\ProgramData\Jenkins\.jenkins\workspace\simple-pipeline2
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Build)
[Pipeline] echo
Building the project...
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Test)
[Pipeline] echo
Running tests...
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Deploy)
[Pipeline] echo
Deploying the application...
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
```

Unit 6 : CI/CD with Jenkins - In x Dashboard - Jenkins x +

localhost:8080

Jenkins

+ New Item

Build History

Build Queue

No builds in the queue.

Build Executor Status

0/2

All +

S	W	Name 1	Last Success	Last Failure	Last Duration
✓	☀	simple-pipeline	5 min 27 sec #5	N/A	1.3 sec ▶
⋯	☀	simple-pipeline1	N/A	N/A	N/A ▶
✓	☀	simple-pipeline2	1 min 32 sec #1	N/A	1.2 sec ▶

Icon: S M L

Unit 6 : CI/CD with Jenkins - In

simple-pipeline2 - Jenkins

localhost:8080/job/simple-pipeline2/

Jenkins / simple-pipeline2

🔍 ⚙️ 👤

🔗 Add description

Status

Changes

Build Now

Configure

Delete Pipeline

Stages

Rename

Pipeline Syntax

🟢 simple-pipeline2

Permalinks

- Last build (#1), 11 sec ago
- Last stable build (#1), 11 sec ago
- Last successful build (#1), 11 sec ago
- Last completed build (#1), 11 sec ago

Builds >

🔍 Filter

/

Today

🟢 #1 11:04 AM

▼

REST API

Jenkins 2.555.1