

REACT-16

Step 1: Create the React application “mailregisterapp”

```
$ npx create-react-app mailregisterapp  
$ cd mailregisterapp
```

Output:

```
Creating a new React app in C:\Users\Student\mailregisterapp.  
  
Installing packages. This might take a couple of minutes.  
Installing react, react-dom, and react-scripts...  
  
Success! Created mailregisterapp at C:\Users\Student\mailregisterapp  
Inside that directory, you can run several commands:  
  
  npm start  
    Starts the development server.  
  
Happy hacking!
```

Step 2: Create the register.js component

(src/register.js):

```
import React, { Component } from 'react';  
  
class Register extends Component {  
  constructor(props) {  
    super(props);  
    this.state = {  
      name: '',  
      email: '',  
      password: '',  
      errors: { name: '', email: '', password: '' },  
      submitted: false  
    };  
    this.handleChange = this.handleChange.bind(this);  
    this.handleSubmit = this.handleSubmit.bind(this);  
  }  
  
  validateField(name, value) {  
    switch (name) {  
      case 'name':  
        return value.length >= 5 ? '' : 'Name should have at least 5 characters';  
      case 'email':  
        return value.includes('@') && value.includes('.')  
          ? ''  
          : 'Email should contain @ and .';  
      case 'password':  
        return value.length >= 8  
          ? ''  
          : 'Password should be at least 8 characters';  
    }  
  }  
}
```

```

        : 'Password should have at least 8 characters';
    default:
        return '';
    }
}

handleChange(event) {
    const { name, value } = event.target;
    const fieldError = this.validateField(name, value);
    this.setState(prevState => ({
        [name]: value,
        errors: { ...prevState.errors, [name]: fieldError },
        submitted: false
    }));
}

handleSubmit(event) {
    event.preventDefault();
    const { name, email, password } = this.state;

    const errors = {
        name: this.validateField('name', name),
        email: this.validateField('email', email),
        password: this.validateField('password', password)
    };

    const isValid = !errors.name && !errors.email && !errors.password;

    this.setState({ errors, submitted: isValid });

    if (isValid) {
        console.log('Form submitted:', { name, email, password });
    }
}

render() {
    const { name, email, password, errors, submitted } = this.state;

    return (
        <div className="register-form">
            <h1>Registration Form</h1>
            <form onSubmit={this.handleSubmit} noValidate>
                <div className="field">
                    <label>Name</label>
                    <input
                        type="text"
                        name="name"
                        value={name}
                        onChange={this.handleChange}
                    />
                    {errors.name && <div className="err">{errors.name}</div>}
                </div>

                <div className="field">
                    <label>Email</label>
                    <input
                        type="text"
                        name="email"

```

```

        value={email}
        onChange={this.handleChange}
      />
      {errors.email && <div className="err">{errors.email}</div>}
    </div>

    <div className="field">
      <label>Password</label>
      <input
        type="password"
        name="password"
        value={password}
        onChange={this.handleChange}
      />
      {errors.password && (
        <div className="err">{errors.password}</div>
      )}
    </div>

    <button type="submit">Submit</button>

    {submitted && (
      <div className="success">Registration successful!</div>
    )}
  </form>
</div>
);
}
}

export default Register;

```

(src/App.js):

```

import React from 'react';
import './App.css';
import Register from './register';

function App() {
  return (
    <div className="App">
      <Register />
    </div>
  );
}

export default App;

```

```
$ npm start
```

Output:

```

Compiled successfully!

You can now view mailregisterapp in the browser.

```

Local: http://localhost:3000
On Your Network: http://192.168.1.5:3000

Output Expected

↔ localhost:3000

Registration Form

Name

Name should have at least 5 characters

Email

Email should contain @ and .

Password

Password should have at least 8 characters

Submit

→ localhost:3000

Registration Form

Name

Email

Password

Submit

Registration successful!