

## Git Hands-On -2

Task: Create .log files and a log folder, then ignore them using .gitignore

```
$ cd GitDemo
$ git status
```

*Output:*

```
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
```

Next, I created two files with a “.log” extension, and a folder named “log” containing a file inside it:

```
$ echo "Application started" > app.log
$ echo "Error: connection timeout" > error.log
$ mkdir log
$ echo "debug trace output" > log/debug.txt
```

To confirm these were created in the working directory, I ran:

```
$ ls -la
```

*Output:*

```
total 20
drwxr-xr-x 1 Student 197121  0 Jul 25 11:10 .
drwxr-xr-x 1 Student 197121  0 Jul 25 10:02 ..
drwxr-xr-x 1 Student 197121  0 Jul 25 10:02 .git
-rw-r--r-- 1 Student 197121 21 Jul 25 11:10 app.log
-rw-r--r-- 1 Student 197121 32 Jul 25 11:10 error.log
drwxr-xr-x 1 Student 197121  0 Jul 25 11:10 log
-rw-r--r-- 1 Student 197121 29 Jul 25 10:05 welcome.txt
```

```
$ git status
```

*Output:*

```
On branch master
Your branch is up to date with 'origin/master'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    app.log
    error.log
    log/

nothing added to commit but untracked files present (use "git add" to track)

$ git config --global -e
$ notepad++ .gitignore
```

In notepad++, I added the following two lines to .gitignore, to ignore all files with a .log extension and the entire log folder:

```
*.log
log/

$ cat .gitignore
```

*Output:*

```
*.log
log/

$ git status
```

*Output:*

```
On branch master
Your branch is up to date with 'origin/master'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .gitignore

nothing added to commit but untracked files present (use "git add" to track)

$ git status --ignored
```

*Output:*

```
On branch master
Your branch is up to date with 'origin/master'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .gitignore

Ignored files:
  (use "git add -f <file>..." to include in what will be committed)
    app.log
    error.log
    log/

$ git add .gitignore
$ git commit -m "Added .gitignore to exclude .log files and log folder"
```

*Output:*

```
[master 7a4e21d] Added .gitignore to exclude .log files and log folder
1 file changed, 2 insertions(+)
create mode 100644 .gitignore

$ git push origin master
```

*Output:*

```
Enumerating objects: 4, done.  
Counting objects: 100% (4/4), done.  
Delta compression using up to 8 threads  
Compressing objects: 100% (2/2), done.  
Writing objects: 100% (3/3), 349 bytes | 349.00 KiB/s, done.  
Total 3 (delta 0), reused 0 (delta 0)  
To https://gitlab.com/studentname/GitDemo.git  
3f2b9a1..7a4e21d master -> master
```

To verify everything end to end, I checked git status one final time:

```
$ git status
```

*Output:*

```
On branch master  
Your branch is up to date with 'origin/master'.  
  
nothing to commit, working tree clean
```