

pattern_prm_using_loop

alhost:8888/notebooks/Desktop%2FGEN%20AI%2Fpattern_prm_using_loop.ipynb

Jupyter pattern_prm_using_loop Last Checkpoint: 10 minutes ago

File Edit View Run Kernel Settings Help

JupyterLab Python 3 (ipykernel)

```
[0]: print('IRAT_NUM_ROW')
      for i in range(6,0,-1):
          for j in range(0,i):
              print(i,end=' ')
              print()

IRAT_NUM_ROW
6 6 6 6 6 6
5 5 5 5 5
4 4 4 4
3 3 3
2 2
1
```

```
[1]: print('IRAT_NUM_ROW')
      for i in range(6,0,-1):
          for j in range(0,i):
              print(j,end=' ')
              print()

IRAT_NUM_ROW
0 1 2 3 4 5
0 1 2 3 4
0 1 2 3
0 1 2
0 1
0
0
```

[]:

```
[2]: print('IRAT_LOWER_ROW')
      for i in range(6,0,-1):
          for j in range(0,i):
              print(chr(i+64+32),end=' ')
              print()

IRAT_LOWER_ROW
f f f f f f
e e e e e
d d d d
c c c
b b
a

[3]: print('IRAT_UPPER_ROW')
      for i in range(6,0,-1):
          for j in range(0,i):
              print(chr(i+64),end=' ')
              print()

IRAT_UPPER_ROW
F F F F F F
E E E E E
D D D D
C C C
B B
A
```

```
[6]: print('IRAT_LOWER_COLOUMN')
      for i in range(6,0,-1):
          for j in range(1,i):
              print(chr(j+64+32),end=' ')
          print()
```

```
IRAT_LOWER_COLOUMN
a b c d e
a b c d
a b c
a b
a
```

```
[7]: print('IRAT_UPPER_COLOUMN')
      for i in range(6,0,-1):
          for j in range(1,i):
              print(chr(j+64),end=' ')
          print()
```

```
IRAT_UPPER_COLOUMN
A B C D E
A B C D
A B C
A B
A
```

```
[8]: for i in 'kimi antonelli':
      print(i,'---->',ord(i),'---->',bin(ord(i)))
```

```
k ----> 107 ----> 0b1101011
i ----> 105 ----> 0b1101001
m ----> 109 ----> 0b1101101
i ----> 105 ----> 0b1101001
----> 32 ----> 0b1000000
a ----> 97 ----> 0b1100001
n ----> 110 ----> 0b1101110
t ----> 116 ----> 0b1110100
o ----> 111 ----> 0b1101111
n ----> 110 ----> 0b1101110
e ----> 101 ----> 0b1100101
l ----> 108 ----> 0b1101100
l ----> 108 ----> 0b1101100
i ----> 105 ----> 0b1101001
```

```
[9]: for i in 'carlos sainz':
      print(i,'---->',ord(i),'---->',bin(ord(i)))
```

```
c ----> 99 ----> 0b1100011
a ----> 97 ----> 0b1100001
r ----> 114 ----> 0b1110010
l ----> 108 ----> 0b1101100
o ----> 111 ----> 0b1101111
s ----> 115 ----> 0b1110011
----> 32 ----> 0b1000000
s ----> 115 ----> 0b1110011
a ----> 97 ----> 0b1100001
i ----> 105 ----> 0b1101001
n ----> 110 ----> 0b1101110
z ----> 122 ----> 0b1111010
```

```
[ ]:
```

```
[10]: for i in 'charles leclarc':
       print(i,'---->',ord(i),'---->',bin(ord(i)))
```

```
c ----> 99 ----> 0b1100011
h ----> 104 ----> 0b1101000
a ----> 97 ----> 0b1100001
r ----> 114 ----> 0b1110010
l ----> 108 ----> 0b1101100
e ----> 101 ----> 0b1100101
s ----> 115 ----> 0b1110011
----> 32 ----> 0b1000000
l ----> 108 ----> 0b1101100
e ----> 101 ----> 0b1100101
c ----> 99 ----> 0b1100011
l ----> 108 ----> 0b1101100
a ----> 97 ----> 0b1100001
r ----> 114 ----> 0b1110010
c ----> 99 ----> 0b1100011
```

```
[11]: for i in 'issac hadjan':
       print(i,'---->',ord(i),'---->',bin(ord(i)))
```

```
i ----> 105 ----> 0b1101001
s ----> 115 ----> 0b1110011
s ----> 115 ----> 0b1110011
a ----> 97 ----> 0b1100001
c ----> 99 ----> 0b1100011
----> 32 ----> 0b1000000
h ----> 104 ----> 0b1101000
a ----> 97 ----> 0b1100001
d ----> 100 ----> 0b1100100
j ----> 106 ----> 0b1101010
a ----> 97 ----> 0b1100001
r ----> 114 ----> 0b1110010
```

```
[12]: for i in 'lindblad':  
      print(i,'---->',ord(i),'---->',bin(ord(i)))
```

```
l ----> 108 ----> 0b1101100  
i ----> 105 ----> 0b1101001  
n ----> 110 ----> 0b1101110  
d ----> 100 ----> 0b1100100  
b ----> 98 ----> 0b1100010  
l ----> 108 ----> 0b1101100  
a ----> 97 ----> 0b1100001  
d ----> 100 ----> 0b1100100
```