


Styling React Applications

Today You Will Learn

- External CSS
- Inline CSS
- CSS Modules
- Dynamic Styling
- Conditional Classes
- Bootstrap Installation
- React Bootstrap
- Responsive Components
- Mini Project

📋 **Learning Outcome:** By the end of today's session, you will be able to style React applications professionally using multiple approaches and build responsive UIs.



External CSS

What is External CSS?

External CSS stores styles in a separate .css file and imports them into a component.

EmployeeCard.jsx

```
import "../EmployeeCard.css";

function EmployeeCard() {
  return (
    <div className="card">
      <h2>Rahul</h2>
    </div>
  );
}

export default EmployeeCard;
```

EmployeeCard.css

```
.card {
  width: 300px;
  padding: 20px;
  border-radius: 10px;
  background: #f8f9fa;
  box-shadow: 0 0 10px rgba(0,0,0,.2);
}
```

Advantages

- Clean code
- Easy to maintain
- Reusable styles
- Best for medium and large projects

Inline CSS

Inline Styling

Styles are written directly inside JSX.

```
function App() {  
  return (  
    <h1 style={{  
      color: "blue",  
      fontSize: "40px",  
      textAlign: "center"  
    }}>  
      Welcome React  
    </h1>  
  );  
}
```

Rules

- style accepts an object
- CSS properties use camelCase

Example

backgroundColor fontSize textAlign

Best Use Cases

- Dynamic styles
- Small UI changes
- Quick prototypes

CSS Modules

What are CSS Modules?

CSS Modules create locally scoped styles.

File

EmployeeCard.module.css

CSS

```
.card {  
  background: lightblue;  
  padding: 20px;  
  border-radius: 10px;  
}
```

React

```
import styles from './EmployeeCard.module.css';  
  
function EmployeeCard() {  
  return (  
    <div className={styles.card}>  
      <h2>React Card</h2>  
    </div>  
  );  
}
```

Benefits

No class name conflicts

Better scalability

Used in enterprise applications

Dynamic Styling & Conditional Classes

Dynamic Styling

```
const color = "green";

<h1 style={{ color: color }}>
  Hello React
</h1>
```

Conditional Classes

```
const isActive = true;

<button
  className={isActive
    ? "btn btn-success"
    : "btn btn-danger"}
>
  Submit
</button>
```

Another Example

```
<p className={score >= 35 ? "pass" : "fail"}>
  {score}
</p>
```

Real World

- Login Status
- Active Menu
- Dark Mode
- Validation Errors

Bootstrap Installation

Install Bootstrap

```
npm install bootstrap
```

Import Bootstrap

```
import "bootstrap/dist/css/bootstrap.min.css";
```

Bootstrap Components

- Container
- Row
- Column
- Card
- Button
- Navbar
- Forms
- Alerts

Benefits

Fast UI Development

Responsive by default

Professional Design

Industry Standard Framework

React Bootstrap

Install React Bootstrap

```
npm install react-bootstrap bootstrap
```

Import Component

```
import Button from "react-bootstrap/Button";
```

Example

```
<Button variant="primary">  
  Click Me  
</Button>
```

Example Card

```
<Card.Body>  
  <Card.Title>React</Card.Title>  
  <Card.Text>  
    Learning React Bootstrap  
  </Card.Text>  
  <Button variant="primary">  
    Learn More  
  </Button>  
</Card.Body>
```

Why React Bootstrap?



React Components



Easy Customization



Cleaner Code



Bootstrap without writing HTML classes

Responsive Components

Bootstrap Grid

```
<Row>
  <Col xs={12} md={6} lg={4}>
    <Card>Card 1</Card>
  </Col>
  <Col xs={12} md={6} lg={4}>
    <Card>Card 2</Card>
  </Col>
  <Col xs={12} md={6} lg={4}>
    <Card>Card 3</Card>
  </Col>
</Row>
```

Grid System

- Mobile — 1 Card
- Tablet — 2 Cards
- Desktop — 3 Cards

Responsive Classes

- col-sm-12
- col-md-6
- col-lg-4
- col-xl-3

Mini Project: Responsive Landing Page

Objective

Build a responsive landing page using Bootstrap.

Sections

- Navbar
- Hero Section
- Features
- Services
- Footer

Requirements

- Bootstrap Grid
- Bootstrap Cards
- Buttons
- Responsive Layout
- Images
- External CSS

Components

- Navbar
- Hero
- FeatureCard
- ServiceCard
- Footer

Expected Output

Navbar

Hero Section

Feature Cards

Service Cards

Footer

Concepts Used

External CSS

Bootstrap

React Components

Responsive Grid

Component Reusability

Homework Assignment

Homework 1

Build Responsive Pricing Cards

Create **3 Pricing Cards**

Plans

- Basic
- Standard
- Premium

Each Card Should Include

- Plan Name
- Monthly Price
- Features List
- Subscribe Button

Homework 2

Apply

- External CSS
- Inline CSS
- CSS Modules

Homework 3

Use Dynamic Styling

Highlight the Premium Plan.

Example

```
className={plan === "Premium"
  ? "border border-primary"
  : ""}
```

Homework 4

Use Conditional Classes

If a plan is recommended

Display

★ Most Popular

Otherwise

Normal Plan

Homework 5

Make the cards responsive using Bootstrap Grid.

- Mobile – 1 Card
- Tablet – 2 Cards
- Desktop – 3 Cards

Submission Checklist

✓ External CSS

✓ Inline CSS

✓ CSS Modules

✓ Dynamic Styling

✓ Conditional Classes

✓ Bootstrap Installed

✓ Responsive Layout

✓ Bootstrap Grid Used

✓ Reusable Components

📌 **Expected Outcome:** Students will understand the different ways to style React applications, build responsive interfaces using Bootstrap and React Bootstrap, and apply dynamic and conditional styling to create modern, production-ready user interfaces. This prepares them for building responsive React applications similar to those used in real-world software development.