Started on	Saturday, 3 October 2026, 9:26 PM
State	Finished
Completed on	Saturday, 10 October 2026, 9:26 PM
Time taken	7 days
Marks	14.00/15.00
Grade	**93.33** out of 100.00

Question 1 | Correct Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. Error

b. (1,2,3,4,5,6) ✔

c. (1,2,3)(4,5,6)

d. (1,2,3,3,2,1)

Your answer is correct.

The correct answer is:
(1,2,3,4,5,6)

Question 2 | Correct Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

a. <class 'int'>

b. <class 'tuple'>

c. <class 'str'> ✔

d. str

Your answer is correct.

The correct answer is:
<class 'str'>

Question 3 | Correct Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain either string or integer but not both at a time.

b. In Python, a tuple can contain both integers and strings as its elements. ✔

c. In Python, a tuple can contain only integers as its elements.

d. In Python, a tuple can contain only strings as its elements.

Your answer is correct.

The correct answer is:
In Python, a tuple can contain both integers and strings as its elements.

Question 4 | Incorrect Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. Elements of set1 will get appended to set2

b. A new set will be created with the elements of both set1 and set2

c. A new set will be created with the unique elements of set1 and set2. ✖

d. Elements of set2 will get appended to set1

Your answer is incorrect.

The correct answer is:
A new set will be created with the elements of both set1 and set2

Question 5 | Correct Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. {40, 10, '10', 50, 20, 60, 30} ✔

b. {40, 10, 50, 20, 60, 30}

c. {40, '10', 50, 20, 60, 30}

d. SynatxError: Different types cannot be used with sets

Your answer is correct.

The correct answer is: {40, 10, '10', 50, 20, 60, 30}

Question 6 | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

a. (11,3,11,11,3,11,11,11,3)

b. (11, 3, 11, 3, 11, 3) ✔

c. [11,11,11,3,3,3]

d. (11,3)(11,3)(11,3)

Your answer is correct.

The correct answer is:
(11, 3, 11, 3, 11, 3)

Question 7 | Correct Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✔
   True

b. True
   False

c. False
   False

d. False
   True

Your answer is correct.

The correct answer is:
True

True

Question 8 | Correct Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

- a. tupl1=tupl+tupl ✔
- b. tupl.sort()
- c. tupl[1]=2
- d. tupl.append(2)

Your answer is correct.

The correct answer is:
tupl1=tupl+tupl

Question 9 | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

- a. (55,33,11)
- b. [55, 33, 11] ✔
- c. ([55,33,11])
- d. [(55,33,11)]

Your answer is correct.

The correct answer is:
[55, 33, 11]

Question 10 | Correct Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. sampleSet.delete("ECE")

b. sampleSet.discard("ECE") ✔

c. del.sampleSet("ECE")

d. remove.sampleSet("ECE")

Your answer is correct.

The correct answer is:
sampleSet.discard("ECE")

Question 11 | Correct Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

a. i,ii

b. iii,iv

c. ii,iv

d. i,iii ✔

Your answer is correct.

The correct answer is:
i,iii

Question 12 | Correct Mark 1.00 out of 1.00

What is the output of the given below program?

my_t1 = (1, 2, 3, 4)

my_t1.append((5, 6, 7))

print(len(my_t1))

- a. Error ✔
- b. 5
- c. 1
- d. 2

Your answer is correct.

The correct answer is:
Error

Question 13 | Correct Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

- a. ['8', '30', '3', '2'] ✔
- b. ['30', '8', '3', '2']
- c. ['2', '3', '30', '8']
- d. ['2', '3', '8', '30']

Your answer is correct.

The correct answer is:
['8', '30', '3', '2']

Question 14 | Correct Mark 1.00 out of 1.00

What is the output of the given below program?

t = (58, 47, 36, 25, 14, 3)

x = t[2:-1]

print(x)

a. (3,14,25)

b. (36, 25, 14) ✔

c. (58,47,36,25)

d. Error

Your answer is correct.

The correct answer is:
(36, 25, 14)

Question 15 | Correct Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. Computer

b. () ✔

c. Error

d. (Computer)

Your answer is correct.

The correct answer is:
()