| | |
|---|---|
| **Started on** | Sunday, 11 October 2026, 12:20 AM |
| **State** | Finished |
| **Completed on** | Sunday, 11 October 2026, 1:07 AM |
| **Time taken** | 46 mins 30 secs |
| **Marks** | 10.00/10.00 |
| **Grade** | **100.00** out of 100.00 |

**Question 1** | Correct Mark 1.00 out of 1.00

Write a Python program to reverse the contents of a specific line in a text file based on a given line number.

**Description:**

1. **Input:**
   - A text file with multiple lines.
   - A line number to reverse.
2. **Output:**
   - The updated file with the specified line's contents reversed in file "output.txt".

**Example:**

- **Input File Content:**

  **"Line one.**
  **Line two.**
  **Line three.**
  **Line four."**
  **3**

**Output:**

Line one.
Line two.
eerht eniL.
Line four.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input1.txt`<br>`3` | `Line one.`<br>`Line two.`<br>`eerht eniL.`<br>`Line four.` |

**Answer:** (penalty regime: 0 %)

```
file=input()
f=open(file)
L=f.readlines()
n=int(input())
L1=[]

for i in range(len(L)):
    if (i+1)!=n:
        L1.append(L[i])
    else:
        L1.append(L[n-1][-3::-1]+'.'+'\n')

f.close()
f1=open('output.txt','w')
f1.writelines(L1)
f1.close()
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✔ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input1.txt`<br>`3` | `Line one.`<br>`Line two.`<br>`eerht eniL.`<br>`Line four.` | `Line one.`<br>`Line two.`<br>`eerht eniL.`<br>`Line four.` | ✔ |
| ✔ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input2.txt`<br>`2` | `Line A.`<br>`B eniL.`<br>`Line C.` | `Line A.`<br>`B eniL.`<br>`Line C.` | ✔ |

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

**Question 2** | Correct Mark 1.00 out of 1.00

Develop a Python program to read a text file and count the total number of words in the file.

**Description:**

1. **Input:**
    - A text file containing several lines of text.
    - File name you should get as input.
2. **Output:**
    - The total number of words in the file.

**For example:**

| Input | Result |
|---|---|
| input2.txt | Total words: 14 |
| input3.txt | Total words: 15 |

**Answer:** (penalty regime: 0 %)

```
inp=input()
f=open(inp)
a=f.read().split()
print('Total words:',len(a))
```

| | Input | Expected | Got | |
|---|---|---|---|---|
| ✔ | input1.txt | Total words: 6 | Total words: 6 | ✔ |
| ✔ | input2.txt | Total words: 14 | Total words: 14 | ✔ |
| ✔ | input3.txt | Total words: 15 | Total words: 15 | ✔ |

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

**Question 3** | Correct Mark 1.00 out of 1.00

Create a Python program to write to a specific line in a text file, replacing the existing content of that line.

**Description:**

1. **Input:**
   - A text file with multiple lines.
   - A line number to write to.
   - New content for the specified line.
2. **Output:**
   - The updated file with the specified line replaced by the new content in file "output.txt".

**Example:**

- **Input File Content:**

  **"Line one.**
  **Line two.**
  **Line three.**
  **Line four."**
  **2**

  **Updated line two.**

**Output:**

Line one.
Updated line two.
Line three.
Line four.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input1.txt`<br>`2`<br>`Updated line two.` | `Line one.`<br>`Updated line two.`<br>`Line three.`<br>`Line four.` |

**Answer:** (penalty regime: 0 %)

```
inp=input()
n=int(input())
up=input()
f=open(inp)
L=f.readlines()
L[n-1]=up+'\n'
f.close()
f1=open('output.txt','w')
f1.writelines(L)
f1.close()
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✔ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input1.txt`<br>`2`<br>`Updated line two.` | `Line one.`<br>`Updated line two.`<br>`Line three.`<br>`Line four.` | `Line one.`<br>`Updated line two.`<br>`Line three.`<br>`Line four.` | ✔ |
| ✔ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input2.txt`<br>`2`<br>`Line B Updated.` | `Line A.`<br>`Line B Updated.`<br>`Line C.` | `Line A.`<br>`Line B Updated.`<br>`Line C.` | ✔ |

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

**Question 4** | Correct Mark 1.00 out of 1.00

Develop a Python program to identify and print all palindrome words from a given text file.

**Description:**

1. **Input:**
   - A text file containing multiple words.
2. **Output:**
   - A list of palindrome words found in the file name as 'output.txt'.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt | madam<br>arora<br>malayalam |

**Answer:** (penalty regime: 0 %)

```
inp=input()
f=open(inp)
L=f.read().split()
L1=[]
for i in L:
    if i==i[::-1]:
        L1.append(i+'\n')
f.close()
f1=open('output.txt','w')
f1.writelines(L1)
f1.close()
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✔ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt | madam<br>arora<br>malayalam | madam<br>arora<br>malayalam | ✔ |

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

**Question 5** | Correct Mark 1.00 out of 1.00

Create a Python program to find the longest word in a text file.

- **Input:**
  - A text file containing multiple lines of text.
- **Output:**
  - The longest word in the file.

**For example:**

| Input | Result |
|---|---|
| input1.txt | Longest word: containing |

**Answer:** (penalty regime: 0 %)

```
inp=input()
f=open(inp)
c=0
L=f.read().split()
for i in L:
    if len(i)>c:
        c=len(i)
        n=i
print('Longest word:', n)
```

| | Input | Expected | Got | |
|---|---|---|---|---|
| ✔ | input1.txt | Longest word: containing | Longest word: containing | ✔ |
| ✔ | input2.txt | Longest word: thousand | Longest word: thousand | ✔ |
| ✔ | input3.txt | Longest word: supercalifragilisticexpialidocious | Longest word: supercalifragilisticexpialidocious | ✔ |

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

**Question 6** | Correct Mark 1.00 out of 1.00

Write a Python program to count the frequency of each word in a given text file.

**Description:**

1. **Input:**
   - String as input.
2. **Output:**
   - A list of words with their corresponding frequency count to be write in a file "output.txt"

**Example:**

- **Input File Content:**

  apple orange apple banana apple orange

**Output:**

apple: 3
orange: 2
banana: 1

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `apple orange apple banana apple orange` | `apple: 3`<br>`banana: 1`<br>`orange: 2` |

**Answer:** (penalty regime: 0 %)

```
import string
file=input().lower()
for p in string.punctuation:
    file=file.replace(p,'')
words=file.split()
result={}
for i in words:
    if i in result:
        result[i]+=1
    else:
        result[i]=1
f=open('output.txt','w')
for word in sorted(result):
    f.write(word+': '+str(result[word])+'\n')
f.close()
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✔ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `apple orange apple banana apple orange` | `apple: 3`<br>`banana: 1`<br>`orange: 2` | `apple: 3`<br>`banana: 1`<br>`orange: 2` | ✔ |

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✔ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `Hello world! Hello everyone. Welcome to the world of programming.` | `everyone: 1`<br>`hello: 2`<br>`of: 1`<br>`programming: 1`<br>`the: 1`<br>`to: 1`<br>`welcome: 1`<br>`world: 2` | `everyone: 1`<br>`hello: 2`<br>`of: 1`<br>`programming: 1`<br>`the: 1`<br>`to: 1`<br>`welcome: 1`<br>`world: 2` | ✔ |
| ✔ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `One fish two fish Red fish blue fish` | `blue: 1`<br>`fish: 4`<br>`one: 1`<br>`red: 1`<br>`two: 1` | `blue: 1`<br>`fish: 4`<br>`one: 1`<br>`red: 1`<br>`two: 1` | ✔ |

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

**Question 7** | Correct Mark 1.00 out of 1.00

Write a Python program to append a new line at a specific position in a text file, shifting existing lines down.

**Description:**

1. **Input:**
   - A text file with multiple lines.
   - A line number to insert the new line at.
   - New content for the new line.
2. **Output:**
   - The updated file with the new line inserted at the specified position, shifting the existing lines down in file "output.txt".

**Example:**

- **Input File Content:**

  **"Line one.**
  **Line two.**
  **Line three.**
  **Line four."**
  **3**

  **Inserted line..**

**Output:**

Line one.
Line two.
Inserted line.
Line three.
Line four.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input1.txt`<br>`3`<br>`Inserted line.` | `Line one.`<br>`Line two.`<br>`Inserted line.`<br>`Line three.`<br>`Line four.` |

**Answer:** (penalty regime: 0 %)

```
inp=input()
n=int(input())
cm=input()
f=open(inp)
L=f.readlines()
L1=[]
for i in range(len(L)):
    if i!=(n-1):
        L1.append(L[i])
    else:
        L1.append(cm+'\n')
        L1.append(L[i])
if(n>len(L)):
    L1.append('\n'+cm)
f.close()
f1=open('output.txt','w')
f1.writelines(L1)
f1.close()
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✔ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input1.txt`<br>`3`<br>`Inserted line.` | `Line one.`<br>`Line two.`<br>`Inserted line.`<br>`Line three.`<br>`Line four.` | `Line one.`<br>`Line two.`<br>`Inserted line.`<br>`Line three.`<br>`Line four.` | ✔ |
| ✔ | `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | `input2.txt`<br>`4`<br>`Inserted line D.` | `Line A.`<br>`Line B.`<br>`Line C.`<br>`Inserted line D.` | `Line A.`<br>`Line B.`<br>`Line C.`<br>`Inserted line D.` | ✔ |

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

**Question 8** | Correct Mark 1.00 out of 1.00

Develop a Python program to copy the contents of one file to another file.

**Description:**

1. **Input:**
   - Source file and destination file names.
2. **Output:**
   - The content of the source file copied to the destination file.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output1.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>output1.txt | This is the source file.<br>It contains multiple lines of text.<br>Here is another line. |

**Answer:** (penalty regime: 0 %)

```
inp=input()
op=input()
f=open(inp)
a=f.read()
f.close()
f1=open(op,'w')
f1.write(a)
f1.close()
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✔ | `with open('output1.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>output1.txt | This is the source file.<br>It contains multiple lines of text.<br>Here is another line. | This is the source file.<br>It contains multiple lines of text.<br>Here is another line. | ✔ |
| ✔ | `with open('output2.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input2.txt<br>output2.txt | Hello, world!<br>Python programming is amazing.<br>Let's copy this text to another file. | Hello, world!<br>Python programming is amazing.<br>Let's copy this text to another file. | ✔ |
| ✔ | `with open('output3.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input3.txt<br>output3.txt | Single line. | Single line. | ✔ |

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

**Question 9** | Correct Mark 1.00 out of 1.00

Develop a Python program to read a specific line from a text file based on a given line number.

**Description:**

1. **Input:**
   - A text file with multiple lines.
   - A line number to read.
2. **Output:**
   - The content of the specified line.

input1.txt:

Line one.
Line two.
Line three.
Line four.

**For example:**

| Input | Result |
|---|---|
| input1.txt<br>3 | Line three. |

**Answer:** (penalty regime: 0 %)

```
inp=input()
n=int(input())
f=open(inp)
L=f.readlines()
print(L[n-1])
f.close()
```

| | Input | Expected | Got | |
|---|---|---|---|---|
| ✔ | input1.txt<br>3 | Line three. | Line three. | ✔ |
| ✔ | input2.txt<br>3 | Line C. | Line C. | ✔ |

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

**Question 10** | Correct Mark 1.00 out of 1.00

Create a Python program to delete a specific line from a text file based on a given line number.

**Description:**

1. **Input:**
   - A text file with multiple lines.
   - A line number to delete.
2. **Output:**
   - The updated file with the specified line removed in file "output.txt".

**Example:**

- **Input File Content:**

  **"Line one.**
  **Line two.**
  **Line three.**
  **Line four."**
  **2**

  **Updated line two.**

**Output:**

Line one.
Line three.
Line four.

**For example:**

| Test | Input | Result |
|---|---|---|
| `with open('output.txt', 'r') as file:`<br>`  text = file.read()`<br>`  print(text)` | input1.txt<br>2 | Line one.<br>Line three.<br>Line four. |

**Answer:** (penalty regime: 0 %)

```
inp=input()
n=int(input())
f=open(inp)
L=f.readlines()
L1=[]
for i in range(len(L)):
    if i!=(n-1):
        L1.append(L[i])
f.close()
f1=open('output.txt','w')
f1.writelines(L1)
f1.close()
```

| | Test | Input | Expected | Got | |
|---|---|---|---|---|---|
| ✔ | `with open('output.txt', 'r') as file:`<br>`    text = file.read()`<br>`    print(text)` | input1.txt<br>2 | Line one.<br>Line three.<br>Line four. | Line one.<br>Line three.<br>Line four. | ✔ |
| ✔ | `with open('output.txt', 'r') as file:`<br>`    text = file.read()`<br>`    print(text)` | input2.txt<br>3 | Line A.<br>Line B. | Line A.<br>Line B. | ✔ |

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.