



PriorityFeed

Academic Communication Prioritizer

Cut through the noise of high-volume course Slack channels -
messages sorted into Critical / Important / Normal by rules you define.

Harini Thirunavukkarasan

CS5610 Web Development (Online) — Northeastern University • priorityfeed.onrender.com

THE PROBLEM

Important announcements get buried

In large online courses, Slack is the primary channel — and it generates hundreds of messages every week.

- Instructor & TA announcements drown in casual chatter
- Slack's feed is chronological - every message is equal
- Too many notifications to be useful
- Result: missed deadlines and assignment updates

#course-general

lunch spot recos?

anyone got the zoom link

★ HW4 due date moved to Fri !!

lol same

is the quiz graded yet

memes thread →

★ Project 2 specs posted

PriorityFeed re-ranks your feed by what matters

1

Connect Slack

One click pulls recent messages from every channel you belong to into one dashboard.

2

Define rules

Match by channel, sender, or keyword → Critical, Important, or Normal. You stay in control.

3

Surface what matters

Messages are sorted into priority tiers with filters, bookmarks, and an unread summary.

Full-stack: vanilla-JS SPA → Express API → Slack Web API + MongoDB

HOW PRIORITIZATION WORKS

A rules engine you control

On every sync — and whenever a rule changes — each message is matched against your rules. Highest-priority matching rule wins; no match defaults to Normal.

Rule: sender = "Prof. Lee" → Critical

Rule: keyword = "deadline" → Critical

Rule: channel = "#announcements" → Important

Rule: keyword = "social" → Normal

CRITICAL

Deadlines, instructor calls to action

IMPORTANT

Announcements, TA guidance

NORMAL

Everything else — default

LIVE DEMO

What I'll show you

1

Sign up / log in Token-based email + password auth.

2

Sync Slack Pull live course messages into the dashboard.

3

Add a rule sender / keyword → watch the feed re-prioritize instantly.

4

Work the feed Filter by priority & channel, bookmark, mark read, dismiss.


5

Unread summary Catch up at a glance after being away.

DEMO · STEP 1

Sign up & log in

One card toggles between login and sign-up. Token-based auth backed by hashed passwords in MongoDB.




The screenshot shows a web browser window with the URL `priorityfeed.onrender.com`. The page features a header with the **PriorityFeed** logo and navigation links for **Dashboard**, **Rules**, and **Log out**. The main content area contains a central login card. The card has the **PriorityFeed** logo and the tagline "Prioritize your course Slack messages." Below this, there are input fields for "Email" (containing `harinipri2001@gmail.com`) and "Password" (masked with dots). A blue "Log in" button is positioned below the password field. At the bottom of the card, there is a link that says "New here? Create an account".

DEMO · STEPS 2–4

The prioritized dashboard

Synced messages sorted into tiers. Colored left border = priority. Filter, bookmark, mark read, dismiss.



DEMO · STEP 3

Define a prioritization rule

Add by channel, sender, or keyword → a priority. Value field auto-suggests from synced data. Rules re-apply instantly.

The screenshot shows a web browser window with the URL `priorityfeed.onrender.com`. The application interface includes a top navigation bar with the 'PriorityFeed' logo and buttons for 'Dashboard', 'Rules', and 'Log out'. The main content area is titled 'Prioritization Rules' and contains a descriptive text: 'Messages matching a rule are grouped as Critical, Important, or Normal. Add rules by channel, sender, or keyword.'

Below the text is a form to create a new rule. It consists of three fields: 'Match by' (a dropdown menu currently showing 'channel'), 'Value' (a text input field with the placeholder 'Pick or type...'), and 'Priority' (a dropdown menu currently showing 'Critical'). To the right of these fields is a blue 'Add rule' button.

Below the form, there is a list of five existing rules. Each rule is displayed in a white box with a red 'Critical' label on the left, the rule's text in the middle, and a 'Delete' button on the right. The rules are:

- sender: "John Alexis Guerra Gomez"
- sender: "U09D5U3USNR"
- sender: "@U09D5U3USNR"
- sender: "John Alexis Guerra Gomez (Teacher)"
- sender: "john.guerra@gmail.com"

Architecture & data model

Browser — vanilla-JS SPA

ES6 modules, client-side rendering, Fetch API

Express API (Node, ESM)

auth · messages · rules · slack routes

Slack Web API

conversations.history + mention resolution

MongoDB (native driver)

users · messages · rules

3 independent collections

users _id, email, passwordHash, createdAt

messages userId, channel, sender, text, ts,
priority, bookmarked, read, fetchedAt

rules userId, type, value, priority, createdAt

Each collection owns one concern:
auth · ingestion+status · prioritization logic.



Thank you

PriorityFeed turns a noisy chronological feed into a prioritized one — so students never miss what matters.

Live app priorityfeed.onrender.com

Code github.com/harini0-0/Project-2-PriorityFeed

Author Harini Thirunavukkarasan · Northeastern University