

student*

restaurant*

bookstore* x



Limit to 1000 rows

```
4 ● create table bookstore(  
5     book_id INT PRIMARY KEY,  
6     title VARCHAR(100),  
7     author VARCHAR(100),  
8     price INT);  
9 ● select * from bookstore;  
10 ● insert into bookstore (book_id, title,author,price)  
11 values  
12 (1,"wings of fire","dr.APJ abdul kalam",500),  
13 (2,"life guide", "navi kumar",250),  
14 (3,"success path","john david",450),  
15 (4,"good life ", "kiran kumar",300),  
16 (5,"stay strong","neha patel",500);  
17 select title , price from bookstore;  
18 ● select * from bookstore where price>400;  
19 ● update bookstore SET author="james clear" where book_id=2;  
20 ● update bookstore SET price=480 where book_id=4;  
21 ● delete from bookstore where book_id=3;
```

Result Grid



Filter Rows:

Edit:



	book_id	title	author	price
▶	1	wings of fire	dr.APJ abdul kalam	500
	2	life guide	james clear	350
	4	good life	kiran kumar	480
	5	stay strong	neha patel	500
●	NULL	NULL	NULL	NULL

bookstore21 x

```

7      author VARCHAR(100),
8      price INT);
9  ●   select * from bookstore;
10  ●   insert into bookstore (book_id, title,author,price)
11      values
12      (1,"wings of fire","dr.APJ abdul kalam",500),
13      (2,"life guide", "ravi kumar",350),
14      (3,"success path","john david",450),
15      (4,"good life ", "kiran kumar",300),
16      (5,"stay strong","neha patel",500);
17
18  ●   select title , price from bookstore;
19
20  ●   select * from bookstore where price>500;
21
22  ●   update bookstore SET author="james clear" where book_id=2;
23

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: IA

	title	price
▶	wings of fire	500
	life guide	350
	success path	450
	good life	300
	stay strong	500

bookstore5 x

```

12  (1,"wings of fire","dr.APJ abdul kalam",500),
13  (2,"life guide", "ravi kumar",350),
14  (3,"success path","john david",450),
15  (4,"good life ", "kiran kumar",300),
16  (5,"stay strong","neha patel",500);
17
18  ● select title , price from bookstore;
19
20  ● select * from bookstore where price>500;
21
22  ● update bookstore SET author="james clear" where book_id=2;
23
24  ● update bookstore SET price=480 where book_id=4;
25
26  ● delete from bookstore where book_id=3;
27
28

```

	book_id	title	author	price
▶	1	wings of fire	dr.APJ abdul kalam	500
	2	life guide	james clear	350
	3	success path	john david	450
	4	good life	kiran kumar	300
	5	stay strong	neha patel	500

```
6      title VARCHAR(100),
7      author VARCHAR(100),
8      price INT);
9  ● select * from bookstore;
10 ● insert into bookstore (book_id, title,author,price)
11 values
12 (1,"wings of fire","dr.APJ abdul kalam",500),
13 (2,"life guide", "ravi kumar",350),
14 (3,"success path","john david",450),
15 (4,"good life ", "kiran kumar",380),
16 (5,"stay strong","neha patel",500);
17
18 ● select title , price from bookstore;
19
20 ● select * from bookstore where price>500;
21
22 ● update bookstore SET author="james clear" where book_id=2;
```

	book_id	title	author	price
▶	1	wings of fire	dr.APJ abdul kalam	500
	2	life guide	james clear	350
	3	success path	john david	450
	4	good life	kiran kumar	480
	5	stay strong	neha patel	500

```

6      title VARCHAR(100),
7      author VARCHAR(100),
8      price INT);
9  ● select * from bookstore;
10 ● insert into bookstore (book_id, title,author,price)
11 values
12 (1,"wings of fire","dr.APJ abdul kalam",500),
13 (2,"life guide", "ravi kumar",350),
14 (3,"success path","john david",450),
15 (4,"good life ", "kiran kumar",300),
16 (5,"stay strong","neha patel",500);
17
18 ● select title , price from bookstore;
19
20 ● select * from bookstore where price>500;
21
22 ● update bookstore SET author="james clear" where book_id=2;

```

Result Grid | Filter Rows: | Edit: | Export/Import:

	book_id	title	author	price
▶	1	wings of fire	dr.APJ abdul kalam	500
	2	life guide	james clear	350
	4	good life	kiran kumar	480
	5	stay strong	neha patel	500
★	NULL	NULL	NULL	NULL