DiseaseMimic AI

Analysis Complete - Final research summary

Summary of conditions matching the available clinical observations.

Completed: 26 Oct 2026, 11:40 pm IST

Model response: 26 Oct 2026, 11:40 pm IST

Completion reason: You chose to finish with the available observations.

Follow-up questions answered: 0; configured UX limit: 5.

This application is an experimental disease-phenotype research tool. Rankings are not diagnoses or probabilities. Results must not be used to make medical decisions without qualified clinical evaluation.

A. Observations collected

PRESENT (2)

Hypogonadism (HP:0000135)

Intellectual disability (HP:0001249)

ABSENT (0)

None recorded.

UNKNOWN (0)

None recorded.

Rankings use present findings. Absent findings suppress repeat follow-ups; unknown findings remain unresolved.

B. Final ranked conditions

Rank 1: Cone-Rod dystrophy 1

Identifier: OMIM:600624 | Research compatibility score: 1.039808 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 6): Autosomal dominant inheritance (HP:0000006); Hearing impairment (HP:0000365); Cone/cone-rod dystrophy (HP:0000548); Abnormality of the ear (HP:0000598); Juvenile onset (HP:0003621); Childhood onset (HP:0011463)

Source provenance: HPO. A compatible ranking is not a confirmed diagnosis.

Rank 2: Deafness, congenital, with total albinism

Identifier: OMIM:220900 | Research compatibility score: 1.033868 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 3): Autosomal recessive inheritance (HP:0000007); Hearing impairment (HP:0000365); Albinism (HP:0001022)

Source provenance: HPO. A compatible ranking is not a confirmed diagnosis.

Rank 3-4 (tied): Prader-Willi syndrome (Type 1)

Identifier: DECIPHER:14 | Research compatibility score: 1.032041 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 3): Hypotonia (HP:0001252); Truncal obesity (HP:0001956); Feeding difficulties in infancy (HP:0008872)

Source provenance: HPO. A compatible ranking is not a confirmed diagnosis.

Rank 3-4 (tied): Prader-Willi Syndrome (Type 2)

Identifier: DECIPHER:53 | Research compatibility score: 1.032041 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 3): Hypotonia (HP:0001252); Truncal obesity (HP:0001956); Feeding difficulties in infancy (HP:0008872)

Source provenance: HPO. A compatible ranking is not a confirmed diagnosis.

Rank 5: Marinesco-Sjögren syndrome

Identifier: ORPHA:559 | Research compatibility score: 1.029926 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 64): Autosomal recessive inheritance (HP:0000007); Microcephaly (HP:0000252); Strabismus (HP:0000486); Cataract (HP:0000518); Developmental cataract (HP:0000519); Nystagmus (HP:0000639); Optic atrophy (HP:0000648); Pectus carinatum (HP:0000768); Hypergonadotropic hypogonadism (HP:0000815); Brachydactyly (HP:0001156); Abnormal finger morphology (HP:0001167); Ataxia (HP:0001251)

Source provenance: HPO, Orphadata. A compatible ranking is not a confirmed diagnosis.

Rank 6: Syndromic recessive X-linked ichthyosis

Identifier: ORPHA:281090 | Research compatibility score: 1.029271 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 19): Cryptorchidism (HP:0000028); Renal insufficiency (HP:0000083); Unilateral renal agenesis (HP:0000122); Autism (HP:0000717); Hyperkeratosis (HP:0000962); Hypohidrosis (HP:0000966); Seizure (HP:0001250); Global developmental delay (HP:0001263); Lissencephaly (HP:0001339); Aphasia (HP:0002381); Acute leukemia (HP:0002488); Abnormal stomach morphology (HP:0002577)

Source provenance: HPO, Orphadata. A compatible ranking is not a confirmed diagnosis.

Rank 7: X-linked intellectual disability, Seemanova type

Identifier: ORPHA:85323 | Research compatibility score: 1.026099 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 14): Cryptorchidism (HP:0000028); High palate (HP:0000218); Microcephaly (HP:0000252); Retrognathia (HP:0000278); Epicanthus (HP:0000286); Hypertelorism (HP:0000316); Macrotia (HP:0000400); Developmental cataract (HP:0000519); Seizure (HP:0001250); Small for gestational age (HP:0001518); Abnormal heart morphology (HP:0001627); Progressive spasticity (HP:0002191)

Source provenance: HPO, Orphadata. A compatible ranking is not a confirmed diagnosis.

Rank 8: Johnson neuroectodermal syndrome

Identifier: ORPHA:2316 | Research compatibility score: 1.024740 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 25): Cleft palate (HP:0000175); Everted lower lip vermilion (HP:0000232); Microcephaly (HP:0000252); Facial asymmetry (HP:0000324); Conductive hearing impairment (HP:0000405); Protruding ear (HP:0000411); Atresia of the external auditory canal (HP:0000413); Bulbous nose (HP:0000414); Choanal atresia (HP:0000453); Anosmia (HP:0000458); Downslanted palpebral fissures (HP:0000494); Absent eyelashes (HP:0000561)

Source provenance: HPO, Orphadata. A compatible ranking is not a confirmed diagnosis.

Rank 9: Red cell aplasia-microcephaly-seizure-developmental delay syndrome

Identifier: ORPHA:726036 | Research compatibility score: 1.024309 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 19): Autosomal dominant inheritance (HP:0000006); Testicular atrophy (HP:0000029); Microcephaly (HP:0000252); Global developmental delay (HP:0001263); Growth delay (HP:0001510); Anemia (HP:0001903); Bilateral tonic-clonic seizure (HP:0002069); Pulmonary fibrosis (HP:0002206); Oral leukoplakia (HP:0002745); Delayed skeletal maturation (HP:0002750); Infantile onset (HP:0003593); Neonatal onset (HP:0003623)

Source provenance: HPO. A compatible ranking is not a confirmed diagnosis.

Rank 10: Colobomatous microphthalmia-obesity-hypogenitalism-intellectual disability syndrome

Identifier: ORPHA:363741 | Research compatibility score: 1.024240 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 14): Autosomal dominant inheritance (HP:0000006); Cryptorchidism (HP:0000028); Hydrocephalus (HP:0000238); Retinal coloboma (HP:0000480); Rod-cone dystrophy (HP:0000510); Cataract (HP:0000518); Microphthalmia (HP:0000568); Nystagmus (HP:0000639); Gynecomastia (HP:0000771); Obesity (HP:0001513); External genital hypoplasia (HP:0003241); Borderline intellectual disability (HP:0006889)

Source provenance: HPO, Orphadata. A compatible ranking is not a confirmed diagnosis.

Rank 11: Cornelia de Lange syndrome 5

Identifier: OMIM:300882 | Research compatibility score: 1.024169 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 51): Cryptorchidism (HP:0000028); Micropenis (HP:0000054); Cleft palate (HP:0000175); High palate (HP:0000218); Thin vermilion border (HP:0000233); Brachycephaly (HP:0000248); Microcephaly (HP:0000252); Retrognathia (HP:0000278); Low anterior hairline (HP:0000294); Hypertelorism (HP:0000316); Long philtrum (HP:0000343); Micrognathia (HP:0000347)

Source provenance: HPO. A compatible ranking is not a confirmed diagnosis.

Rank 12: Bardet-Biedl syndrome 8

Identifier: OMIM:615985 | Research compatibility score: 1.023384 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 10): Autosomal recessive inheritance (HP:0000007); Hypospadias (HP:0000047); Renal dysplasia (HP:0000110); Brachycephaly (HP:0000248); Rod-cone dystrophy (HP:0000510); Global developmental delay (HP:0001263); Obesity (HP:0001513); Situs inversus totalis (HP:0001696); Congenital onset (HP:0003577); Postaxial polydactyly (HP:0100259)

Source provenance: HPO. A compatible ranking is not a confirmed diagnosis.

Rank 13: Ahmad syndrome

Identifier: ORPHA:85274 | Research compatibility score: 1.023314 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 13): Cryptorchidism (HP:0000028); Micropenis (HP:0000054); Visual loss (HP:0000572); Tooth malposition (HP:0000692); Tapered finger (HP:0001182); Muscle weakness (HP:0001324); Obesity (HP:0001513); Sparse body hair (HP:0002231); Moderate intellectual disability (HP:0002342); Incomprehensible speech (HP:0002546); Short stature (HP:0004322); Abnormal dental morphology (HP:0006482)

Source provenance: HPO, Orphadata. A compatible ranking is not a confirmed diagnosis.

Rank 14: Autosomal recessive multiple pterygium syndrome

Identifier: ORPHA:2990 | Research compatibility score: 1.022350 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 104): Autosomal recessive inheritance (HP:0000007); Inguinal hernia (HP:0000023); Cryptorchidism (HP:0000028); Small scrotum (HP:0000046); Hypospadias (HP:0000047); Abnormality of the tongue (HP:0000157); Narrow mouth (HP:0000160); Cleft palate (HP:0000175); Orofacial cleft (HP:0000202); Triangular mouth (HP:0000207); High palate (HP:0000218); Microcephaly (HP:0000252)

Source provenance: HPO, Orphadata. A compatible ranking is not a confirmed diagnosis.

Rank 15: ALG1-CDG

Identifier: ORPHA:79327 | Research compatibility score: 1.022198 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 51): Autosomal recessive inheritance (HP:0000007); Abnormality of the kidney (HP:0000077); Renal insufficiency (HP:0000083); Nephrotic syndrome (HP:0000100); Thin vermilion border (HP:0000233); Large fontanelles (HP:0000239); Microcephaly (HP:0000252); Progressive microcephaly (HP:0000253); Hypertelorism (HP:0000316); Micrognathia (HP:0000347); Abnormality of the eye (HP:0000478); Strabismus (HP:0000486)

Source provenance: HPO, Orphadata. A compatible ranking is not a confirmed diagnosis.

Rank 16: Emanuel syndrome

Identifier: ORPHA:96170 | Research compatibility score: 1.021901 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 92): Recurrent urinary tract infections (HP:0000010); Inguinal hernia (HP:0000023); Cryptorchidism (HP:0000028); Micropenis (HP:0000054); Renal hypoplasia (HP:0000089); Unilateral renal agenesis (HP:0000122); Cleft palate (HP:0000175); Bifid uvula (HP:0000193); High palate (HP:0000218); Hydrocephalus (HP:0000238); Microcephaly (HP:0000252); Facial asymmetry (HP:0000324)

Source provenance: HPO, Orphadata. A compatible ranking is not a confirmed diagnosis.

Rank 17: Fanconi anemia, complementation group B

Identifier: OMIM:300514 | Research compatibility score: 1.021369 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 32): Micropenis (HP:0000054); Renal agenesis (HP:0000104); Hydrocephalus (HP:0000238); Low-set ears (HP:0000369); Overfolded helix (HP:0000396); Short neck (HP:0000470); Hypergonadotropic hypogonadism (HP:0000815); Single umbilical artery (HP:0001195); Cerebellar hypoplasia (HP:0001321); X-linked recessive inheritance (HP:0001419); Growth delay (HP:0001510); Intrauterine growth retardation (HP:0001511)

Source provenance: HPO. A compatible ranking is not a confirmed diagnosis.

Rank 18: Male hypergonadotropic hypogonadism-intellectual disability-skeletal anomalies syndrome

Identifier: ORPHA:2234 | Research compatibility score: 1.020373 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 17): Small scrotum (HP:0000046); Decreased fertility (HP:0000144); Short neck (HP:0000470); Atypical behavior (HP:0000708); Gynecomastia (HP:0000771); Abnormal rib morphology (HP:0000772); Abnormality of the thyroid gland (HP:0000820); Obesity (HP:0001513); Sparse body hair (HP:0002231); Hemivertebrae (HP:0002937); Abnormal vertebral body morphology (HP:0003312); Eunuchoid habitus (HP:0003782)

Source provenance: HPO, Orphadata. A compatible ranking is not a confirmed diagnosis.

Rank 19: Bardet-Biedl syndrome 7

Identifier: OMIM:615984 | Research compatibility score: 1.020020 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 12): Autosomal recessive inheritance (HP:0000007); Narrow mouth (HP:0000160); Malar flattening (HP:0000272); Hypertelorism (HP:0000316); Deeply set eye (HP:0000490); Rod-cone dystrophy (HP:0000510); Obesity (HP:0001513); 2-3 toe syndactyly (HP:0004691); Depressed nasal bridge (HP:0005280); Polydactyly (HP:0010442); Clinodactyly (HP:0030084); Postaxial polydactyly (HP:0100259)

Source provenance: HPO. A compatible ranking is not a confirmed diagnosis.

Rank 20: SIM1-related Prader-Willi-like syndrome

Identifier: ORPHA:398079 | Research compatibility score: 1.018767 | Method: hybrid

Matching phenotypes: Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Additional positive reference associations (up to 12 of 61): Cryptorchidism (HP:0000028); Hypogonadotropic hypogonadism (HP:0000044); Small scrotum (HP:0000046); Micropenis (HP:0000054); Clitoral hypoplasia (HP:0000060); Hypoplastic labia minora (HP:0000064); Xerostomia (HP:0000217); Thin upper lip vermilion (HP:0000219); Narrow nasal bridge (HP:0000446); Strabismus (HP:0000486); Atypical behavior (HP:0000708); Psychosis (HP:0000709)

Source provenance: HPO, Orphadata. A compatible ranking is not a confirmed diagnosis.

C. Why these diseases overlap

Cone-Rod dystrophy 1

Shared reference features (up to 10): Hypogonadism (HP:0000135); Hearing impairment (HP:0000365); Intellectual disability (HP:0001249)

Not documented in the other leading profiles (up to 10): Autosomal dominant inheritance (HP:0000006); Cone/cone-rod dystrophy (HP:0000548); Abnormality of the ear (HP:0000598); Juvenile onset (HP:0003621); Childhood onset (HP:0011463)

Deafness, congenital, with total albinism

Shared reference features (up to 10): Hypogonadism (HP:0000135); Hearing impairment (HP:0000365); Intellectual disability (HP:0001249)

Not documented in the other leading profiles (up to 10): Autosomal recessive inheritance (HP:0000007); Albinism (HP:0001022)

Prader-Willi syndrome (Type 1)

Shared reference features (up to 10): Hypogonadism (HP:0000135); Intellectual disability (HP:0001249)

Not documented in the other leading profiles (up to 10): Hypotonia (HP:0001252); Truncal obesity (HP:0001956); Feeding difficulties in infancy (HP:0008872)

Missing reference associations remain unknown, not clinically absent.

D. What changed during analysis?

These are the initial actual model rankings; no follow-up re-ranking was required.

E. Remaining uncertainty

Multiple diseases may remain compatible. The highest-ranked disease is not confirmed. Scores are not diagnostic probabilities. Source-profile evaluation is exploratory and does not establish clinical accuracy. Missing annotations do not establish absence; unknown findings remain unresolved.

F. Further clinical review

Patient-reported observations

None returned in this category.

Clinician-assessed / unclassified findings

Global developmental delay (HP:0001263); expected information gain 0.1168 nats.

Microcephaly (HP:0000252); expected information gain 0.0816 nats.

Obesity (HP:0001513); expected information gain 0.0796 nats.

Hypertelorism (HP:0000316); expected information gain 0.0595 nats.

Cryptorchidism (HP:0000028); expected information gain 0.0587 nats.

The UI categorization is conservative and not clinical validation. Remaining findings are suggestions for qualified review, not prescriptions for tests or treatments.

Research notice

This application is an experimental disease-phenotype research tool. Rankings are not diagnoses or probabilities. Results must not be used to make medical decisions without qualified clinical evaluation.