

# Talend Cloud RBAC Practical Exercise

## Scenario

Set up Talend Cloud with two users:


- “Alice” – Developer (build and deploy jobs)
- “Bob” – Operator (run and monitor jobs only)

Create two environments (Dev and Prod), and restrict access accordingly.

---

## Step 1: Log in to Talend Cloud & Open TMC

1. Navigate to <https://cloud.talend.com>, and log in with Admin credentials.
2. Go to **Talend Management Console (TMC)** → **Users & Security**.



3. **Screenshot:** Show the TMC dashboard after login.
  - 4.
- 

## Step 2: Create Users

1. In **Users & Security** → **Users**, click “Add User”.
2. Enter details for **Alice** (e.g. email [alice@example.com](mailto:alice@example.com)).
3. Repeat for **Bob** ([bob@example.com](mailto:bob@example.com)).

alend | Management Console

### Add user

Invite new users in specific roles to give them access to Talend Cloud

Email\*  
Alice@example.com

First name\*  
Alice

Middle name  
A

Last name\*  
Z

Phone  
9999999999

Job title  
developer

Role(s)  
Data Preparation Manager x Pipelines Designer x Environment Administrator x  
Select

**i** You cannot assign Pipeline Designer, Studio roles anymore, as there are no seats left.

Save and add another Save


Roles:

4. **Screenshot:** Show the “Add User” form.

---

## Step 3: Create Roles

1. Go to **Roles** under Users & Security  
[help.talend.com](https://help.talend.com)+6[help.qlik.com](https://help.qlik.com)+6[youtube.com](https://youtube.com)+6[maheshnagarajcbase.github.io](https://github.com)+7[taloflow.ai](https://taloflow.ai)+7[youtube.com](https://youtube.com)+7[linkedin.com](https://linkedin.com)z[luri.com](https://luri.com)+1[linkedin.com](https://linkedin.com)+1.
2. Create **Developer** role:
  - o Choose permissions: Manage jobs, pipelines, environments.



3. Create **Operator** role:
  - Permissions: View and run jobs only.

---


## Step 4: Assign Roles to Users

1. In **Users**, click on **Alice** → **Edit Roles** → select **Developer**.
2. For **Bob**, assign **Operator** role.

---

## Step 5: Set Up Environments

1. Navigate to **Environments**.



**Add environment**  
An environment is a self-contained space with required resources (connections, engines, etc.)

Environment name\*  
Developer

Workspace name\*  
Dev

Workspace owner  
sriram\_sadula (S SRIRAM)

Number of allocated Cloud Engines  
1

Description  
Dev Environment

Save

2. Create **Development** and **Production** environments.
3. Link appropriate **Remote Engine(s)** to each environment.
4. Click “Processing” for Adding “Remote Engine”

talend
Management Console

Add Remote Engine
Remote Engines allow you to run data integration processes that use on-premises applications and databases

Environment\*
Developer

Workspace ⓘ
All workspaces in the environment

By default, engines can be used in all the workspaces of the environment. Use the drop-down list to allocate the engine to a single workspace.

Name\*
Remote Engine

Run profile type ⓘ
☒ Job
☐ Microservice
☒ Talend Runtime (OSGi)

Data Service Runner/Talend Runtime version
☐ 8.0.1 (the latest)
☒ 7.3.1
☐ 7.2.1
☐ 7.1.1

Description

Save

talend
Management Console

Operations
Management
Projects
Processing
**Environments**
Promotions
Users & Security
Configurations
Subscription

Environments Dynamic Engine environments Workspace permissions

Add environment

| Environment       | Workspaces | Allocated Cloud Engines | Remote Engines | Engine clusters |
|-------------------|------------|-------------------------|----------------|-----------------|
| default (Default) | 2          | -                       | 0              | 0               |
| Developer         | 1          | 1                       | 1              | 0               |

5. Under **Permissions**, grant:
  - **Developer** role access to Dev and Prod.

- **Operator** role access only to Prod.
- 

## Step 6: Design & Deploy a Job

1. In **Talend Studio**, build a simple job (e.g. read CSV → write to S3).
  2. Publish the artifact to Talend Cloud.
  3. In **TMC**, go to **Jobs**, select the job artifact, and deploy to **Development** environment.
  4. **Screenshot**: Deployment confirmation.
- 

## Step 7: Task Scheduling & Role Testing

1. Create a **Task** to run the job in **Development environment**.
  2. Log in as **Alice**:
    - Should see Dev and Prod environments.
    - Can deploy and trigger jobs.
  3. Log in as **Bob**:
    - Should only see **Production environment** and run jobs there.
    - **Cannot** deploy or modify jobs.
  4. **Screenshot**: Developer's view vs Operator's view.
- 

## Step 8: Monitor & Audit

1. In TMC as **Bob**, run the job.
  2. Go to **Monitor** → view logs, status, and execution history.
  3. Check **Audit Logs** under Users & Security to see actions (who deployed, who ran, when).
  4. **Screenshot**: Audit record showing “Alice deployed job” and “Bob executed job”.
-