


SHETH L.U.J AND SIR M.V. COLLEGE


SUBJECT NAME: Data Visualization with Tableau

Practical 2: Working with Data Sources and Data Preparation in Tableau

Step A: Connecting to Different Data Sources 1. Launch the Tableau Desktop application.



2. Locate the blue Connect control panel on the far-left section of the start page.




Hariprasad Vishwakarm
T127
TYCS

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

3. Under the To a File sub-header, click on Text File (Tableau classifies .csv spreadsheet extensions as flat text files).

4. Navigate through your file directory, select Orders.csv, and click Open.




SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

Step B: Creating Data Extracts vs. Live Connections

1. Once the dataset populates the main staging view, navigate to the top-right corner of the Data Source interface.
2. Locate the connection mode toggle section.
3. Switch the active selection from Live over to Extract.



4. Click on the Sheet 1 navigation tab located at the bottom-left corner of the workspace screen.
5. A system dialog save window will immediately appear. Name the local snapshot file

SHETH L.U.J AND SIR M.V. COLLEGE


SUBJECT NAME: Data Visualization with Tableau

Ecommerce_Extract

and


click

Save.



Step C: Managing Operational Metadata


1. Navigate to the blank workspace canvas on Sheet 1 and view the left-hand side Data Pane.
2. Rename a Field: Locate the dimensional attribute field labeled order_status or Order Status. Right-click the field name, select Rename, type in Status, and hit Enter.




Hariprasad Vishwakarm
T127
TYCS

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



3. Hide a Field: Locate an internal tracking string variable that will not be used in visual reporting, such as customer. Right-click the field name and select Hide.




4. Change a Data Type: Locate the operational timestamp column labeled order_purchase_timestamp. Click directly on the data type icon (which may incorrectly display as text ABC or a calendar date) positioned immediately to the left of the field name. Select Date

Hariprasad Vishwakarm
T127
TYCS

SHETH L.U.J AND SIR M.V. COLLEGE


SUBJECT NAME: Data Visualization with Tableau

& Time from the context dropdown menu to force proper structural recognition (Note: It may be default selected to Date and Time).



Step D: Performing Relational Joins on Multiple Tables

1. Click the Data Source tab positioned at the bottom-left corner of the window to return to the data schema designer.



SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

2. In the top staging canvas area, locate the rectangular Orders.csv database block.

The screenshot shows the Tableau Public interface with the 'Orders' database block selected in the top staging canvas area. The interface includes a sidebar with 'Connections' and 'Files' sections. The 'Orders.csv' block is highlighted in the top staging canvas area. Below the block, a preview of the data is shown, including columns like Order Id, Customer Id, Status, Order Purchase Timestamp, and Order Approv.

Type	Field Name	Phys...	Rem...
Abc	Order Id	Order...	order_id
Abc	Customer Id	Order...	custo...
Abc	Status	Order...	order_...
Abc	Order Purchase Timestamp	Order...	order_...

3. Double-click directly on the Orders.csv block. This action drills down through the logical relationship layer and enters the Physical Layer canvas space.

The screenshot shows the Tableau Public interface with the 'Orders.csv' block selected in the Physical Layer canvas space. The interface includes a sidebar with 'Connections' and 'Files' sections. The 'Orders.csv' block is highlighted in the Physical Layer canvas space. Below the block, a preview of the data is shown, including columns like Order Id, Customer Id, Status, Order Purchase Timestamp, and Order Approv.

Type	Field Name	Phys...	Rem...
Abc	Order Id	Order...	order_id
Abc	Customer Id	Order...	custo...
Abc	Status	Order...	order_...
Abc	Order Purchase Timestamp	Order...	order_...

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

- From the left-hand files listing pane, click and drag the Order Payments.csv file, dropping it directly next to the active Orders.csv block. A traditional Venn diagram icon link will snap open between them.

Tableau Public - Book1

File Data Window Help

Connections

Orders

Files

Use Data Interpreter
Data Interpreter might be able to clean your Text file workbook.

Categories.csv
Customers.csv
Geolocation.csv
Order Items.csv
Order Payments.csv
Orders.csv
Products.csv
Reviews.csv
Sellers.csv

New Union
New Table Extension

Orders

Filters
0 Add

Orders.csv is made of 2 tables.

Orders.csv Order Payments.csv

Orders.csv 13 fields 103886 rows

100 rows

Name: Orders.csv

Description: No description available.

Fields

Type	Field Name	Phys...	Rem...
Abc	Order Id	Order...	order_id
Abc	Customer Id	Order...	custo...
Abc	Status	Order...	order...
Abc	Order Purchase Timestamp	Order...	order...

Order Id	Customer Id	Status	Order Purchase Timestamp	Order Approv
ec72b3cb886591a30fe47417...	87b01be0c7f4ec17eafabf5f1...	delivered	11-02-2017 15:12:00	11-02-2017 15
17b3a989f0a87769c633d0e...	bd3bd5c7496111bd76518b9c...	delivered	06-05-2018 17:48:00	07-05-2018 0
c2ce0c4ec17fc536b85fb336...	4505e98fe9949c3bcba1d41...	delivered	05-02-2018 16:41:00	06-02-2018 1
7254ba1421bac35de5d5da6...	65e1faa1535d1b4ca089fd7b...	delivered	07-10-2016 22:46:00	07-10-2016 22
8145c63ff6601f1c1aa707a32...	ce8c6f8008f07e4aa7aa7898...	delivered	01-08-2017 15:37:00	02-08-2017 0
ecd48553265a2cc3ddf972...	f5b0f4b5e6d149124be59ff0f...	delivered	11-01-2018 19:20:00	11-01-2018 19
9abb69f7d6f2af7fa80d6f154...	95c167eb33c376680b37d4e...	delivered	19-01-2018 01:43:00	19-01-2018 01

Data Source: Ecommerce_Extract

- Click directly on the Venn diagram icon to open the Join configuration properties box.

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

Tableau Public - Book1

File Data Window Help

Connections

Orders

Files

Use Data Interpreter

Data Interpreter might be able to clean your Text file workbook.

Categories.csv

Customers.csv

Geolocation.csv

Order Items.csv

Order Payments.csv

Orders.csv

Products.csv

Reviews.csv

Sellers.csv

New Union

New Table Extension

Orders

Filters 0 | Add

Orders.csv is made of 2 tables.

Orders.csv

Order Payments.csv

Join

Inner Left Right Full Outer

Data Source

Order Id

Order Payments.csv

order id (Order ...)

Add new join clause

Orders.csv

13 fields 103886 rows

100 rows

Name Orders.csv

Description

No description available.

Fields

Type	Field Name	Phys...	Rem...
Abc	Order Id	Order...	order_id
Abc	Customer Id	Order...	custo...
Abc	Status	Order...	order_...
	Order Purchase Timestamp	Order...	order_...

Order Id	Customer Id	Status	Order Purchase Timestamp	Order Approv
ec72b3cb886591a30fe47417...	87b01be0c7f4ec17eafabf5f1...	delivered	11-02-2017 15:12:00	11-02-2017 15
17b3a989f0a87769c633d0e...	bd3bd5c7496111bd76518b9c...	delivered	06-05-2018 17:48:00	07-05-2018 0
c2ce0c4ec17fc536b85fb336...	4505e98fe9949c3bcbad1d41...	delivered	05-02-2018 16:41:00	06-02-2018 1
7254ba1421bac35de5d5da6...	65e1faa1535d1b4ca089fd7b...	delivered	07-10-2016 22:46:00	07-10-2016 22
8145c63f6601f1c1aa707a32...	ce8c6f8008f07e4aa7aa7898...	delivered	01-08-2017 15:37:00	02-08-2017 0
ecd485553265a2cc3dd9f72...	f5b0f4b5e6d149124be59f0f...	delivered	11-01-2018 19:20:00	11-01-2018 19
9abb69f7d6f2af7fa80d6f154...	95c167eb33c376680b37d4e...	delivered	19-01-2018 01:43:00	19-01-2018 01

Data Source

Ecommerce_Extract

6. Under the data grid coupling properties, select order_id as the matching data key column drop-down for both the left and right tables (Note: in some case Tableau automatically selects the Order Id).

Tableau Public - Book1

File Data Window Help

Connections

Orders

Files

Use Data Interpreter

Data Interpreter might be able to clean your Text file workbook.

Categories.csv

Customers.csv

Geolocation.csv

Order Items.csv

Order Payments.csv

Orders.csv

Products.csv

Reviews.csv

Sellers.csv

New Union

New Table Extension

Orders

Filters 0 | Add

Orders.csv is made of 2 tables.

Orders.csv

Order Payments.csv

Join

Inner Left Right Full Outer

Data Source

Order Id

Order Payments.csv

order id (Order ...)

Add new join clause

Orders.csv

13 fields 103886 rows

100 rows

Name Orders.csv

Description

No description available.

Fields

Type	Field Name	Phys...	Rem...
Abc	Order Id	Order...	order_id
Abc	Customer Id	Order...	custo...
Abc	Status	Order...	order_...
	Order Purchase Timestamp	Order...	order_...

Order Id	Customer Id	Status	Order Purchase Timestamp	Order Approv
ec72b3cb886591a30fe47417...	87b01be0c7f4ec17eafabf5f1...	delivered	11-02-2017 15:12:00	11-02-2017 15
17b3a989f0a87769c633d0e...	bd3bd5c7496111bd76518b9c...	delivered	06-05-2018 17:48:00	07-05-2018 0
c2ce0c4ec17fc536b85fb336...	4505e98fe9949c3bcbad1d41...	delivered	05-02-2018 16:41:00	06-02-2018 1
7254ba1421bac35de5d5da6...	65e1faa1535d1b4ca089fd7b...	delivered	07-10-2016 22:46:00	07-10-2016 22
8145c63f6601f1c1aa707a32...	ce8c6f8008f07e4aa7aa7898...	delivered	01-08-2017 15:37:00	02-08-2017 0
ecd485553265a2cc3dd9f72...	f5b0f4b5e6d149124be59f0f...	delivered	11-01-2018 19:20:00	11-01-2018 19
9abb69f7d6f2af7fa80d6f154...	95c167eb33c376680b37d4e...	delivered	19-01-2018 01:43:00	19-01-2018 01

Data Source

Ecommerce_Extract

7. Toggle Join Configurations:

Hariprasad Vishwakarm
T127
TYCS

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

o Click Inner: Observe the underlying data preview window at the bottom. The rows instantly filter to show only records that contain both an order entry and a corresponding transaction payment receipt.

The screenshot shows the Tableau interface with the 'Orders' worksheet. The 'Join' dialog box is open, showing an Inner join between 'Orders.csv' and 'Order Payments.csv'. The 'Join' dialog box has four tabs: Inner, Left, Right, and Full Outer. The 'Inner' tab is selected. The 'Data Source' is 'Orders.csv' and the 'Order Payments.csv' is selected. The 'Join' dialog box shows the relationship between 'Order Id' in 'Orders.csv' and 'order id (Order ...)' in 'Order Payments.csv'. The 'Join' dialog box also has an 'Add new join clause' button.

The data preview window shows 13 fields and 103886 rows. The fields are: Order Id, Customer Id, Status, Order Purchase Timestamp, and Order Approv. The data preview window shows a list of records with their corresponding values.

Order Id	Customer Id	Status	Order Purchase Timestamp	Order Approv
ec72b3cb886591a30fe4747...	87b01be0c74ec17eafabf5f1...	delivered	11-02-2017 15:12:00	11-02-2017 15
17b3a989f0a87769c633d0e...	bd3bd5c7496111bd76518b9c...	delivered	06-05-2018 17:48:00	07-05-2018 0
c2ce0c4ec17fc536b85fb336...	4505e98fe9949c3bcbal1d41...	delivered	05-02-2018 16:41:00	06-02-2018 1
7254ba1421bac35de5d5da6...	65e1faa1535d1b4ca089fd7b...	delivered	07-10-2016 22:46:00	07-10-2016 2
8145c63f6601f1c1aa707a32...	ce8c6f8008f07e4aa7aa7898...	delivered	01-08-2017 15:37:00	02-08-2017 0
ecd48553265a2cc3ddfd972...	f5b0f4b5e6d149124be59f0f...	delivered	11-01-2018 19:20:00	11-01-2018 19
9abb697d6f2af7fa80d6f154...	95c167eb33c376680b37d4e...	delivered	19-01-2018 01:43:00	19-01-2018 0

o Click Left: Notice the view updates to safely preserve 100% of the root rows coming from Orders.csv, leaving payment parameter cells completely empty if an order has no matching payment record.

The screenshot shows the Tableau interface with the 'Orders' worksheet. The 'Join' dialog box is open, showing a Left join between 'Orders.csv' and 'Order Payments.csv'. The 'Join' dialog box has four tabs: Inner, Left, Right, and Full Outer. The 'Left' tab is selected. The 'Data Source' is 'Orders.csv' and the 'Order Payments.csv' is selected. The 'Join' dialog box shows the relationship between 'Order Id' in 'Orders.csv' and 'order id (Order ...)' in 'Order Payments.csv'. The 'Join' dialog box also has an 'Add new join clause' button.

The data preview window shows 13 fields and 103887 rows. The fields are: Order Id, Customer Id, Status, Order Purchase Timestamp, and Order Approv. The data preview window shows a list of records with their corresponding values.

Order Id	Customer Id	Status	Order Purchase Timestamp	Order Approv
ec72b3cb886591a30fe4747...	87b01be0c74ec17eafabf5f1...	delivered	11-02-2017 15:12:00	11-02-2017 15
17b3a989f0a87769c633d0e...	bd3bd5c7496111bd76518b9c...	delivered	06-05-2018 17:48:00	07-05-2018 0
c2ce0c4ec17fc536b85fb336...	4505e98fe9949c3bcbal1d41...	delivered	05-02-2018 16:41:00	06-02-2018 1
7254ba1421bac35de5d5da6...	65e1faa1535d1b4ca089fd7b...	delivered	07-10-2016 22:46:00	07-10-2016 2
8145c63f6601f1c1aa707a32...	ce8c6f8008f07e4aa7aa7898...	delivered	01-08-2017 15:37:00	02-08-2017 0
ecd48553265a2cc3ddfd972...	f5b0f4b5e6d149124be59f0f...	delivered	11-01-2018 19:20:00	11-01-2018 19
9abb697d6f2af7fa80d6f154...	95c167eb33c376680b37d4e...	delivered	19-01-2018 01:43:00	19-01-2018 0

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

Step E: Applying Data Blending Between Independent Sources

1. Create a brand new blank workspace sheet by clicking on the New Worksheet icon (the chart block containing a \$\$ symbol) positioned at the bottom navigation tab area. This opens Sheet 2.
2. Ensure your joined Orders dataset connection is highlighted at the top left of the Data Pane. Drag the newly modified Status dimension field and drop it onto the Rows shelf. A blue checkmark will appear on the source, designating it as the Primary data pipeline.

The screenshot displays the Tableau Public interface with a new worksheet titled 'Sheet 2'. The 'Data' pane on the left shows the 'Orders' connection selected. The 'Columns' shelf is empty, and the 'Rows' shelf contains the 'Status' field. The 'Marks' shelf is set to 'Automatic'. The 'Filters' shelf is empty. The 'Data Source' pane at the bottom shows the 'Orders.csv' connection selected. The 'Data Source' pane also shows the 'Order Payments.csv' connection selected. The 'Data Source' pane shows the 'Orders.csv' connection selected. The 'Data Source' pane shows the 'Order Payments.csv' connection selected. The 'Data Source' pane shows the 'Orders.csv' connection selected. The 'Data Source' pane shows the 'Order Payments.csv' connection selected.

Order Id	Customer Id	Status	Order Purchase Timestamp	Order Approv
ec72b3cb86591a30fe47417...	87b01be0c7496111bd76518b9c...	delivered	11-02-2017 15:12:00	11-02-2017 15
17b3a989f0a87769c633d0e...	bd3bd5c7496111bd76518b9c...	delivered	06-05-2018 17:48:00	07-05-2018 0
c2ce0c4ec17fc536b85fb336...	4505e98fe9949c3bcbad1d41...	delivered	05-02-2018 16:41:00	06-02-2018 1
7254ba1421bac35de5da6...	65e1faa1535d1b4ca089fd7b...	delivered	07-10-2016 22:46:00	07-10-2016 22
8145c63ff6601f1c1aa707a32...	ce8c6f8008f07e4aa7aa7898...	delivered	01-08-2017 15:37:00	02-08-2017 0
ecd485553265a2cc3dd972...	f5b0f4b5e6d149124be59f0f...	delivered	11-01-2018 19:20:00	11-01-2018 19
9abb69f7d6f2a77fa80d6f154...	95c167eb33c376680b37d4e...	delivered	19-01-2018 01:43:00	19-01-2018 01

SUBJECT NAME: Data Visualization with Tableau


The screenshot shows the Tableau Public interface. The 'New Data Source' menu is open, with 'Customers' selected. The main view displays 'Sheet 2' with a table of status data.

Status	
approved	Abc
canceled	Abc
created	Abc
delivered	Abc
invoiced	Abc
processing	Abc
shipped	Abc
unavailable	Abc


After Clicking new data source you are directed to blue menu window select text file to add the Customers.csv file.

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



After adding the CSV file get back to sheet 2 and recheck the Edit Blend Relationship Option and click on it




Hariprasad Vishwakarm
T127
TYCS

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau


4. Set the Primary data source field box to your active Orders connection, and map the Secondary data source block to the independent Customers dataset file.




5. Switch the selection toggle switch from Automatic over to Custom, click the Add... button on the right, pair customer_id from the left dataset column to customer_id in the right column, and click OK.

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



If the Customer Id is not visible in primary data its not an issue since we hided it earlier at Step C
Now Navigate Back to data source and change the connection to “LIVE” from “EXTRACT”




Hariprasad Vishwakarm
T127
TYCS

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau


Now Go Back to any to the Sheet 2 and right click on the Data Pane's empty space and click on "Show Hidden Fields"




After Clicking it the Customer Id comes back into the data pane and make sure you click the "eye button" next to it marked in bellow provided snapshot

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



Now go back to Edit Blend Relationship option and after clicking it you may see both Customer Id in Left and Right, After that click on Custom it changes from automatic to custom and click Ok




Hariprasad Vishwakarm
T127
TYCS

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau


Now, go back to the top-left section of your Data Pane and click directly on the separate Customers dataset tracking label. An orange chain link icon will now appear locked together immediately next to the customer_id field.




At the start you may not see the orange tick on the Customer database for that click on the unlinked chain next to the customer id on the data pane after clicking the orange tick appear as shown in the snapshot

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



Click and drag the customer_state dimension variable out from this secondary dataset list and drop it onto the Columns shelf.




Step F: Implementing Multi-Tiered Filters

1) Open a clean worksheet. Drag the quantitative measure field payment_value onto the Rows shelf and place the categorical dimension payment_type onto the Columns shelf.


Hariprasad Vishwakarm
T127
TYCS

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau




2) Dimension Filter: From your Data Pane list, drag the categorical string attribute payment_type and drop it onto the empty Filters shelf positioned immediately above the Marks card layout. Uncheck the box for not_defined, check the boxes for credit_card and boleto, and click OK.




Hariprasad Vishwakarm
T127
TYCS

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau




3) Measure Filter: Drag the quantitative numeric variable payment_value out from the measures list and drop it directly onto the Filters shelf. Select All Values in the prompt window, click Next, select the At Least option condition, type in 50 to screen out microtransactions(it will be at 0.1 at by default Change it by clicking on it and typing 50 on it), and click OK.




Hariprasad Vishwakarm
T127
TYCS

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau




4) Date Filter: Drag the calendar configuration time variable `order_purchase_timestamp` and drop it onto the Filters shelf. Select Years or Relative Date from the prompt configuration layout page to isolate the visualization into specific historical reporting boundaries



Hariprasad Vishwakarm
T127
TYCS

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



Step G: Optimizing Dashboard Performance

1) Extract Filters: Navigate back to the main Data Source configuration workspace screen. Look immediately below the selected Extract radio dial selection button in the upper-right area and click the small Edit link. Click Add, select the categorical field Status, choose to check delivered exclusively, and click OK. Tableau will purge all canceled or unfulfilled order rows from the local extract file entirely.

The screenshot shows the 'Orders (2)' data source configuration workspace in Tableau. The 'Connections' pane on the left shows 'Orders' selected. The 'Fields' pane on the right shows a list of fields including Order Id, Customer Id, Status, Order Purchase Timestamp, and Order Approved At. The 'Filters' button in the top right corner is highlighted with a red box. The 'Status' field is selected in the 'Fields' pane. The 'Filters' button is labeled 'Filters 0 | Add'.

Name	Description	Type	Field Name	Phys...	Rem...
Orders.csv	No description available.	Abc	Order Id	Order...	order_id
Orders.csv	No description available.	Abc	Customer Id	Order...	custo...
Orders.csv	No description available.	Abc	Status	Order...	order...
Orders.csv	No description available.	Abc	Order Purchase Timestamp	Order...	order...

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

The screenshot shows the Tableau interface with the 'Orders (2)' view. The 'Connections' pane on the left lists various data sources, including 'Orders.csv'. The 'Fields' pane shows the 'Order Purchase Timestamp' field. The 'Edit Data Source Filters' dialog box is open, showing the 'Filter' tab with a list of fields. The data table below shows columns for 'Order Id', 'Customer Id', 'Status', 'Order Purchase Timestamp', and 'Order Approved At'. The table contains 10 rows of data.



Order Id	Customer Id	Status	Order Purchase Timestamp	Order Approved At
ec72b3cb886591a30fe47417...	87b01be0c7f4ec17eafabf5f1...	delivered	11-02-2017 15:12:00	11-02-2017 15:22:00
17b3a989f0a87769c633d0e...	bd3bd5c7496111bd76518b9c...	delivered	06-05-2018 17:48:00	07-05-2018 09:13:00
c2ce0c4ec17fc536b85fb336...	4505e98fe9949c3bcba1d41...	delivered	05-02-2018 16:41:00	06-02-2018 13:47:00
7254ba1421bac35de5d5da6...	65e1faa1535d1b4ca089fd7b...	delivered	07-10-2016 22:46:00	07-10-2016 22:59:00
8145c63ff6601f1c1aa707a32...	ce8c6f8008f07e4aa7aa7898...	delivered	01-08-2017 15:37:00	02-08-2017 07:15:00
ecd48553265a2cc3dd9f72...	f5b0f4b5e6d149124be59f0f...	delivered	11-01-2018 19:20:00	11-01-2018 19:27:00
9abb69f7d6f2af7fa80d6f154...	95c167eb33c376680b37d4e...	delivered	19-01-2018 01:43:00	19-01-2018 01:55:00

The screenshot shows the Tableau interface with the 'Orders (2)' view. The 'Connections' pane on the left lists various data sources, including 'Orders.csv'. The 'Fields' pane shows the 'Status' field. The 'Add Filter' dialog box is open, showing a list of fields to add to the view. The data table below shows columns for 'Customer Id', 'Status', 'Order Purchase Timestamp', and 'Order Approved At'. The table contains 10 rows of data.

Customer Id	Status	Order Purchase Timestamp	Order Approved At
ec72b3cb886591a30fe47417...	delivered	11-02-2017 15:12:00	11-02-2017 15:22:00
17b3a989f0a87769c633d0e...	delivered	06-05-2018 17:48:00	07-05-2018 09:13:00
c2ce0c4ec17fc536b85fb336...	delivered	05-02-2018 16:41:00	06-02-2018 13:47:00
7254ba1421bac35de5d5da6...	delivered	07-10-2016 22:46:00	07-10-2016 22:59:00
8145c63ff6601f1c1aa707a32...	delivered	01-08-2017 15:37:00	02-08-2017 07:15:00
ecd48553265a2cc3dd9f72...	delivered	11-01-2018 19:20:00	11-01-2018 19:27:00
9abb69f7d6f2af7fa80d6f154...	delivered	19-01-2018 01:43:00	19-01-2018 01:55:00

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

