

The screenshot shows a Visual Studio Code editor with two tabs: 'Singleton.java' and 'Main.java'. The 'Main.java' tab is active, displaying the following code:

```
1 public class Main {
2
3     public static void main(String[] args) {
4
5         Singleton s1 = Singleton.getInstance();
6         Singleton s2 = Singleton.getInstance();
7
8         System.out.println(s1);
9         System.out.println(s2);
10    }
11 }
```

The Explorer sidebar on the left shows the project structure for 'COGNIZANT HANDSON' with files 'Main.java' and 'Singleton.java'. The bottom panel contains the 'TERMINAL' tab, showing the command prompt output:

```
haris@Hariss-MacBook-Pro cognizant handson % cd /Users/haris/Documents/cognizant\ handson ; /usr/bin/env /Users/haris/Library/Java/JavaVirtualMachines/openjdk-26.0.1/Contents/Home/bin/java --enable-preview -XX:+ShowCodeDetailsInExceptionMessages -Xmx1024m /Users/haris/Library/Application\ Support/Code/User/workspaceStorage/99adb18dbb3c3047645f1e9ba7386b5c/redhat.java/jdt_ws/cognizant\ handson_ba28a08d/bin Main
Singleton Object Created
Singleton@251a69d7
Singleton@251a69d7
```

The screenshot shows the same Visual Studio Code editor with the 'Singleton.java' tab active. The code for the Singleton class is as follows:

```
1 public class Singleton {
2
3     private static Singleton instance;
4
5     private Singleton() {
6         System.out.println(x: "Object Created");
7     }
8     public static Singleton getInstance() {
9
10        if(instance == null) {
11            instance = new Singleton();
12        }
13
14        return instance;
15    }
16 }
```

The Explorer sidebar on the left shows the project structure for 'COGNIZANT HANDSON' with files 'Main.java' and 'Singleton.java'. The bottom panel is empty.