

SALEEM RESIDENCE

FAISLABAD, PAKISTAN



MAS

D E S I G N S

ARCHITECTURE | INTERIOR | PROJECT MANAGEMENT


4th Floor, Building# 87, Fairways
Commercial, Defence Raya.

Contact # +9242-34550836

LIST OF DRAWINGS

April 23, 2026

A-1.00	ARCHITECTURAL DRAWINGS	
A-1.00	DEMARICATION PLAN	
A-1.01	GROUND FLOOR FURNITURE LAYOUT PLAN	
A-1.02	FIRST FLOOR FURNITURE LAYOUT PLAN	
A-1.03	MUMTY FLOOR FURNITURE LAYOUT PLAN	
A-1.04	ROOF TOP LAYOUT PLAN	
A-1.05	GROUND FLOOR WORKING LAYOUT PLAN	
A-1.06	FIRST FLOOR WORKING LAYOUT PLAN	
A-1.07	MUMTY FLOOR WORKING LAYOUT PLAN	
A-1.08	ROOF TOP WORKING LAYOUT PLAN	
A-1.09	GROUND FLOOR DOOR / WINDOW KEY PLAN	
A-1.10	FIRST FLOOR DOOR / WINDOW KEY PLAN	
A-1.11	MUMTY FLOOR DOOR /WINDOW KEY PLAN	
A-1.12	GROUND FLOOR ELECTRICAL LAYOUT PLAN	
A-1.13	FIRST FLOOR ELECTRICAL LAYOUT PLAN	
A-1.14	MUMTY FLOOR ELECTRICAL LAYOUT PLAN	
A-1.15	GROUND FLOOR SEWERAGE LAYOUT PLAN	
A-1.16	FIRST FLOOR SEWERAGE LAYOUT PLAN	
A-1.17	MUMTY FLOOR SEWERAGE LAYOUT PLAN	
A-1.18	ROOF TOP SEWERAGE LAYOUT PLAN	
A-2.00	BUILDING SECTIONS	
A-2.01	BUILDING SECTION AA	
A-2.02	BUILDING SECTION BB	
A-3.00	BUILDING ELEVATIONS	
A-3.01	FRONT ELEVATION	
A-4.00	ENLARGED DETAILS	
A-4.01	ENLARGED BOUNDARY WALL DETAILS	
A-4.02	ENLARGED DETAILS OF WALL SECTION ISSUE LATER	
A-4.03	GROUND FLOOR BATH CENTER LINE PLAN	
A-4.04	FIRST FLOOR BATH CENTER LINE PLAN	
A-4.05	MUMTY FLOOR BATH CENTER LINE PLAN	
A-4.06	PLANTER DETAILS ISSUE LATER	
A-5.00	STRUCTURE	
A-5.01		



1 GROUND FLOOR LAYOUT PLAN
AREA : 2220 SFT

GROUND FLOOR AREA	2220 SFT
FIRST FLOOR AREA	2364 SFT
MUMTY FLOOR AREA	691 SFT
TOTAL AREA	5,275 SFT

MAS
DESIGNS

BUILDING#87, 4TH FLOOR, DEFENCE RAYA, LHR.
+42-34550836

ARCHITECT:
MUHAMMAD AWAIS SHARIF

DRAWN BY:
BILAL AHMAD

REVISION DATE:

PROJECT:
SALEEM RESIDENCE
FAISLABAD ,PAKISTAN

NORTH




DRAWING TITLE:
GROUND FLOOR FURNITURE LAYOUT PLAN

JOB No: 0127
DATE: 04-21-2026
SCALE: NTS


SHEET NO.:

A-1.01




1 FIRST FLOOR LAYOUT PLAN
AREA : 2220 SFT

GROUND FLOOR AREA	2220 SFT
FIRST FLOOR AREA	2364 SFT
MUMTY FLOOR AREA	691 SFT
TOTAL AREA	5,275 SFT



GROUND FLOOR AREA	2220 SFT
FIRST FLOOR AREA	2364 SFT
MUMTY FLOOR AREA	691 SFT
TOTAL AREA	5,275 SFT



1 ROOF TOP LAYOUT PLAN

GROUND FLOOR AREA	2220 SFT
FIRST FLOOR AREA	2364 SFT
MUMTY FLOOR AREA	691 SFT
TOTAL AREA	5,275 SFT

MAS
DESIGNS


BUILDING#87,4TH FLOOR,DEFENCE RAYA,LHR.
+42-34550836

ARCHITECT:
MUHAMMAD AWAIS SHARIF

DRAWN BY:
BILAL AHMAD

REVISION DATE:


PROJECT:
SALEEM RESIDENCE
FAISLABAD ,PAKISTAN



DRAWING TITLE:
ROOF TOP LAYOUT PLAN


JOB No: 0127
DATE: 04-21-2026
SCALE: NTS


SHEET NO.:
A-1.04



1 GROUND FLOOR WORKING LAYOUT PLAN
AREA : 2220 SFT


GENERAL NOTES	
01	1. DOUBLE DPC : ONE ON ROAD LEVEL AND SECOND ON F.F.L
02	2. DOOR AND WINDOW HEIGHT SHALL BE MAINTAINED AT 10'-6" ,MENTIONED OTHERWISE.
03	3. MAKE BATH NICHES OF COMMODE AND SHOWER WHILE MASONRY IS DONE.
04	4. ALL BEAMS DROP SHOULD HAVE 3" Ø SLEEVES FOR PIPE/WIRES CROSSING.
05	5.ALL DEAD WALLS TO BE WATER PROOF TREATED FOR PROTECTION FROM NEIGHBOR.





1 MUMTY FLOOR WORKING PLAN
AREA : 691 SFT

GENERAL NOTES	
01	1. DOUBLE DPC : ONE ON ROAD LEVEL AND SECOND ON F.F.L
02	2. DOOR AND WINDOW HEIGHT SHALL BE MAINTAINED AT 10'-6" ,MENTIONED OTHERWISE.
03	3. MAKE BATH NICHES OF COMMODE AND SHOWER WHILE MASONRY IS DONE.
04	4. ALL BEAMS DROP SHOULD HAVE 3" Ø SLEEVES FOR PIPE/WIRES CROSSING.
05	5.ALL DEAD WALLS TO BE WATER PROOF TREATED FOR PROTECTION FROM NEIGHBOR .



1 ROOF TOP LAYOUT PLAN

GENERAL NOTES

01	1. DOUBLE DPC : ONE ON ROAD LEVEL AND SECOND ON F.F.L
02	2. DOOR AND WINDOW HEIGHT SHALL BE MAINTAINED AT 10'-6" ,MENTIONED OTHERWISE.
03	3. MAKE BATH NICHES OF COMMODE AND SHOWER WHILE MASONRY IS DONE.
04	4. ALL BEAMS DROP SHOULD HAVE 3" Ø SLEEVES FOR PIPE/WIRES CROSSING.
05	5.ALL DEAD WALLS TO BE WATER PROOF TREATED FOR PROTECTION FROM NEIGHBOR .

**MAS
DESIGNS**
BUILDING#87,4TH FLOOR,DEFENCE RAYA,LHR.
+42-34550836


ARCHITECT:
MUHAMMAD AWAIS SHARIF

DRAWN BY:
BILAL AHMAD

REVISION DATE:

PROJECT:
SALEEM RESIDENCE
FAISLABAD ,PAKISTAN


NORTH



DRAWING TITLE:
ROOF TOP WORKING LAYOUT PLAN

JOB No: 0127
DATE: 04-21-2026
SCALE: NTS

SHEET NO.:
A-1.08



GROUND FLOOR DOOR SCHEDULE


NO	SIZE	LINTEL	QTY	DESCRIPTION
D1	5'-0" X 10'-6"	10'-6"	01	WOODEN
D1A	5'-0" X 10'-6"	10'-6"	01	GLASS
D2	3'-6" X 10'-6"	10'-6"	02	WOODEN
D3	3'-0" X 10'-6"	10'-6"	06	WOODEN
D4	4'-0" X 10'-6"	10'-6"	01	WOODEN

GROUND FLOOR WINDOW SCHEDULE

NO	SIZE	SILL	LINTEL	QTY	DESCRIPTION
W1	5'-0" X 10'-0"	0'-6"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W2	6'-9" X 10'-0"	0'-6"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W3	16'-8" X 23'-6"	0'-6"	24'-0"	01	1.6MM ALUMINUM WITH GLASS
W4	2'-0" X 10'-0"	0'-6"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W5	9'-6" X 10'-0"	0'-6"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W6	12'-4½" X 10'-0"	0'-6"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W7	12'-3" X 10'-0"	0'-6"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W8	2'-3" X 5'-6"	5'-0"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W9	2'-0" X 5'-6"	5'-0"	10'-6"	02	1.6MM ALUMINUM WITH GLASS

LINTEL LEVEL & SILL LEVEL

01	DOOR	10'-6"	0'-6"
01	WINDOW	10'-6"	0'-6"



FIRST FLOOR DOOR SCHEDULE


NO	SIZE	LINTEL	QTY	DESCRIPTION
D2	3'-6" X 10'-6"	10'-6"	03	WOODEN
D3	3'-0" X 10'-6"	10'-6"	05	WOODEN
D2B	3'-6" X 10'-6"	10'-6"	02	GLASS

FIRST FLOOR WINDOW SCHEDULE

NO	SIZE	SILL	LINTEL	QTY	DESCRIPTION
W3	16'-8" X23'-6"	0'-6"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W5	9'-6" X10'-0"	0'-6"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W6	12'-4 1/2" X10'-0"	0'-6"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W7	12'-3" X 10'-0"	0'-6"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W9	2'-0" X5'-6"	5'-0"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W10	8'-0" X10'-1"	0'-5"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W11	5'-6" X10'-0"	0'-6"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W12	5'-0" X5'-6"	5'-0"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W13	7'-0" X 10'-0"	0'-6"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W14	5'-0" X10'-0"	0'-6"	10'-6"	01	1.6MM ALUMINUM WITH GLASS
W15	3'-0" X5'-6"	5'-0"	10'-6"	01	1.6MM ALUMINUM WITH GLASS

LINTEL LEVEL & SILL LEVEL


01	DOOR	10'-6"	0'-6"
01	WINDOW	10'-6"	0'-6"



MUMTY FLOOR DOOR SCHEDULE				
NO	SIZE	LINTEL	QTY	DESCRIPTION
D5	2'-6" X 7'-6"	7'-6"	02	WOODEN
D2A	3'-6" X 7'-6"	7'-6"	03	WOODEN


MUMTY FLOOR WINDOW SCHEDULE					
NO	SIZE	SILL	LINTEL	QTY	DESCRIPTION
W16	5'-0" X 7'-0"	0'-6"	7'-6"	01	1.6MM ALUMINUM WITH GLASS
W17	10'-6" X 7'-0"	0'-6"	7'-6"	01	1.6MM ALUMINUM WITH GLASS
W18	4'-3" X 3'-6"	4'-0"	7'-6"	01	1.6MM ALUMINUM WITH GLASS
W19	3'-0" X 3'-6"	4'-0"	7'-6"	01	1.6MM ALUMINUM WITH GLASS

LINTEL LEVEL & SILL LEVEL			
01	DOOR	10'-6"	0'-6"
01	WINDOW	10'-6"	0'-6"



1 GROUND FLOOR ELECTRICAL LAYOUT PLAN
AREA : 2220 SFT

	ELECTRICAL LEGEND	SYMBOLS	QTY	HEIGHT
01	3 PIN COMBINED SWITCH SOCKET 15 AMPS ON M.S JUNCTION BOX		36	AT 0'-9" FROM F.F.L
02	4 GANG TYPE SWITCH 10 AMPS, NUMBER INDICATES SWITCHES ON GANG PLATE		26	AT +3'-6" FROM F.F.L
03	CABLE PLUG		02	AS PER ARCHITECT DETAILS
04	A.C		02	AS PER ARCHITECT DETAILS
05	D.B/CONTROL PANEL			AS PER ARCHITECT DETAILS
06	FAN		06	AS PER ARCHITECT DETAILS
07	WALL LIGHT		01	AT 6'-0" FROM F.F.L
08	EXTERNAL LIGHT		06	AT +6'-0" FROM F.F.L
09	CEILING LIGHT POINT		20	AS PER ARCHITECT DETAILS
10	FLOOR LIGHT		16	AS PER ARCHITECT DETAILS
10	WIFI		01	AS PER ARCHITECT DETAILS
11	TELEPHONE		03	AS PER ARCHITECT DETAILS
12	EXHAUST FAN		04	AS PER ARCHITECT DETAILS
13	DOOR BELL		01	AS PER ARCHITECT DETAILS
14	CEILING AC		01	AS PER ARCHITECT DETAILS
15	GATE MOTOR		01	AS PER ARCHITECT DETAILS
16	ROPE LIGHT		01	AS PER ARCHITECT DETAILS
17	METER BOX		01	AS PER ARCHITECT DETAILS
1. THE CLOSET EXHAUST FAN ON ROOF. 2. ALL SOCKETS WILL HAVE TO BE VERIFIED BY HEAD CONTRACTOR AS PER DRAWING AND CLIENTS REQUIREMENTS. 3. ENSURE POWER PLUGS UNDER SWITCH BOARDS IN ALL ROOMS 4. THE FLOOR LIGHT SHOULD BE IN CENTER OF DOOR AFTER LEAVING THE MARGIN OF CHOKAT 3" FROM SIDES OF CHOKAT AND 3" AWAY FROM DOOR PANEL / CENTER OF CHOKAT FROM DOOR PANEL.				



	ELECTRICAL LEGEND	SYMBOLS	QTY	HEIGHT
01	3 PIN COMBINED SWITCH SOCKET 15 AMPS ON M.S JUNCTION BOX		32	AT 0'-9" FROM F.F.L
02	4 GANG TYPE SWITCH 10 AMPS, NUMBER INDICATES SWITCHES ON GANG PLATE		19	AT +3'-6" FROM F.F.L
03	CABLE PLUG		04	AS PER ARCHITECT DETAILS
04	A.C		03	AS PER ARCHITECT DETAILS
05	D.B/CONTROL PANEL			AS PER ARCHITECT DETAILS
06	FAN		05	AS PER ARCHITECT DETAILS
07	CIELING LIGHT POINT		22	AS PER ARCHITECT DETAILS
08	FLOOR LIGHT		10	AS PER ARCHITECT DETAILS
11	WIFI		01	AS PER ARCHITECT DETAILS
12	TELEPHONE		04	AS PER ARCHITECT DETAILS
13	EXHAUST FAN		04	AS PER ARCHITECT DETAILS
14	CEILING AC		01	AS PER ARCHITECT DETAILS

1. THE CLOSET EXHAUST FAN ON ROOF.
2. ALL SOCKETS WILL HAVE TO BE VERIFIED BY HEAD CONTRACTOR AS PER DRAWING AND CLIENTS REQUIREMENTS.
3. ENSURE POWER PLUGS UNDER SWITCH BOARDS IN ALL ROOMS
4. THE FLOOR LIGHT SHOULD BE IN CENTER OF DOOR AFTER LEAVING THE MARGIN OF CHOKAT 3" FROM SIDES OF CHOKAT AND 3" AWAY FROM DOOR PANEL / CENTER OF CHOKAT FROM DOOR PANEL.

MAS
DESIGNS

BUILDING#87, 4TH FLOOR, DEFENCE RAYA, LHR.
+42-34550836

ARCHITECT:
MUHAMMAD AWAIS SHARIF

DRAWN BY:
BILAL AHMAD

REVISION DATE:

PROJECT:
SALEEM RESIDENCE
FAISLABAD

NORTH




DRAWING TITLE:
FIRST FLOOR ELECTRICAL LAYOUT PLAN

JOB No: 0127
DATE: 04-21-2026
SCALE: NTS

SHEET NO.:


A-1.13



1 MUMTY FLOOR ELECTRICAL PLAN
AREA : 691 SFT

	ELECTRICAL LEGEND	SYMBOLS	QTY	HEIGHT
01	3 PIN COMBINED SWITCH SOCKET 15 AMPS ON M.S JUNCTION BOX		11	AT 0'-9" FROM F.F.L
02	4 GANG TYPE SWITCH 10 AMPS, NUMBER INDICATES SWITCHES ON GANG PLATE		09	AT +3'-6" FROM F.F.L
03	FAN BOX		03	AS PER ARCHITECT DETAILS
04	EXTERNAL LIGHT		03	AT +6'-0" FROM F.F.L
05	CEILING LIGHT POINT		11	AS PER ARCHITECT DETAILS
06	CHANDELIER		01	AS PER ARCHITECT DETAILS
07	WIFI		01	AS PER ARCHITECT DETAILS
07	EXHAUST FAN		02	AS PER ARCHITECT DETAILS
08	AC		01	AS PER ARCHITECT DETAILS
08	FLOOR LIGHT POINT		01	AS PER ARCHITECT DETAILS

ALL ROOFTOP ELECTRICAL POINTS ARE CONNECTED
FROM FIRST FLOOR D.B (DISTRIBUTION BOARD)



**MAS
DESIGNS**

BUILDING#87, 4TH FLOOR, DEFENCE RAYA, LHR.
+9242-34550836

ARCHITECT:
MUHAMMAD AWAIS SHARIF


DRAWN BY:
BILAL AHMAD

REVISION DATE:

PROJECT:

SALEEM RESIDENCE
FAISLABAD

NORTH




DRAWING TITLE:


GROUND FLOOR SEWERAGE PLAN

JOB No: 0127
DATE: 04-21-2026
SCALE: NTS


SHEET NO.:

A-1.15





1 MUMTY FLOOR SEWERAGE PLAN
AREA : 691 SFT



**MAS
DESIGNS**

BUILDING#87,4TH FLOOR,DEFENCE RAYA,LHR.
+9242-34550836

ARCHITECT:
MUHAMMAD AWAIS SHARIF

DRAWN BY:
BILAL AHMAD

REVISION DATE:

PROJECT:
ASMA RESIDENCE
FAISLABAD

NORTH




DRAWING TITLE:
ROOF TOP SEWERAGE PLAN

JOB No: 0127
DATE: 04-21-2026
SCALE: NTS

SHEET NO.:

A-1.18



AA SECTION


MAS
DESIGNS

BUILDING#87, 4TH FLOOR, DEFENCE RAYA, LHR.
+9242-34550836

ARCHITECT:
MUHAMMAD AWAIS SHARIF
DRAWN BY:
BILAL AHMAD

REVISION DATE:


PROJECT:
SALEEM RESIDENCE
FAISLABAD



DRAWING TITLE:
SECTION - AA

JOB No: 0127
DATE: 04-21-2026
SCALE: NTS

SHEET NO.:
A-2.01



BB SECTION

MAS
DESIGNS

BUILDING#87,4TH FLOOR,DEFENCE RAYA,LHR.
+9242-34550836

ARCHITECT:
MUHAMMAD AWAIS SHARIF
DRAWN BY:
BILAL AHMAD

REVISION DATE:

PROJECT:
SALEEM RESIDENCE
FAISLABAD

NORTH




DRAWING TITLE:
SECTION -BB

JOB No: 0127
DATE: 04-21-2026
SCALE: NTS

SHEET NO.:

A-2.02



1 FRONT ELEVATION

MAS
DESIGNS

BUILDING#87, 4TH FLOOR, DEFENCE RAYA, LHR.
+9242-34550836

ARCHITECT:
MUHAMMAD AWAIS SHARIF

DRAWN BY:
BILAL AHMAD

REVISION DATE:

PROJECT:

SALEEM RESIDENCE
FAISLABAD

NORTH




DRAWING TITLE:

FRONT ELEVATION


JOB No: 0127
DATE: 04-21-2026
SCALE: NTS

SHEET NO.:

A-3.01




1 ENLARGE DETAIL OF BOUNDARY WALL




1 ENLARGE DETAIL OF BOUNDARY WALL







1 GROUND FLOOR BATH 1




2 GROUND FLOOR PWD BATH




1 FIRST FLOOR BATH 1




2 FIRST FLOOR BATH 2



3 FIRST FLOOR BATH 3




1 MUMTY FLOOR BATH




Renif: Plan of First Floor Slab.
6" Th: Slab.

TITLE:	PROJECT:	UNIQUE CONSULTINGS ENGINEERS BASEMENT # 31, AL-RIAZ SHOPPING CENTER SHALIMAR LINK ROAD, LHR. PH: (92 42) 36816640 -36823269, E-MAIL : rrafaqatabas@gmail.com	DRAWN: ENGINEER CHECKED: DATE: SCALE:	WAQAS AHMAD SHAFQAAT ALI SHAFQAAT ALI 24-04-2026 AS SHOWN	DRG#:
Renif: Details Of First Floor Slab.	ASMA SALEEM RESIDENCE				S/03






Renif: Plan of Mumty Slab.
6" Th: Slab.

TITLE:	PROJECT:		UNIQUE CONSULTINGS ENGINEERS BASEMENT #.31,AL-RIAZ SHOPPING CENTER SHALIMAR LINK ROAD,LHR. PH:(92 42)36816640 -36823269, E-MAIL : rrafaqatabas@gmail.com	DRAWN: WAQAS AHMAD ENGINEER SHAFAQAT ALI CHECKED: SHAFAQAT ALI DATE: 24-04-2026 SCALE: AS SHOWN	DRG#: S/05
Renif: Details Of Mumty Slab.	ASMA SALEEM RESIDENCE				




TYPICAL DETAIL OF LINTELS OVER DOORS/WINDOW			
SPAN RANGE	WALL THICKNESS		
	4½"	9" , 11" CAVITY	13½" , 15½" CAVITY
UPTO 4'-0"			
4'-3" - 6'-0"			
6'-3" - 7'-6"			
7'-9" - 8'-9"			
9'-0" - 10'-0"			







General Notes:-

- 01-All Works Use Concrete mix (1:2:4) With Min: Strength Of 3000psi At 28 Days.
- 03-Use Main Steel With Min: Yield Strength Of 60,000psi
- 04-Use Steel For Shear Rings With Min: Yield Strength Of 40000psi
- 05-Vibration Should Be Done With Poker Vibrator.
- 06-Leave Dowels Of $1/2'' \phi @ 6''$ c/c Top And Bottom For Stairs & Ramp Where Shown.
- 07-Concrete Cover To= Slab $3/4''$, Column And Beams = $1.5''$, Footing = $2''$ R.C.C. Both Side.
- 08-Remove Shuttering Of Reinforced Concrete After 14 Days In Summer & 21 Days In Winter.
- 09-Use 50% Lawrencepur And 50% Chenab Sand In All Reinforced Concrete.
- 10-Water Cement Ratio In Concrete Should Range Between 0.4 To 0.5.



Foundation Plan

TITLE:	PROJECT:	UNIQUE CONSULTINGS ENGINEERS BASEMENT #.31,AL-RIAZ SHOPPING CENTER SHALIMAR LINK ROAD,LHR. PH:(92 42)36816640 -36823269, E-MAIL : rrafaqatabas@gmail.com	DRAWN:	WAQAS AHMAD	DRG#.	
Foundation Plan.	ASMA SALEEM RESIDENCE		ENGINEER	SHAFQAAT ALI		
			CHECKED:	SHAFQAAT ALI		
			DATE:	22-04-2026		
			SCALE:	AS SHOWN		
		S/01				



General Notes:-

- 01-All Works Use Concrete mix (1:2:4) With Min: Strength Of 3000psi At 28 Days.
- 03-Use Main Steel With Min: Yield Strength Of 60,000psi
- 04-Use Steel For Shear Rings With Min: Yield Strength Of 40000psi
- 05-Vibration Should Be Done With Poker Vibrator.
- 06-Leave Dowels Of 1/2"Ø@6"c/c Top And Bottom For Stairs & Ramp Where Shown.
- 07-Concrete Cover To= Slab 3/4", Column And Beams = 1.5" , Footing = 2" R.C.C. Both Side.
- 08-Remove Shuttering Of Reinforced Concrete After 14 Days In Summer & 21 Days In Winter.
- 09-Use 50% Lawrencepur And 50% Chenab Sand In All Reinforced Concrete.
- 10-Water Cement Ratio In Concrete Should Range Between 0.4 To 0.5.

TITLE:	PROJECT:	UNIQUE CONSULTING ENGINEERS	DRAWN:	WAQAS AHMAD	DRG#.
Renif: Details Of Sections Footings & Columns.	ASMA SALEEM RESIDENCE	BASEMENT #.31, AL-RIAZ SHOPPING CENTER SHALIMAR LINK ROAD, LHR.	ENGINEER:	SHAFQAAT ALI	
		PH: (92 42) 36816640 -36823269.	CHECKED:	SHAFQAAT ALI	
		E-MAIL : rafaqatabas@gmail.com	DATE:	22-04-2026	
			SCALE:	AS SHOWN	