# Rajalakshmi Engineering College

Name: Harish S

Email: 240701173@rajalakshmi.edu.in

Roll no: 240701173 Phone: 9345569745

Branch: REC

Department: I CSE AG

Batch: 2028

Degree: B.E - CSE



# NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 6\_MCQ\_Updated\_1

Attempt : 1 Total Mark : 20 Marks Obtained : 17

Section 1: MCQ

1. Which of the following methods is used for sorting in merge sort?

Answer

merging

Status: Correct Marks: 1/1

2. The following code snippet is an example of a quick sort. What do the 'low' and 'high' parameters represent in this code?

```
void quickSort(int arr[], int low, int high) {
if (low < high) {
  int pivot = partition(arr, low, high);
  quickSort(arr, low, pivot - 1);
  quickSort(arr, pivot + 1, high);</pre>
```

Anowa

The range of elements to sort within the array

Status: Correct Marks: 1/1

3. Is Merge Sort a stable sorting algorithm?

Answer

Yes, always stable.

Status: Correct Marks: 1/1

4. Which of the following is true about Quicksort?

Answer

It is an in-place sorting algorithm

Status: Correct Marks: 1/1

5. Consider the Quick Sort algorithm, which sorts elements in ascending order using the first element as a pivot. Then which of the following input sequences will require the maximum number of comparisons when this algorithm is applied to it?

Answer

52 25 89 67 76

Status: Wrong Marks: 0/1

6. What happens when Merge Sort is applied to a single-element array?

Answer

The array remains unchanged and no merging is required

Status: Correct Marks: 1/1 7. What is the best sorting algorithm to use for the elements in an array that are more than 1 million in general? Answer **Ouick** sort. Marks: 1/1 Status: Correct 8. Which of the following statements is true about the merge sort algorithm? Answer It requires additional memory for merging Status: Correct Marks: 1/1 9. Merge sort is \_\_\_\_\_. Answer Outplace sorting algorithm Status: Wrong 10. Which of the following is not true about QuickSort? Answer It as an adaptive sorting algorithm Status: Wrong Marks: 0/1

11. In a quick sort algorithm, where are smaller elements placed to the pivot during the partition process, assuming we are sorting in increasing order?

# Answer

To the left of the pivot

Status: Correct Marks: 1/1

12. Let P be a quick sort program to sort numbers in ascending order using the first element as a pivot. Let t1 and t2 be the number of comparisons made by P for the inputs {1, 2, 3, 4, 5} and {4, 1, 5, 3, 2}, respectively. Which one of the following holds?

### Answer

t1 > t2

Status: Correct Marks: 1/1

13. Which of the following strategies is used to improve the efficiency of Quicksort in practical implementations?

#### Answer

Choosing the pivot randomly or using the median-of-three method

Status: Correct Marks: 1/1

14. In a quick sort algorithm, what role does the pivot element play?

#### Answer

It is used to partition the array

Status: Correct Marks: 1/1

15. What happens during the merge step in Merge Sort?

#### Answer

Two sorted subarrays are combined into one sorted array

Status: Correct Marks: 1/1

16. Which of the following sorting algorithms is based on the divide and conquer method?

Answer

Merge Sort

Status: Correct Marks: 1/1

17. Which of the following modifications can help Quicksort perform better on small subarrays?

## Answer

Switching to Insertion Sort for small subarrays

Status: Correct Marks: 1/2

18. What is the main advantage of Quicksort over Merge Sort?

#### Answer

Quicksort requires less auxiliary space

Status: Correct Marks: 1/1

19. Which of the following scenarios is Merge Sort preferred over Quick Sort?

# **Answer**

When sorting linked lists

Status: Correct Marks: 1/1

20. Why is Merge Sort preferred for sorting large datasets compared to Quick Sort?

# **Answer**

Merge Sort has better worst-case time complexity

240701173 240701173 Marks: 1/1 Status: Correct 240701 240701173

2,40707173

2,40707173

240701173

240701173