tejeswarant2024eee-maker / python

Type / to search

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

python / 240901507_data_visulzation_4.ipynb

tejeswarant2024eee-maker Add files via upload a0e900c · 7 hours ago History

Preview Code Blame Raw

In [44]:
```
print(sns.scatterplot(data=ypoints))
print(plt.show())
```

```
Axes(0.125,0.11;0.775x0.77)
```




```
None
```

In [46]:
```
import seaborn as sns
import matplotlib.pyplot as plt
import pandas as pd
import numpy as np
import plotly.express as px

#seaborn package
Xpoints=np.array([0,20,120,200])
Ypoints=np.array([10,80,100,120,150,180,250])
```

In [48]:
```
print(sns.barplot(data=ypoints))
print(plt.show())
```

```
Axes(0.125,0.11;0.775x0.77)
```




```
None
```

In [50]:
```
#3-D plot
X_3d=np.array([1,2,6,8,12,14,20])
Y_3d=np.array([3,8,1,10,12,16,18])
Fig=plt.figure(figsize=(12,8))
Ax=plt.axes(projection='3d') # Fixed typo 'prohection' and invalid character
Plt_3d=Ax.scatter3D(X_3d,Y_3d) # Fixed 'ax' to 'Ax' and 'x','y' to 'X_3d','Y_3d'
# plt.colorbar(Plt_3d) # Removed/commented out as it often requires 'c' argument in scatter3D
plt.show() # Fixed 'Plt' to 'plt'

#plotly package
X_plotly=np.array([10,80,100,120,150,180,250])

fig=px.scatter(x=X_plotly) # Passed array 'X_plotly' using the 'x' keyword argument
fig.show()
```


0.04
0.02
0.00
−0.02
−0.04
0.0
2.5
5.0
7.5
10.0
12.5
15.0
17.5
20.0
0.0
2.5
5.0
7.5
10.0
12.5
15.0
17.5