tejeswarant2024eee-maker / python

Type / to search

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

python / 240901507_data_visulzation_2.ipynb

tejeswarant2024eee-maker Add files via upload 52cf9b1 · 7 hours ago History

Preview Code Blame Raw

In [24]:
```
import matplotlib.pyplot as plt
import numpy as np
#Title and label
ypoints = np.array([3, 8, 1, 10, 5, 7])
print(plt.plot(ypoints, linestyle='dashed'))
plt.title('Sample graph')
plt.xlabel('X axis')
plt.ylabel('Y axis')
print(plt.show())
```

```
[<matplotlib.lines.Line2D object at 0x7ebb9f7adee0>]
```




```
None
```

In [25]:
```
#Marker,color,Linewidth
ypoints = np.array([3, 8, 1, 10, 5, 7])
print(plt.plot(ypoints, marker = 'o'))
print(plt.show())

xpoints = np.array([0, 6])
ypoints = np.array([0, 250])

print(plt.plot(xpoints, ypoints, 'violet'))
print(plt.show())
```

```
[<matplotlib.lines.Line2D object at 0x7ebb9d6597f0>]
```




```
None
[<matplotlib.lines.Line2D object at 0x7ebb9d5e2930>]
```






```
None
```

In [26]:

```
print(plt.plot(xpoints, ypoints, linewidth='30', color='c'))
print(plt.show())

#Multiple lines and grid
y1 = np.array([3, 8, 1, 10])
y2 = np.array([6, 2, 7, 11])

print(plt.plot(y1))
print(plt.plot(y2))
plt.grid()
print(plt.show())
```

```
[<matplotlib.lines.Line2D object at 0x7ebb9f6f97f0>]
```




```
None
[<matplotlib.lines.Line2D object at 0x7ebb9f7ac1a0>]
[<matplotlib.lines.Line2D object at 0x7ebb9f7ac290>]
```




```
None
```

In [27]:

```
#sub_plot
#plot 1
x = np.array([0,1,2,3,4,5])
y = np.array([3,8,1,10,9,4])
plt.subplot(1,2,2)
plt.plot(x,y)
```

Out[27]: [<matplotlib.lines.Line2D at 0x7ebb9f769c70>]



In [28]:
```
#plot 2
x= np.array([1, 2, 6, 8])
y= np.array([3, 8, 1, 10])
plt.subplot(1,2,2)
plt.scatter(x, y)
plt.show()
```



In [29]:
```
#plot 2
x= np.array([1, 2, 6, 8])
y= np.array([3, 8, 1, 10])
plt.subplot(1,2,2)
plt.scatter(x, y)
plt.show()
```