Harish G

Full-Stack Engineer | Python · FastAPI · React/TypeScript · PostgreSQL · Docker

Bengaluru, India | +91 7892855850 | harishgreddy.work@gmail.com | LinkedIn | GitHub | harishg.com

Profile

I like owning a feature at both ends, and the parts I enjoy most are the ones that only turn up in production: a socket that drops mid-call, a Docker TLS failure that turned out to be NAT hairpinning, a backend swapped underneath live traffic. Mostly Python and FastAPI behind React, with the queue workers and the request tracing treated as part of the feature rather than something bolted on after.

Core Skills

Languages	Python · JavaScript · TypeScript · Java 21 · SQL
Frontend	React · Vite · TypeScript · Tailwind CSS · HTML/CSS · Socket.io
Backend	FastAPI · Node.js/Express · Spring Boot 3.5 · Celery · Alembic · REST/JSON APIs · WebSockets
Data	PostgreSQL · MongoDB · Redis · Neo4j · Supabase/pgvector · Postgres full-text search
Platform	Docker & Compose · GitLab CI · GitHub Actions · Jenkins · Git · pytest
AI Tooling	LLM agents & tool calling · MCP-style tool registries · Output guardrails · Agent-authored PRs under human review
Concepts	REST API Design · Modular Architecture · Multi-Tenant SaaS · Queue-Based Async Workflows · JWT Auth & RBAC · Query Optimization

Experience

Software Developer, CortexCraft.ai Jan 2026 – Present

- Built and maintain the voice-agent platform (589 of 626 commits on the SaaS platform, 67 of 75 on the core engine): FastAPI services, a React dashboard for configuring agents, and an external REST API that other products call instead of forking the stack.
- Shipped LeadCall AI on that platform, both halves of it: React dashboard, FastAPI backend, Celery dial and callback workers behind Redis locks, Excel lead import, and Alembic-migrated PostgreSQL with each tenant's credentials encrypted at rest.
- Own production reliability across the stack. Fixed outbound routing, added reconnect handling for Gemini 1006 socket drops, and traced a Docker TLS failure to NAT hairpinning.
- Lead author (172 of 192 commits) on the multilingual survey platform: the React admin dashboard, the FastAPI backend that replaced its Node.js one, and the runbook it ships with.
- Work AI into delivery itself, with an agent that turns Jira tickets into reviewed pull requests, over 132 pytest files in GitLab CI as the merge gate.

Freelance Web & App Developer (Self-Employed) 2023 – 2026

- Delivered web and app projects for local clients, front end and back: React/Vite front ends, Python and Node.js services, plus ongoing fixes and deployment support.

Selected Projects

KisanVoice AI *Python, FastAPI, React, MongoDB, Socket.io, Jenkins, Docker*

- 172 of 192 commits. WhatsApp survey platform: FastAPI backend, MongoDB storage, and a React admin dashboard with an audio QC workflow and Excel export that receives live events over Socket.io. 24 locales (10 Indian) come from a config-driven registry, so adding one is a config row rather than a deploy.
- Migrated it off its Node.js backend onto FastAPI without interrupting live surveys, and built the operations in rather than after: an X-Request-ID forwarded or generated per request, one JSON object per log line carrying that ID, a Prometheus `/metrics` endpoint, and a runbook with a rollback procedure.

LeadCall AI *Python, FastAPI, Celery, Redis, PostgreSQL, Alembic, React, Docker Compose*

- Multi-tenant outbound-calling SaaS where the slow work is queued, not blocking: Celery dial and callback workers behind Redis dial locks, pitch documents cleared and re-indexed for retrieval, and transcripts synced back per call.
- Tenants stay apart by construction. Each stores its own platform URL and an encrypted API key, and every operator action lands in an append-only audit log.

JiraFlow Agent *Python, React, Vite, Jira API, GitHub API, LLM Agents*

- An AI coding agent that reads a Jira ticket, locates the files it describes, applies the change and opens a pull request from a dedicated `ai/scrum-<id>` branch whose commit cites the ticket. The boundary is the design point: the agent proposes and a human merges, so a wrong edit costs a rejected PR rather than a broken main branch.

FinGraph AI *Node.js, Express, React, Neo4j, Supabase pgvector, Groq, JWT*

- Two stores behind one query path: pgvector similarity search over MiniLM embeddings, then every hit enriched with its Neo4j relationships before the answer is generated, so results carry the links behind them rather than the closest matching text. Express API behind a React chat client, with JWT authentication over bcrypt-hashed credentials.

Education & Ways of Working

B.E., Information Science and Engineering, Vivekananda Institute of Technology, Bangalore

Agile delivery off Jira tickets, with automated tests in CI as the merge gate rather than a convention. Comfortable writing the design note and the API docs that go with the change.