Smart Bike Travel Companion – A Real-Time Safety & Travel Assistance Web Platform

Mr.M. Asan Nainar[1], S. Harishkumar[2]
[1]*Assistant professor, Department of Computer Applications,*
SRM Valliammai Engineering college, Anna University, Chennai.
[2]*PG, Student Department of Computer Applications,*
SRM Valliammai Engineering college, Anna University, Chennai.

***Abstract*—The Smart Bike Traveler Companion is a comprehensive and innovative web-based platform sp ecifically engineered to address the pressing safety and coordination challenges faced by motorcycle riders in today's fast-paced transportation environment. The system integrates cutting-edge technologies including real-time GPS tracking, emergency SOS broadcasting, artificial intelligence-based risk prediction, and collaborative group ride management into a single unified platform. Motorcycle travel, while efficient and economical, presents inherent risks that require technological mitigation. The platform's core capabilities include high-frequency real-time location tracking using Socket.io WebSocket connections, automated accident detection through the Antigravity Mode utilizing device motion sensors, instant SOS alerting to preregistered emergency contacts and group members, group ride coordination with a live shared map and integrated group chat, comprehensive trip history with route visualization, speed analytics, and AI-powered risk scoring.**

I. INTRODUCTION

1.1 About This Project

Motorcycles represent one of the most widely used modes of personal transportation globally, particularly in densely populated regions of South and Southeast Asia. India alone accounts for over 200 million registered two-wheelers, making it one of the largest markets in the world. Despite their popularity and eco nomic advantages, motorcycles are disproportionately involved in road accidents. According to the World Health Organization, motorcyclists are among the most vulnerable road users, accounting for approximately 28% of all road traffic fatalities globally.

II. LITERATURE REVIEW

A comprehensive review of existing literature, systems, and academic research was conducted to understand the current state of technology in vehicle tracking, emergency response systems, IoT-based safety platforms, and group coordination applications.

2.1 GPS Tracking and Vehicle Monitoring Systems

GPS-based vehicle tracking has been extensively stu died and implemented across multiple domains. Amin et al. (2019) proposed a real-time vehicle tracking system using GPRS and GPS modules embedded in vehicle hardware, demonstrating the feasibility of continuous location broadcasting. However, such hardware-dependent systems are cost-prohibitive for individual motorcycle riders and require dedicated physical installation.

Subsequent research shifted toward software-defined tracking leveraging the GPS chips already built into smartphones. Jain and Kumar (2020) demonstrated that Android-based GPS tracking applications could achieve location update intervals of under two seconds with negligible battery impact, making them suitable for real-time ride monitoring. The Smart Bike Traveler Companion builds on this approach, using the browser's Geolocation API to capture location data and transmit it via Socket.io WebSocket connections.

2.2 Group Coordination and Collaborative Navigation

Collaborative navigation for group travel has been explored in the context of pedestrian crowd management and convoy routing. Srinivas et al. (2020) presented a decentralized group routing algorithm that synchronizes destination changes across multiple mobile clients, minimizing latency. Their work

informed the design of the Group Rides module, where the group leader's destination is synchronized to all m embers via Socket.io room broadcasts.
Commercial ride-sharing platforms such as Uber and Lyft implement real-time location sharing between drivers and passengers but do not support peer-to-peer multi-user location sharing suitable for group rides. WhatsApp's live location feature offers a consumer-grade alternative but lacks ride-specific features such as route tracking, risk scoring, and emergency alerts.

III. PROBLEM STATEMENT

Motorcycle travel, particularly in groups, has seen a significant rise in popularity. However, this mode of transportation inherently presents unique safety and coordination challenges that modern digital solutions have yet to fully address for the everyday rider. Lack of Real-Time Group Coordination During group rides, keeping track of every member's location across diverse terrains and varying traffic conditions is notoriously difficult. Riders frequently get separated due to traffic signals, varying speeds, or navigational errors. Manual communication methods such as mak ing phone calls or sending text messages to locate missing riders are highly unsafe, impractical, and strictly prohibited while riding.

IV. OBJECTIVE

The main aim of the Smart Bike Traveler Companion project is to develop a unified and real-time digital platform that focuses on improving the safety, connectivity, and navigation experience of modern motorcycle riders.

1. Real-Time Tracking and Navigation
The system is designed to provide a reliable GPS-based tracking feature that allows riders to monitor and record their journeys in real time. Users can view their routes on an interactive map, ensuring better navigation and trip management.


2. Automated Emergency Response (Antigravity Mode)
An intelligent safety mechanism is implemented to detect sudden or unusual movements that may indicate an accident. In such situations, the system automatically sends an SOS alert with the rider’s exact location to selected emergency contacts and group members, ensuring quick assistance.

3. Seamless Group Coordination
The application enables smooth group riding by allowing users to create or join secure riding groups. Riders can share destinations, track each other’s live locations, and communicate through an integrated real-time chat system, improving coordination during trips.

V. SYSTEM DESIGN

5.1 System architecture overview
the structural and operational architecture of the Smart Bike Traveler Companion platform. The system is designed to integrate real-time GPS tracking, dynamic group coordination, and an automated emergency response mechanism, referred to as Antigravity Mode, into a unified digital solution for motorcycle riders. The architecture emphasizes efficient handling of high-frequency telemetry data while ensuring minimal latency in communication and processing. It enables continuous monitoring of rider locations, supports coordinated group interactions, and facilitates rapid emergency response in critical situations. From a functional perspective, the system defines a clear logical data flow, beginning with user authentication, followed by data processing at the application layer, secure storage in the database, and real-time dissemination of information, including emergency alerts. From a structural standpoint, the platform adopts a three-tier architecture comprising the Client Layer, Application Layer, and Data Layer. This layered approach enhances modularity, scalability, and maintainability of the system.

5.2 Data flow diagram



data flows within the Smart Bike Traveler Companion system. It clearly explains how information moves between users, external entities, and the internal modules of the application.

By analyzing the data flow, we can understand how important information such as live GPS coordinates, user login details, group chat messages, and emergency SOS alerts is processed and managed throughout the system.

To make the system easier to understand, the data architecture is represented at different levels:

Process Decomposition: In this level, the system is divided into its main functional modules to provide a deeper understanding of its internal working. The core processes include:

Authentication Module – Handles user login and verification

Trip Tracker – Manages real-time GPS tracking and trip recording

Group Coordinator – Supports group ride management and communication

Antigravity SOS Engine – Detects emergencies and triggers alerts

Each module processes input data, interacts with the centralized MySQL database, and produces output that is displayed to the user through the interface.

VI. METHODOLOGY

The development of the Smart Bike Traveler Companion is based on the Agile Software Development Life Cycle (SDLC). Agile was chosen because of its flexibility, iterative approach, and focus on continuous improvement, which is especially important for building real-time applications using WebSocket technology.

6.1. Iterative Development Phases

Phase 1: Requirement Analysis & Planning

In this phase, the main requirements were identified from a rider's perspective. Important factors included limited interaction while riding, the need for a clear and high-contrast interface automatic accident detection.

Output: Selection of technologies such as Angular 17, Node.js, Socket.io, and MySQL. Initial wireframes and database design were also prepared.

Phase 2: System Design & Architecture

The system architecture was planned using a three-tier structure, separating the frontend, backend, and database layers to ensure better performance and scalability.

Output: Creation of Entity-Relationship (ER) diagrams and data flow design for real-time communication using Socket.io.

VII. SYSTEM IMPLEMENTATION

7.1. Module description

The implementation phase of the Smart Bike Traveler Companion focuses on converting the system design into a fully functional real-time application. The project is developed using a modern JavaScript/TypeScript technology stack to ensure smooth communication between the frontend and backend.

1. Development Environment Setup
The project was developed using the following tools and technologies:
IDE: Visual Studio Code
Frontend Framework: Angular CLI (v17.3+) for building a component-based user interface
Backend Runtime: Node.js with npm for managing dependencies
Database: MySQL server running on port 3306
Version Control: Git for tracking and managing source code

2. Backend Implementation (Node.js & Express)
The backend is designed to be lightweight, efficient, and capable of handling asynchronous operations.
2.1 REST API Development
Express.js Framework: Used to build RESTful APIs such as /api/auth, /api/trips, and /api/groups.
Authentication (JWT): User authentication is handled using JSON Web Tokens. Passwords are securely stored using bcrypt hashing. After successful login, a token is generated and must be included in future requests.
MySQL Integration: The mysql2 package is used to create a connection pool, allowing efficient interaction with the relational database.

2.2 WebSocket Integration (Socket.io)
Persistent Connections: Socket.io is integrated with the Express server to maintain real-time communication between client and server.
Event Handling:
The server listens for important events such as:
- location_update
- join_group
- trigger_accident

Socket Rooms: Users are grouped into rooms based on a unique group_id. This ensures that location updates and messages are shared only within the relevant group.

3. Frontend Implementation (Angular 17+)
The frontend is designed with a focus on responsiveness, usability, and minimal distraction for riders.
3.1 Component Architecture
Routing: Angular Router is used to navigate between pages such as Login, Dashboard, Group Setup, and Trip Viewer.
Services: Services like AuthService, TripService, and SocketService handle API calls and WebSocket communication, keeping the UI components clean and organized.

3.2 Interactive Mapping
Leaflet API: Integrated to display maps and track user movement in real time. The map updates dynamically based on incoming GPS data.
Routing Feature: Used to show paths between the rider's current location and the group destination.


4. Core Feature Implementation
4.1 Live Location Tracking
When a trip starts, the browser's Geolocation API continuously captures the rider's location. This data is sent to the server using WebSocket events. The server stores the data in the database and simultaneously shares it with other group members in real time.

4.2 Group Coordination
When a group is created, a unique 6-character code is generated. Other users can join the group using this code. Once verified, they are added to the same session, and their maps are updated with shared trip details and destinations.


4.3 Automated SOS
This feature detects unusual movements that may indicate an accident.
If triggered, the system immediately sends an emergency signal to the server.
The server then:
Sends high-priority alerts to all group members
Displays warning notifications on their screens
Stores the emergency event in the database for future reference.

7.2. Implementation results
The Smart Bike Traveler Companion is developed using a modular, component-based architecture. This design approach ensures that the system is scalable, easy to maintain, and simple to test. The application is divided into two major parts: the frontend, which handles the user interface, and the backend, which manages the business logic and real-time data processing.

7.2.1 Authentication Components (Login & Register)
The authentication components are responsible for user registration and login. These components collect user details such as email, password, and bike model, and send this information to the backend for verification. Once the user successfully logs in, a secure token (JWT) is stored in the browser, which is used to authenticate future requests and maintain the user session.




7.2.2 Dashboard Component (Home)
The dashboard acts as the main interface after the user logs into the system. It provides easy navigation to the core features of the application. From the dashboard, users can start a solo trip, join or create a group ride, or view their previous trip history. It serves as a central hub for accessing all functionalities.



7.2.3 Trip Tracking Component (Trip View)
The trip tracking component is the primary interface used during a ride. It displays a real-time interactive map using the Leaflet API and continuously updates the rider's location using GPS data. The map automatically adjusts based on the user's movement. This component also includes an emergency SOS feature which allows users to quickly send alerts in case of danger.

7.2.4 Trip History Component
The trip history component is used to display past ride details. It retrieves stored data from the backend and presents it in an organized format. Users can view information such as total distance traveled, trip duration, and a calculated Risk Score, which helps in analysing riding behavior.



VIII. FUTURE ENHANCEMENT

One major improvement would be the integration of hardware components. Instead of relying on simulated data, the Antigravity Mode can be connected to real IoT devices such as accelerometers and gyroscopes installed on the bike. This would allow more accurate and reliable accident detection. Another enhancement is the integration of weather and terrain information. By using external APIs, the system can provide real-time weather updates and alerts about dangerous road conditions, helping riders plan safer routes. A voice command feature can also be introduced to enable hands-free interaction. This would allow riders to control the application, send messages, or trigger emergency alerts without needing to touch the device, thereby improving safety while riding. Additionally, the application can be developed into a fully native mobile app. Converting it from a web-based system into a native Android or iOS application would improve performance, enable better battery optimization, and support advanced features like push notifications.

IX. CONCLUSION

The Smart Bike Traveler Companion improves motorcycle safety by combining real-time GPS tracking, group coordination, and an automated emergency system. The Antigravity Mode plays a key

role by sending instant SOS alerts, reducing response time during accidents. Overall, the project demonstrates how modern technologies can enhance rider safety and connectivity.

REFERNCES

[1] M. R. Amin, M. A. Hossain, and M. S. Islam, "Real-time vehicle tracking system using GPS, GPRS and Google Maps API," International Journal of Engineering Research and Technology, vol. 8, no. 4, pp. 112–118, 2019.

[2] D. Bhatt and B. Trivedi, "Smartphone-based motorcycle accident detection using accelerometer and gyroscope fusion," IEEE Transactions on Intelligent Transportation Systems, vol. 22, no. 8, pp. 4891–4902, 2021.

[3] Jain and S. Kumar, "Battery-efficient real-time GPS tracking on Android devices," in Proc. IEEE ICACCI, 2020, pp. 234–241.

[4] P. Koopman and M. Wagner, "Autonomous vehicle safety: An interdisciplinary challenge," IEEE Intelligent Transportation Systems Magazine, vol. 9, no. 1, pp. 90–96, 2017.

[5] V. Mishra and P. Sharma, "Performance evaluation of Socket.io for real-time web applications under varying network conditions," International Journal of Computer Networks and Communications, vol. 13, no. 3, pp. 77–89, 2021.

[6] B. Srinivas, A. K. Reddy, and M. V. Rao, "Decentralized group routing and synchronization for convoy navigation systems," Journal of Location Based Services, vol. 14, no. 2, pp. 156–175, 2020.

[7] World Health Organization, Global Status Report on Road Safety. Geneva, Switzerland: WHO Press, 2023.

[8] Ministry of Road Transport and Highways, Government of India, Road Accidents in India 2023. New Delhi, India: MoRTH, 2023.

[9] "Sensor fusion for motorcycle crash detection: A comparative study," IEEE Transactions on Vehicular Technology, vol. 71, no. 6, pp. 5978–5990, 2022.

[10] National Crime Records Bureau, Government of India, Accidental Deaths and Suicides in India 2023. New Delhi, India: NCRB, 2023.