





```
Router#enable
Router#show ip interface brief
Interface              IP-Address      OK? Method Status                Protocol
GigabitEthernet0/0     192.168.10.1    YES manual up                    up
GigabitEthernet0/1     192.168.20.1    YES manual up                    up
GigabitEthernet0/2     unassigned      YES unset  administratively down down
Vlan1                  unassigned      YES unset  administratively down down
Router#
```

Copy Paste

Scanned with OKEN Scanner





Scanned with OKEN Scanner

10) b | INTERNETWORK USING WIRELESS ROUTER, DHCP Server AND INTERNET

AIM:

To design and configure a wireless internetwork using a wireless router, DHCP server and internet cloud and verify automatic IP address allocation & connectivity

STEPS:

1. Open CISCO Packet tracer
2. Add a wireless Router, Laptops / Wireless devices and an internet cloud
3. Connect the wireless Router to the Internet cloud using an Ethernet Cable.
4. Configure the SSID of the wireless router
5. Enable the DHCP server on wireless router
6. Configure the DHCP IP address range
7. Connect Laptops to the wireless network
8. Set the Laptops to obtain IP address automatically using DHCP.
9. Check whether the devices receive IP address automatically
10. Use the ping command to test connectivity
11. Use simulation Mode to observe packet transmission.

RESULT:

The wireless internetwork was successfully configured using a wireless router, DHCP server and Internet cloud. IP address were automatically assigned to wireless devices and connectivity was sucessfully verified