```
root@DESKTOP-467IRP5:~# pwd
/root
root@DESKTOP-467IRP5:~# sudo -i
root@DESKTOP-467IRP5:~# pwd
/root
root@DESKTOP-467IRP5:~# ls
demo demo1 file1 home
root@DESKTOP-467IRP5:~# ls -1
total 0
drwxr-xr-x 1 root root 512 Sep 8 17:14 demo
drwxr-xr-x 1 root root 512 Sep 8 17:16 demo1
-rw-r--r-- 1 root root 0 Sep 8 17:21 file1
drwxr-xr-x 1 root root 512 Sep 10 11:58 home
root@DESKTOP-467IRP5:~# ls -a
. .. .bash_history .bashrc .motd_shown .profile demo demo1 file1 home
root@DESKTOP-467IRP5:~# cat >file2
this is text file
root@DESKTOP-467IRP5:~# ls
demo demo1 file1 file2 home
root@DESKTOP-467IRP5:~# 1s -1
total 0
drwxr-xr-x 1 root root 512 Sep 8 17:14 demo
drwxr-xr-x 1 root root 512 Sep 8 17:16 demo1
-rw-r--r-- 1 root root
                      0 Sep 8 17:21 file1
-rw-r--r-- 1 root root 18 Sep 10 12:06 file2
drwxr-xr-x 1 root root 512 Sep 10 11:58 home
```

| 1001世レレンス10でつかいます。

```
root@DESKTOP-467IRP5:~# cat file2
this is text file
root@DESKTOP-467IRP5:~# cat >>file2
this is new file
root@DESKTOP-467IRP5:~# ls
demo demo1 file1 file2 home
root@DESKTOP-467IRP5:~# cat file2
this is text file
this is new file
root@DESKTOP-467IRP5:~# touch file3
root@DESKTOP-467IRP5:~# ls
demo demo1 file1 file2 file3 home
root@DESKTOP-467IRP5:~# cat file3
root@DESKTOP-467IRP5:~# cat >file3
this is the file3root@DESKTOP-467IRP5:~# cat file3
this is the file3root@DESKTOP-467IRP5:~#
root@DESKTOP-467IRP5:~# touch f1 f2 f3
root@DESKTOP-467IRP5:~# 1s
demo demo1 f1 f2 f3 file1 file2 file3 home
root@DESKTOP-467IRP5:~#
```

Ħ 💿 🤚

arwxr-xr-x 1 root root 512 Sep 10 11:58 no

P Type here to search

```
demo demo1 f1 f2 f3 file1 file2 file3 home
root@DESKTOP-467IRP5:~# mkdir demo3
root@DESKTOP-467IRP5:~# 1s
demo demo1 demo3 f1 f2
                          f3 file1 file2 file3 home
root@DESKTOP-467IRP5:~# mkdir -p d1/d2/d3
root@DESKTOP-467IRP5:~# 1s
d1 demo demo1 demo3 f1 f2 f3 file1 file2 file3 home
root@DESKTOP-467IRP5:~# cd d1
root@DESKTOP-467IRP5:~/d1# ls
root@DESKTOP-467IRP5:~/d1# cd d2
root@DESKTOP-467IRP5:~/d1/d2# ls
root@DESKTOP-467IRP5:~/d1/d2# cd d3
root@DESKTOP-467IRP5:~/d1/d2/d3# touch file4
root@DESKTOP-467IRP5:~/d1/d2/d3# ls
file4
root@DESKTOP-467IRP5:~/d1/d2/d3# cd
root@DESKTOP-467IRP5:~# cd d1/d2/d3
root@DESKTOP-467IRP5:~/d1/d2/d3# cd ...
root@DESKTOP-467IRP5:~/d1/d2# cd d3
root@DESKTOP-467IRP5:~/d1/d2/d3# cd ../..
root@DESKTOP-467IRP5:~/d1# cd
root@DESKTOP-467IRP5:~#
                                               Ħ;
```

=

Type here to search

```
root@DESKTOP-467IRP5:~# rm f3
root@DESKTOP-467IRP5:~# ls
d1 demo demo1 demo3 f1 f2 file1 file2 file3 home
root@DESKTOP-467IRP5:~# rmdir demo
root@DESKTOP-467IRP5:~# ls
d1 demo1 demo3 f1 f2 file1 file2 file3 home
root@DESKTOP-467IRP5:~# rmdir demo1
root@DESKTOP-467IRP5:~# ls
d1 demo3 f1 f2 file1 file2 file3 home
root@DESKTOP-467IRP5:~# cd d1/d2/d3
root@DESKTOP-467IRP5:~/d1/d2/d3# ls
file4
root@DESKTOP-467IRP5:~/d1/d2/d3# cd
root@DESKTOP-467IRP5:~# rm -rf d1
root@DESKTOP-467IRP5:~# ls
demo3 f1 f2 file1 file2 file3 home
root@DESKTOP-467IRP5:~# cd d1/d2/d3
-bash: cd: d1/d2/d3: No such file or directory
root@DESKTOP-467IRP5:~# 1s
demo3 f1 f2 file1 file2 file3 home
root@DESKTOP-467IRP5:~# cp file2 file3
root@DESKTOP-467IRP5:~# ls
demo3 f1 f2 file1 file2 file3 home
root@DESKTOP-467IRP5:~# cat file3
                                             計
                                                   Type here to search
                                                                 =
```

```
root@DESKTOP-467IRP5:~# cat file3
this is text file
this is new file
root@DESKTOP-467IRP5:~# touch f3
root@DESKTOP-467IRP5:~# cat f3
root@DESKTOP-467IRP5:~# 1s
demo3 f1 f2 f3 file1 file2 file3 home
root@DESKTOP-467IRP5:~# cat file2
this is text file
this is new file
root@DESKTOP-467IRP5:~# cp file2 f3
root@DESKTOP-467IRP5:~# cat f3
this is text file
this is new file
root@DESKTOP-467IRP5:~# ls
demo3 f1 f2 f3 file1 file2 file3 home
root@DESKTOP-467IRP5:~# mv f3 home
root@DESKTOP-467IRP5:~# 1s
demo3 f1 f2 file1 file2 file3 home
root@DESKTOP-467IRP5:~# cd home
root@DESKTOP-467IRP5:~/home# ls
f3
root@DESKTOP-467IRP5:~/home# cd
root@DESKTOP-467IRP5:~#
                                             ≓ŧ
                                                   ==
 Type here to search
```

```
f3
root@DESKTOP-467IRP5:~/home# cd
root@DESKTOP-467IRP5:~# 1s
demo3 f1 f2 file1 file2 file3 home
root@DESKTOP-467IRP5:~# mv file3 f3
root@DESKTOP-467IRP5:~# 1s
demo3 f1 f2 f3 file1 file2 home
root@DESKTOP-467IRP5:~# whoami
root
root@DESKTOP-467IRP5:~# uname -a
Linux DESKTOP-467IRP5 4.4.0-19041-Microsoft #2311-Microsoft Tue Nov 08 17:09:00 PST 2022 x86_64 x86_64 x86_64 GNU/Linux
root@DESKTOP-467IRP5:~# vim f1
root@DESKTOP-467IRP5:~# vi f1
root@DESKTOP-467IRP5:~# cat f1
this is the file f1
root@DESKTOP-467IRP5:~# vi f1
root@DESKTOP-467IRP5:~# cat f1
this is the file f1
this is new file
root@DESKTOP-467IRP5:~#
```

root@UESKIUP-46/IKPS:~/nome# 15

P Type here to search