USER INTERFACE DESIGN

23CSE113

LABSHEET-2

1. Set the background color of all <h1> elements to red. (use inline styling)

   <body>

   <h1>This is a heading</h1>

   <h2>This is a smaller heading</h2>

   </body>

CODE:

```
<doctype! html>
<html>
<head>
<title>CSS Styling</title>
</head>

<body>
<h1 style = "color:red;">This is a heading.</h1>
<h2>This ia a smaller heading.</h2>

</body>
</html>
```

OUTPUT:

This is a heading.

This ia a smaller heading.

2. Set the color of all elements to red. (use internal styling)

<body>

<h1>This is a heading</h1>

This is a paragraph

This is a paragraph

</body>

CODE:

```
<doctype! html>
<html>
<head>
<title>CSS Styling</title>
<style>
p{
color:red;
}

</style>
</head>

<body>
<h1>This is a heading.</h1>
<h1>This ia a heading.</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

OUTPUT:

This is a heading.

This ia a heading.

This is a paragraph.

3. Add an external style sheet with the URL: "mystyle.css".
   Set the color blue to <h1> tag

```
<head>
.....
</head>
<body>
<h1>This is a heading</h1>
<p>This is a paragraph</p>

</body>
```

CODE:

```
<doctype! html>
<html>
<head>

<link rel = "stylesheet" href = "mystyle.css">
</head>

<body>
<h1>This is a heading.</h1>
<p>This is a paragraph.</p>
</body>
</html>
```

```
h1{color:blue;}
```

OUTPUT:

This is a heading.

This is a paragraph.

4. Create a simple webpage with the following styling requirements using **internal CSS**:
   - Set the **background color** of the entire webpage to **light gray**.
   - Style all <h1> headings to be **bold, red in color, and centered**.
   - Make all <h2> headings **blue and underlined**.
   - Apply a **background color of light blue** to all <h3> headings and set their **text color to white**.
   - Ensure all <p> elements have:
     - A **font size** of **16px**
     - A **line height** of **1.5**
     - A **margin** of **10px**
   - Style **links (<a>)** as follows:
     - Default color should be **green**
     - Set the font size to 18px
     - Make the text bold
     - Add padding around the link
     - Add a 2px solid green border around the link
     - Apply rounded corners to the border
     - Remove the default underline
   - Set all **list items (<li>)** to have:
     - A **font size of 18px**
     - A **margin-bottom of 5px**
     - A **bullet style (square)**

CODE:

```
<doctype! html>
<html>
<head>
    <title>CSS Styling</title>
    <STYLE>
     body {background-color: lightgrey;}

     h1{font-weight:bold;color:red;text-align:center;}

         h2{color:blue;text-decoration:underline;}

         h3{background-color:lightblue; color:white;}

            p{font-size:16px;margin:10px;
                 div.c{line-height:1.5;}}

         a{color:green; font-size:18px; font-weight:bold; padding:10px; border:2px solid
green; border-radius:15px; text-decoration:none;}

         ul{font-size:18px; margin-bottom:5px; list-style-type:square;}
    </STYLE>
</head>

<body>
    <h1>Hello! I am Harishankar J. I am a student of Amrita .</h1>
    <h2>This is my Labsheet-2 .</h2>
          <h3>Don't fuck this up .</h3>
          <p><div class = "c">Cause you are gonna regret it if you don't .</div></p>
          <p>Visit<a href = "https://www.google.com/;">this website</a>

<ul>
     <li>Age</li>
       <li>BirthDate</li>
       <li>Status</li>
</ul>
</body>
</html>
```

OUTPUT:



- A bullet style (square)

5. Create a simple HTML webpage to design a Greeting Card for any occasion (Christmas, new year, Onam etc.,).(Use External CSS)

CODE:

```
<doctype! html>
<html>
<head>
    <title>CSS Styling</title>
    <link rel = "stylesheet" href = "mystyle.css">
</head>

<body>
<h1>Happy New Year!!!!!!!!</h1>
<p>Embrace change and watch magic unfold in the coming year.</p>
<a><img src = "https://www.thathappyreader.ca/happy-new-year-2026/;"></a>
</ul>
</body>
</html>
```

OUTPUT:

6. Set the color of the element with id="para1", to red.

```
<body>
  <h1>This is a heading</h1>
  <p id="para1">This is a paragraph</p>
</body>
```

CODE:

```
<doctype! html>
<html>
<head>
<title>CSS Styling</title>
<STYLE>
#para1 {color:red;}
</STYLE>
</head>

<body>
<h1>This is a heading.</h1>
<p id = "para1">This is a paragraph.</p>
</body>
</html>
```

OUTPUT:

This is a heading.

This is a paragraph.

7. Set the color of all elements with the class colortext, to red.

   <body>

   <h1>This is a heading</h1>

   *** This is a paragraph ***

   *** This is a paragraph ***

CODE:

```
<doctype! html>
<html>
<head>
<title>CSS Styling</title>
<STYLE>
.colortext {color:red;}
</STYLE>
</head>

<body>
<h1>This is a heading.</h1>
<p>This is a paragraph.</p>
<P class = "colortext">This is a paragraph.</p>
<P class = "colortext">This is a paragraph.</p>
</body>
</html>
```

OUTPUT:

This is a heading.

This is a paragraph.

This is a paragraph.

This is a paragraph.

8. Change the color of all and <h1> elements, to "red". Group the selectors to minimize code.

   <body>

   <h1>This is a heading</h1>

   <h2>This is a smaller heading</h2>

   *** This is a paragraph ***

   *** This is a paragraph ***

   </body>

CODE:

```
<doctype! html>
<html>
<head>
<title>CSS Styling</title>
<STYLE>
h1,p{color:red;}
</STYLE>
</head>

<body>
<h1>This is a heading.</h1>
<h2>This is a smaller heading.</h2>
<p>This is a paragraph.</p>
<P>This is a paragraph.</p>

</body>
</html>
```

OUTPUT:

This is a heading.

This is a smaller heading.

This is a paragraph.

This is a paragraph.

9. Set the page's background color to red. (use the same external style sheet)

<body>

<h1>This is a heading</h1>

* This is a paragraph *

* This is a paragraph *

</body>

<body>

<h1>This is a heading</h1>

* This is a paragraph *

* This is a paragraph *

CODE:

```
<doctype! html>
<html>
<head>
<title>CSS Styling</title>
<link rel = "stylesheet" href = "mystyle.css">
</head>

<body>
<h1>This is a heading.</h1>
<p>This is a paragraph.</p>
<P>This is a paragraph.</p>

<h1>This is a heading.</h1>
<p>This is a paragraph.</p>
<P>This is a paragraph.</p>


</body>
</html>
```

```
body{background-color:red;}
```

OUTPUT:



10.

6. Create a simple webpage with a table and apply the following styling using **only external CSS**:
   - Add a **border of 1px solid black** for all table cells (<td> and <th>).
   - Set the **table header (<th>)** to have a **background color of dark gray (#333)** and **white text (#ffffff)**.
   - Ensure **alternating row colors** for the table:
     - **Even rows** should have a **light blue (#d0e1f9)** background.
     - **Odd rows** should have a **light green (#c8f7c5)** background.
   - Add **cell padding of 10px** to all table cells.
   - Center-align text in all table cells.

   Save the CSS styles in an external file (styles.css) and link it to your HTML file.

CODE:

```html
<doctype! html>
<html>
<head>
    <title>CSS Styling</title>
    <link rel = "stylesheet" href = "mystyle.css">
</head>

<body>
<table>
    <tr>
        <th>Name</th>
        <th>Gender</th>
        <th>Age</th>
    </tr>

    <tr class = "c">
        <td>Eric G Stephenson</td>
        <td>Male</td>
        <td>20</td>
    </tr>

    <tr>
        <td>Gina J Matthews</td>
        <td>Female</td>
        <td>20</td>
    </tr>

    <tr class = "c" >
        <td>James Luther Mavory</td>
        <td>Male</td>
        <td>1200</td>
    </tr>
</table>
</body>
</html>
```

```css
th{border:3px solid black; background-color:darkgrey; color:white; padding:10px; text-
align:center;}

td{border:3px solid black; padding:10px; text-align:center;}

tr{background-color:lightblue;}
tr.c{background-color:lightgreen;}
```

OUTPUT:

Name	Gender	Age
Eric G Stephenson	Male	20
Gina J Matthews	Female	20
James Luther Mavory	Male	1200

11.

7. Create the following table using both class and ID selectors in CSS.



CODE:

```
<doctype! html>
<html>
<head>
    <title>CSS Styling</title>
    <link rel = "stylesheet" href = "mystyle.css">

</head>

<body>
<table>
    <tr>
       <th class = "a">Logo</th>
       <th colspan = "3" class = "c">Top menu</th>

    </tr>

    <tr >
       <td class = "c" rowspan = "2">Side Menu</td>
       <td>World News</td>
       <td>Financial</td>
       <td class = "a" rowspan = "2">List of Ads</td>
    </tr>

    <tr>
       <td>Technology</td>
       <td>Sports</td>

    </tr>

    <tr>
       <td id = "header2" colspan = "4">Footer</td>
    </tr>
</table>
</body>
</html>
```

```
table{border:3px solid black; border-collapse:collapse; }

#header2{background-color:orange; padding:15px;text-align:center;}

.a{background-color:pink; border:3px solid black; padding:15px;}

.c{background-color:yellow; padding:15px;}

td{border:3px solid black; padding:15px;}
```

OUTPUT:

<table>
<tr><td>Logo</td><td colspan="3">Top menu</td></tr>
<tr><td rowspan="2">Side Menu</td><td>World News</td><td>Financial</td><td rowspan="2">List of Ads</td></tr>
<tr><td>Technology</td><td>Sports</td></tr>
<tr><td colspan="4">Footer</td></tr>
</table>

12.

8. Modify question 1 to include inline, internal, and external CSS. What differences have you observed in how they affect the styling?

CODE(Just an example):

```
<doctype! html>
<html>
<head>
   <title>CSS Styling</title>
   <link rel = "stylesheet" href = "mystyle.css">
<style>
   h1{color:blue;}
</style>
</head>

<body>
   <h1 style = "color:red;">This is a heading.</h1>
   <h2>This ia a smaller heading.</h2>

</body>
</html>
```

If we are acknowledging that we use inline, internal and external to express the same attribute, then the one which we receive as the output is the one that is given the highest priority, which is inline. Both internal and external have equal priority. So, inline will be expressed.

If all of them all three different attributes, then we will get an output that expresses all of these attributes, because none of these are related in terms of what they do, and so priority is completely ignored.

13. Set the background color of the <h1> element to "lightblue". (use the below code for body)
14. Use the border property to set a "4px", "dotted", "red" border for the elements.
15. Use the correct border property to add ROUNDED borders to the elements.
16. Add 20 pixels left margin to the <h1> element.
17. Use the margin property to add 20 pixels top and bottom margins, and 40 pixels left and right margins, on the <h1> element.
18. Use the margin property to center align the <h1> element.

<body>

<h1>This is a heading</h1>

*** This is a paragraph ***

*** This is a paragraph ***

CODE:

13.

```
<doctype! html>
<html>
<head>
<title>CSS Styling</title>
<STYLE>h1{color:lightblue;}</STYLE>
</head>

<body>
<h1>This is a heading.</h1>
<p>This is a paragraph.</p>
<P>This is a paragraph.</p>
</body>
</html>
```

OUTPUT:

This is a heading.

This is a paragraph.

This is a paragraph.

14.

```
<doctype! html>
<html>
<head>
<title>CSS Styling</title>
<STYLE>P{border:4px dotted red;}</STYLE>
</head>

<body>
<h1>This is a heading.</h1>
<p>This is a paragraph.</p>
<P>This is a paragraph.</p>
</body>
</html>
```

OUTPUT:



15.

```
<doctype! html>
<html>
<head>
<title>CSS Styling</title>
<STYLE>P{border:4px solid red;border-radius:10px;}</STYLE>
</head>

<body>
<h1>This is a heading.</h1>
<p>This is a paragraph.</p>
<P>This is a paragraph.</p>
</body>
</html>
```

OUTPUT:

16.

```
<doctype! html>
<html>
<head>
<title>CSS Styling</title>
<STYLE>h1{margin-left:20px;}</STYLE>
</head>

<body>
<h1>This is a heading.</h1>
<p>This is a paragraph.</p>
<P>This is a paragraph.</p>
</body>
</html>
```

OUTPUT:

This is a heading.

This is a paragraph.

This is a paragraph.

17.

```
<doctype! html>
<html>
<head>
<title>CSS Styling</title>
<STYLE>h1{margin-top:20px;margin-bottom:20px;margin-left:40px;margin-right:40px;}</STYLE>
</head>

<body>
<h1>This is a heading.</h1>
<p>This is a paragraph.</p>
<P>This is a paragraph.</p>
</body>
</html>
```

OUTPUT:

This is a heading.

This is a paragraph.

This is a paragraph.

18.

```
<!doctype html>
<html>
<head>
<title>CSS Styling</title>
<STYLE>h1{width:50%;margin:0 auto;border:2px;padding:10px;}</STYLE>
</head>

<body>
<h1>This is a heading.</h1>
<p>This is a paragraph.</p>
<P>This is a paragraph.</p>
</body>
</html>
```

OUTPUT:

This is a heading.

This is a paragraph.

This is a paragraph.

19. Set the top padding of the <h1> element to 30 pixels.
20. Set the padding of all sides of the <h1> element to 30 pixels.
21. Use the shorthand padding property to add 10 pixels left and right padding, and 40 pixels top and bottom padding, on the <h1> element.

<body>

<h1>This is a heading</h1>

** This is a paragraph **

** This is a paragraph **

</body>

CODE:

19.

```
<!doctype html>
<html>
<head>
<title>CSS Styling</title>
<STYLE>h1{padding: 30px 0 0 0;}</STYLE>
</head>

<body>
<h1>This is a heading.</h1>
<p>This is a paragraph.</p>
<P>This is a paragraph.</p>
</body>
</html>
```

OUTPUT:

This is a heading.

This is a paragraph.

This is a paragraph.

20.

```
<!doctype html>
<html>
<head>
<title>CSS Styling</title>
<STYLE>h1{padding: 30px 30px 30px 30px;}</STYLE>
</head>

<body>
<h1>This is a heading.</h1>
<p>This is a paragraph.</p>
<P>This is a paragraph.</p>
</body>
</html>
```

OUTPUT:

This is a heading.

This is a paragraph.

This is a paragraph.

21.

```
<!doctype html>
<html>
<head>
<title>CSS Styling</title>
<STYLE>h1{padding: 40px 10px 40px 10px;}</STYLE>
</head>

<body>
<h1>This is a heading.</h1>
<p>This is a paragraph.</p>
<P>This is a paragraph.</p>
</body>
</html>
```

OUTPUT:

This is a heading.

This is a paragraph.

This is a paragraph.

22. Set the height of the <h1> element to "100px".
23. Set the width of the <h1> element to "50%".

```
<body>

<h1>This is a heading</h1>

<p>This is a paragraph</p>

<p>This is a paragraph</p>

</body>
```

CODE:

22.

```
<!doctype html>
<html>
<head>
<title>CSS Styling</title>
<STYLE>div{height:100px}</STYLE>
</head>

<body>
<div><h1>This is a heading.</h1></div>
<p>This is a paragraph.</p>
<P>This is a paragraph.</p>
</body>
</html>
```

OUTPUT:

This is a heading.

This is a paragraph.

This is a paragraph.

23.

```
<!doctype html>
<html>
<head>
<title>CSS Styling</title>
<style>div{width:50%;}</style>
</head>

<body>
<div><h1>This is a Heading.</h1></div>
<p>This is a paragraph.</p>
<p>This is a paragraph</p>
</body>
</html>
```

OUTPUT:

This is a heading.

This is a paragraph.

This is a paragraph.

24. Set the width of the element to "200px".
25. Add a 2px solid red border to the element.
26. Add 25 pixels space between the element's border and it's content.
27. Add a 25 pixels space outside, to the left of the element.
28. Using the box-sizing property *box-sizing: border-box;* and *box-sizing: content-box;* calculate the total width and height of an element.

<body>

Lorem ipsum dolor sit amet,

consectetur adipiscing elit,

sed do eiusmod tempor incididunt

ut labore et dolore magna aliqua.

</body>

CODE:

24.

```
<!doctype html>
<html>
<head>
<title>CSS Styling</title>
<style>div{width:200px;}</style>
</head>

<body>
<div> Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor
incididunt ut labore et dolore magna aliqua. </div>
</body>
```

OUTPUT:

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

25.

```
<!doctype html>
<html>
<head>
<title>CSS Styling</title>
<style>div{border:2px solid red;}</style>
</head>

<body>
<div> Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor
incididunt ut labore et dolore magna aliqua. </div>
</body>
```

OUTPUT:

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

26.

```
<!doctype html>
<html>
<head>
<title>CSS Styling</title>
<style>div{padding:25px;}</style>
</head>

<body>
<div> Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor
incididunt ut labore et dolore magna aliqua. </div>
</body>
```

OUTPUT:

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

27.

```
<!doctype html>
<html>
<head>
<title>CSS Styling</title>
<style>div{margin-left:25px;}</style>
</head>

<body>
<div> Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor
incididunt ut labore et dolore magna aliqua. </div>
</body>
```

OUTPUT:

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

28.

```
<!DOCTYPE html>
<html>
<head>
<style>
div {
  width: 200px;
  height: 150px;
  padding: 25px;
  border: 2px solid red;
  margin: 25px;
  box-sizing:content-box;
  box-sizing:border-box;
}
</style>
</head>
<body>

<div>
  Lorem ipsum dolor sit amet,
  consectetur adipiscing elit,
  sed do eiusmod tempor incididunt
  ut labore et dolore magna aliqua.
</div>

</body>
</html>
```

OUTPUT:

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.