




HELLO!

I am N Harish Kumar in this SQL project i have utilized SQL queies to solve the questions that where related to pizza sales.



SCHEMA







Retrieve the total number of orders placed.

SELECT

COUNT(order_id) AS total_orders

FROM

orders;

| | total_orders |
|---|--------------|
| • | 21350 |



Calculate the total revenue generated from pizza sales.

```
SELECT

ROUND(SUM(order_details.quantity * pizzas.price),

2) AS total_sales

FROM

order_details

JOIN

pizzas ON pizzas.pizza_id = order_details.pizza_id;
```





Identify the highest-priced pizza.

| Re | esult Grid | Filter Roy |
|-------------|-----------------|------------|
| | name | price |
| > | The Greek Pizza | 35.95 |

Identify the most common pizza size ordered.

ORDER BY order_count DESC;

| R | esult Gri | d H Filter |
|---|-----------|-------------|
| | size | order_count |
| Þ | L | 18526 |
| | M | 15385 |
| | S | 14137 |
| | XL | 544 |
| | XXL | 28 |



List the top 5 most ordered pizza types along with their quantities.

```
SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
                                     Result Grid
                                                     Filter Rows:
ORDER BY quantity DESC
LIMIT 5;
                                                                     quantity
                                         name
                                        The Classic Deluxe Pizza
                                                                    2453
                                        The Barbecue Chicken Pizza
                                                                    2432
                                                                    2422
                                        The Hawaiian Pizza
                                        The Pepperoni Pizza
                                                                    2418
                                        The Thai Chicken Pizza
                                                                    2371
```



Join the necessary tables to find the total quantity of each pizza category ordered.

Chicken

11050

```
SELECT
           pizza_types.category,
           SUM(order details.quantity) AS quantity
       FROM
           pizza_types
               JOIN
           pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
               JOIN
           order_details ON order_details.pizza_id = pizzas.pizza_id
10
       GROUP BY pizza_types.category
                                                 Result Grid
       ORDER BY quantity DESC;
                                                     category
                                                                quantity
                                                    Classic
                                                                14888
                                                                11987
                                                    Supreme
                                                                11649
                                                    Veggie
```

Determine the distribution of orders by hour of the day.

SELECT

HOUR(order_time), COUNT(order_id) AS order_count

FROM

orders

GROUP BY HOUR(order_time);

| Re | esult Grid | Filter Rows: |
|-------------|-------------------|--------------|
| | HOUR (order_time) | order_count |
| > | 11 | 1231 |
| | 12 | 2520 |
| | 13 | 2455 |
| | 14 | 1472 |
| | 15 | 1468 |
| | 16 | 1920 |
| | 17 | 2336 |
| | 18 | 2399 |
| | 19 | 2009 |
| | 20 | 1642 |
| | 21 | 1198 |
| | 22 | 663 |



Join relevant tables to find the category-wise distribution of

pizzas.

SELECT

category, COUNT(name)

FROM


pizza_types

GROUP BY category

| Re | esult Grid | Filter Row |
|-------------|------------|-------------|
| | category | COUNT(name) |
| > | Chicken | 6 |
| | Classic | 8 8 |
| | Supreme | 9 |
| | Veggie | 9 |



Group the orders by date and calculate the average number of pizzas ordered per day.



Determine the top 3 most ordered pizza types based on

revenue.

LIMIT 3;

| | it di id | 1 1111 | 200 | I men | NOVI3. | |
|---|----------|--------|-----|-------|--------|--------|
| ı | name | | | | r | evenue |

| Hallic | revenue |
|------------------------------|----------|
| The Thai Chicken Pizza | 43434.25 |
| The Barbecue Chicken Pizza | 42768 |
| The California Chicken Pizza | 41409.5 |

Calculate the percentage contribution of each pizza type to total revenue.

```
ROUND(SUM(order_details.quantity * pizzas.price) / (SELECT
                    ROUND(SUM(order_details.quantity * pizzas.price),
                                2) AS total sales
                FROM
                    order_details
                        JOIN
                    pizzas ON pizzas.pizza id = order_details.pizza_id) * 100,
            2) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue DESC;
```

pizza_types.category,

| Result Grid | | | |
|-------------|---------------------|---------|--|
| | category | revenue | |
| > | Classic | 26.91 | |
| | Supreme | 25.46 | |
| | Chicken | 23.96 | |
| | NAME AND ADDRESS OF | 22.60 | |

23.00

Analyze the cumulative revenue generated over time

- select order_date,
 sum(revenue) over(order by order_date) as cum_revenue
 from
 - (select orders.order_date,
 sum(order_details.quantity * pizzas.price) as revenue

from order_details join pizzas
on order_details.pizza_id = pizzas.pizza_id
join orders
on orders.order_id = order_details.order_id
group by orders.order_date) as sales;

| R | esult Grid | Filter Rows: |
|---|------------|--------------------|
| | order_date | cum_revenue |
| • | 2015-01-01 | 2713.8500000000004 |
| | 2015-01-02 | 5445.75 |
| | 2015-01-03 | 8108.15 |
| | 2015-01-04 | 9863.6 |
| | 2015-01-05 | 11929.55 |
| | 2015-01-06 | 14358.5 |
| | 2015-01-07 | 16560.7 |
| | 2015-01-08 | 19399.05 |
| | 2015-01-09 | 21526.4 |
| | 2015-01-10 | 23990.350000000002 |
| | 2015-01-11 | 25862.65 |
| | 2015-01-12 | 27781.7 |

Determine the top 3 most ordered pizza types based on revenue for each pizza categorial.

- select name, revenue from
 - (select category, name, revenue, rank() over(partition by category order by revenue desc) as rn from
 - (select pizza_types.category , pizza_types.name,
 sum((order_details.quantity)*pizzas.price) as revenue
 from pizza_types join pizzas
 on pizza_types.pizza_type_id = pizzas.pizza_type_id
 join order_details
 on order_details.pizza_id = pizzas.pizza_id
 group by pizza_types.category, pizza_types.name) as a) as b
 where rn <=3;</pre>

| | name | revenue |
|-------------|------------------------------|-------------------|
| > | The Thai Chicken Pizza | 43434.25 |
| | The Barbecue Chicken Pizza | 42768 |
| | The California Chicken Pizza | 41409.5 |
| | The Classic Deluxe Pizza | 38180.5 |
| | The Hawaiian Pizza | 32273.25 |
| | The Pepperoni Pizza | 30161.75 |
| | The Spicy Italian Pizza | 34831.25 |
| | The Italian Supreme Pizza | 33476.75 |
| | The Sicilian Pizza | 30940.5 |
| | The Four Cheese Pizza | 32265.70000000065 |
| | | |

26780.75

The Mexicana Pizza





9709456772

namanharishkumar1999@gmail.com





