

lynxéo

AVIS D'EXPEDITION 28/07/1

Transitaire Départ

ALLOIN KUEHNE&NAGEL
AGENCE DE PLESSIS
Rue de la mare à blot
ZAC de la Tramblaie
91220 LE PLESSIS PATE

Client

AMPHENOL INDIA PVT LTD
SEFEE DIVISION (100%EOU DIVISION)
BLOCK-A 2ND FLOOR
560100 BANGALORE
INDE

POIDS 57kg

Nb de palette : 1

Dimension : 80*80*37 cm

first

Modalités d'expédition : FCA ROISSY-EN-France

Documents Joint

BL N° 85339502/9508/9509

Destinataire

EUROPE MANUTENTION P/C
NNR GLOBAL LOGISTIC
4 RUE DU CHAPELIER/ BATIMENT 3404
95700 ROISSY-EN-France

Documents à nous fournir

V FACTURE DAU LTA

28/07/2026

Factures jointes a rappeler obligatoirement en reference sur toute correspondance

N/REF:EXP/F 53041639/1641/1642

Veuillez agréer, Messieurs, l'expression de nos salutation distinguées.

140-146 Rue Eugène DELACROIX 91210 DRAVEIL
Téléphone: +33(0)1 69 83 78 00 Fax: +33(0)1 69 83 79 18

lynxéo
AEROSPACE & HEALTHCARE FRANCE
140/146 Av. Eugène Delacroix
91210 Draveil
Tél. : 01 69 83 78 00
SIRET 844 473 256 00023 R.C.S Nanterre

EXPEDITEUR

LYNXEO Aerospace & Healthcare
Site de Draveil
140-146, rue Eugène Delacroix
91210 DRAVEIL

Numéro Document : 85339502

Date de BL : 28.07.2026

Contact : Catleen FAUCHER

Tel : 01 69 83 78 91

Code client livré : 10062095

V/réf :

V/N° cmde : 2327

Date cmde client : 30.06.2026

Notre réf : 13016918

ADRESSE DE FACTURATION

AMPHENOL INTERCONNECT INDIA PVT LTD
SEFEE DIVISION (100%EOU DIVISION)
BLOCK-A 2ND FLOOR
560100 BANGALORE
INDE

ADRESSE DE LIVRAISON

EUROPE MANUTENTION P/C
NNR GLOBAL LOGISTICS
8:30AM 12:00AM / 2:00PM 4:30PM
4 RUE DU CHAPELIER / BATIMENT 3404
95700 ROISSY-EN-FRANCE

TRANSITAIRE

EUROPE MANUTENTION P/C
NNR GLOBAL LOGISTICS
4 RUE DU CHAPELIER / BATIMENT 3404
95700 ROISSY-EN-FRANCE

Transporteur :

Mode de transport :

Incoterms : FCA
ROISSY-EN-FRANCE

Point d'expédition :
FRDR

Tolérances :
- 10% / + 10%

TEST REPORT IN ENGLISH IN ENGLISH

Nouvelle adresse de livraison :
À : EUROPE MANUTENTION P/C NNR GLOBAL LOGISTICS
4 RUE DU CHAPELIER
BATIMENT 3404 / FRET 4
95700 ROISSY CDG CEDEX
Horaires d'ouverture : 8h30 - 12h / 14h - 16h30
Contact : M. LAMY Toni / +33 1 48 16 55 95
info client cph 26/03/26

Pos.	Code produit	Désignation	Quantité cmdée	Qté livr / Rest à livr	UN	Type et n° unité expédition Nb QtéN°identifiant Lot de contrôle	Poids Net(kg)	Poids brut(kg)
010	10061879	EN 2267-010A 002S (DR24) WXX	6.000,0	6.000,0	M		16,49	
010		Origine Draveil - France Votre réf : SI00690008225 N° douane : 85444995		0,0	M	PALETTE 80X80 CM 7570177 1 3000.0 ZX10219383 261888689 1 3000.0 ZX10219384 261888689		34,09

Déclaration de conformité :

Conformément à la norme NF EN9163:2023, nous déclarons que la fourniture citée est conforme aux exigences du contrat et que, après vérifications et essais, elle répond en tout point aux exigences spécifiées, aux normes et aux règlements applicables, sauf exceptions, réserves ou dérogations énumérées dans la présente déclaration de conformité. Cette déclaration est éditée informatiquement. Elle est valide sans tampon ni signature.

Nombre d'unités d'expédition : 1

dont PALETTE 80X80 X 37 CN :

Total poids Net / Brut (KG) : 16,49 /

1

57 KG

lynxéo Draveil
J. MANZAMBI NDOMBASI

Inspection
Qualité Contrôle

EXPEDITEUR

LYNXEO Aerospace & Healthcare
Site de Draveil
140-146, rue Eugène Delacroix
91210 DRAVEIL

Numéro Document : 85339508

Date de BL : 28.07.2026

Contact : Catleen FAUCHER

Tel : 01 69 83 78 91

Code client livré : 10062095

V/réf :

V/N° cmde : 2299

Date cmde client : 23.06.2026

Notre réf : 13016848

ADRESSE DE FACTURATION

AMPHENOL INTERCONNECT INDIA PVT LTD
SEFEE DIVISION (100%EOU DIVISION)
BLOCK-A 2ND FLOOR
560100 BANGALORE
INDE

ADRESSE DE LIVRAISON

EUROPE MANUTENTION P/C
NNR GLOBAL LOGISTICS
8:30AM 12:00AM / 2:00PM 4:30PM
4 RUE DU CHAPELIER / BATIMENT 3404
95700 ROISSY-EN-FRANCE

TRANSITAIRE

EUROPE MANUTENTION P/C
NNR GLOBAL LOGISTICS
4 RUE DU CHAPELIER / BATIMENT 3404
95700 ROISSY-EN-FRANCE

Transporteur :

Mode de transport :

Incoterms : FCA
ROISSY-EN-FRANCE

Point d'expédition :
FRDR

Tolérances :
- 10% / + 10%

TEST REPORT IN ENGLISH IN ENGLISH

Nouvelle adresse de livraison :
À : EUROPE MANUTENTION P/C NNR GLOBAL LOGISTICS
4 RUE DU CHAPELIER
BATIMENT 3404 / FRET 4
95700 ROISSY CDG CEDEX
Horaires d'ouverture : 8h30 - 12h / 14h - 16h30
Contact : M. LAMY Toni / +33 1 48 16 55 95
info client cph 26/03/26

Pos	Code produit	Désignation	Quantité cmdée	Qté livr / Rest à liv	UN	Type et n° unité expédition Nb QtéN°identifiant Lot de contrôle	Poids Net(kg)	Poids brut(kg)
010	10061879	EN 2267-010A 002S (DR24) WXX	6.000,0	6.000,0	M	CARTON 618X618X220 MM 7570178	16,49	
010		Origine Draveil - France Votre réf : SI00690008225 N° douane : 85444995		0,0	M	1 3000.0 ZX10219398 261879264 1 3000.0 ZX10219399 261879264		20,64

Déclaration de conformité :

Conformément à la norme NF EN9163:2023, nous déclarons que la fourniture citée est conforme aux exigences du contrat et que, après vérifications et essais, elle répond en tout point aux exigences spécifiées, aux normes et aux règlements applicables, sauf exceptions, réserves ou dérogations énumérées dans la présente déclaration de conformité. Cette déclaration est éditée informatiquement. Elle est valide sans tampon ni signature.

Nombre d'unités d'expédition : 1
dont CARTON 618X618X220 M :

Total poids Net / Brut (KG) : 16,49 / 20,64
1

lynxéo Draveil
J. MANZAMBI NDOMBASI
Inspection
Qualité Contrôle

Voir BL 85339502

EXPEDITEUR

LYNXEO Aerospace & Healthcare
Site de Draveil
140-146, rue Eugène Delacroix
91210 DRAVEIL

Numéro Document : 85339509

Date de BL : 28.07.2026

Contact : Catleen FAUCHER

Tel : 01 69 83 78 91

Code client livré : 10062095

V/réf :

V/N° cmde : 2385

Date cmde client : 20.07.2026

Notre réf : 13017112

ADRESSE DE FACTURATION

AMPHENOL INTERCONNECT INDIA PVT LTD
SEFEE DIVISION (100%EU DIVISION)
BLOCK-A 2ND FLOOR
560100 BANGALORE
INDE

ADRESSE DE LIVRAISON

EUROPE MANUTENTION P/C
NNR GLOBAL LOGISTICS
8:30AM 12:00AM / 2:00PM 4:30PM
4 RUE DU CHAPELIER / BATIMENT 3404
95700 ROISSY-EN-FRANCE

TRANSITAIRE

EUROPE MANUTENTION P/C
NNR GLOBAL LOGISTICS
4 RUE DU CHAPELIER / BATIMENT 3404
95700 ROISSY-EN-FRANCE

Transporteur :

Mode de transport :

Incoterms : FCA
ROISSY-EN-FRANCE

Point d'expédition :
FRDR

Tolérances :
- 10% / + 10%

TEST REPORT IN ENGLISH
IN ENGLISH

Nouvelle adresse de livraison :

À : EUROPE MANUTENTION P/C NNR GLOBAL LOGISTICS
4 RUE DU CHAPELIER
BATIMENT 3404 / FRET 4
95700 ROISSY CDG CEDEX

Horaires d'ouverture : 8h30 - 12h / 14h - 16h30

Contact : M. LAMY Toni / +33 1 48 16 55 95

info client cph 26/03/26


Pos.	Code produit	Désignation	Quantité cmdée	Qté livr / Rest à liv.	UN	Type et n° unité expédition Nb QtéN°identifiant Lot de contrôle	Poids Net(kg)	Poids brut(kg)
010	10066367	EN 2267-010A 030S (DR12) WXX	300,0	300,0	M		9,04	
010		Origine Draveil - France Votre réf : SI00690007053 Votre n° de poste cde : 000001 N° douane : 85444995		0,0	M	STANDARD DRAVEIL 7570179 1 300.0 ZX10218471 261890689		9,56

Déclaration de conformité :

Conformément à la norme NF EN9163:2023, nous déclarons que la fourniture citée est conforme aux exigences du contrat et que, après vérifications et essais, elle répond en tout point aux exigences spécifiées, aux normes et aux règlements applicables, sauf exceptions, réserves ou dérogations énumérées dans la présente déclaration de conformité. Cette déclaration est éditée informatiquement. Elle est valide sans tampon ni signature.

Nombre d'unités d'expédition : 1
dont STANDARD DRAVEIL :

Total poids Net / Brut (KG) : 9,04 / 9,56
1



LYNXEO AEROSPACE & HEALTHCARE FRANCE

Credit Management

52 avenue du Général de Gaulle

92800 Puteaux - France

 Email : compta.paiement@lynxeogroup.com
ORIGINAL Page 1/1

Invoice no : 53041639

Your Ref : 2385

Date : 28 Jul 2026

Date : 20 Jul 2026

Customer no : 10055934

BILLING ADDRESS

Created by : HACHICHI Corinne

Phone : 0169837820

Fax : 0169420570

DELIVERY ADDRESS

EUROPE MANUTENTION P/C
NNR GLOBAL LOGISTICS
8:30AM 12:00AM / 2:00PM 4:30PM
4 RUE DU CHAPELIER / BATIMENT 3404
95700 ROISSY-EN-FRANCE


AMPHENOL INTERCONNECT INDIA PVT LTD
SEFEE DIVISION (100%EOU DIVISION)
BLOCK-B GROUND FLOOR&1ST FLOOR
BLOCK-A 2ND FLOOR
560100 BANGALORE
INDE

Sales agent :

VAT ID N° :

Partial delivery : Allowed	Comment :	Tolerance : -10% / +10%
Technical inspection : No		Ackn no : 13017112
Drum invoicing : No		of 20 July 2026
Mode of transport : Airbus		Delivery no : 85339509
Incoterms : FCA ROISSY-EN-FRANCE		of 28 July 2026

Item Num.	Cust. tariff Y/Prod.Code	Product Code	Description	Invoiced Quantity	Unit Price	U price	R.1	R.2	Net Unit Price	Amount
1	SI00690007053	10066367	IN ENGLISH Nouvelle adresse de livraison : A : EUROPE MANUTENTION P/C NNR GLOBAL LOGISTICS 4 RUE DU CHAPELIER BATIMENT 3404 / FRET 4 95700 ROISSY CDG CEDEX Horaires d'ouverture : 8h30 - 12h / 14h - 16h30 Contact : M. LAMY Toni / +33 1 48 16 55 95 info client cph 26/03/26 EN 2267-010A 030S (DR12) WXX Origin Draveil - France O/Study Code : 115815WXX1	300 m		1000 m			1,660.00	498.00



DISCOUNT	AMOUNT	RATE	AMOUNT	RATE	AMOUNT	CURRENCY	TO BE PAID:
0.00	0.00	0.00	498.00	0.00	498.00	USD	498.00

 Join the details of your payment by letter or E-mail: compta.paiement@lynxeogroup.com

Address: Lynxéo Aerospace & Healthcare France SAS: 52 Avenue du Général de Gaulle 92800 Puteaux France.

Payment due date : 15.09.2026 by Foreign Bank Transfer to mentioned above address.

Bank details : SOCIETE GENERALE - PARIS Iban : FR76 3000 3041 7000 0206 0739 065 Code Swift : SOGEFRPP

In case of advanced payment, a discount can be granted at the legal interest rate in application at the date of the bill.

If payments are made later than the due date, interest will accrue, after formal demand served by the SELLER on the BUYER, at the BCE refinancing rate increased by ten (10) point, at the date of effectiveness of the order, starting from the maturity date of payments until complete payment and a flat rate indemnity for the recovery cost for an amount of forty (40) euros.

VAT exemption - Art. 262 I of CGI.

LYNXEO AEROSPACE & HEALTHCARE FRANCE

Credit Management

52 avenue du Général de Gaulle

92800 Puteaux - France

 Email : compta.paiement@lynxeogroup.com
ORIGINAL Page 1/1

Invoice no : 53041641

Your Ref : 2327

Date : 28 Jul 2026

Date : 30 Jun 2026

Customer no : 10055934

BILLING ADDRESS

Created by : HACHICHI CORINNE

Phone : 01 69 83 78 20 Fax : 01 69 42 05 70

DELIVERY ADDRESS

 EUROPE MANUTENTION P/C
 NNR GLOBAL LOGISTICS
 8:30AM 12:00AM / 2:00PM 4:30PM
 4 RUE DU CHAPELIER / BATIMENT 3404
 95700 ROISSY-EN-FRANCE

 AMPHENOL INTERCONNECT INDIA PVT LTD
 SEFEE DIVISION (100%EOU DIVISION)
 BLOCK-B GROUND FLOOR&1ST FLOOR
 BLOCK-A 2ND FLOOR
 560100 BANGALORE
 INDE

Sales agent :

VAT ID N° :

Partial delivery : Allowed

Technical inspection : No

Drum invoicing : No

Mode of transport : Airbus

Incoterms : FCA ROISSY-EN-FRANCE

Comment :

Tolerance : -10% / +10%

Ackn no : 13016918

of 30 June 2026

Delivery no : 85339502

of 28 July 2026

Item Num.	Cust. tariff Y/Prod.Code	Product Code	Description	Invoiced Quantity	Unit Price	U price	R.1	R.2	Net Unit Price	Amount
IN ENGLISH Nouvelle adresse de livraison : A : EUROPE MANUTENTION P/C NNR GLOBAL LOGISTICS 4 RUE DU CHAPELIER BATIMENT 3404 / FRET 4 95700 ROISSY CDG CEDEX Horaires d'ouverture : 8h30 - 12h / 14h - 16h30 Contact : M. LAMY Toni / +33 1 48 16 55 95 info client cph 26/03/26										
000010	SI00690008225	10061879	EN 2267-010A 002S (DR24) WXX Origin Draveil- France O/Study Code : 115693WXX1	6,000 m		1000 m			366.00	2,196.00

lynxéo
AEROSPACE & HEALTHCARE FRANCE
 140/146 Av. Eugène Delacroix
 91210 Draveil
 Tél. : 01 69 83 78 00
 SIRET 844 473 256 00023 R.C.S Nanterre

DISCOUNT	AMOUNT	RATE	AMOUNT	RATE	AMOUNT	CURRENCY	
RATE 0.00	AMOUNT 0.00		2,196.00	V A A1 0.00		TO BE PAID: USD	2,196.00

 Join the details of your payment by letter or E-mail: compta.paiement@lynxeogroup.com

Address: Lynxéo Aerospace & Healthcare France SAS: 52 Avenue du Général de Gaulle 92800 Puteaux France.

Payment due date : 15.09.2026 by Foreign Bank Transfer to mentioned above address.

Bank details : SOCIETE GENERALE - PARIS Iban : FR76 3000 3041 7000 0206 0739 065 Code Swift : SOGEFRPP

In case of advanced payment, a discount can be granted at the legal interest rate in application at the date of the bill.
 If payments are made later than the due date, interest will accrue, after formal demand served by the SELLER on the BUYER, at the BCE refinancing rate increased by ten (10) point, at the date of effectiveness of the order, starting from the maturity date of payments until complete payment and a flat rate indemnity for the recovery cost for an amount of forty (40) euros.
 VAT exemption - Art. 262 I of CGI.

LYNXEO AEROSPACE & HEALTHCARE FRANCE

Credit Management

52 avenue du Général de Gaulle

92800 Puteaux - France

 Email : compta.paiement@lynxeogroup.com
ORIGINAL Page 1/1

Invoice no : 53041642

Your Ref : 2299

Date : 28 Jul 2026

Date : 23 Jun 2026

Customer no : 10055934

BILLING ADDRESS

Created by : HACHICHI CORINNE

Phone : 01 69 83 78 20

Fax : 01 69 42 05 70

DELIVERY ADDRESS

EUROPE MANUTENTION P/C

NNR GLOBAL LOGISTICS

8:30AM 12:00AM / 2:00PM 4:30PM

4 RUE DU CHAPELIER / BATIMENT 3404

95700 ROISSY-EN-FRANCE

AMPHENOL INTERCONNECT INDIA PVT LTD

SEFEE DIVISION (100%EOU DIVISION)

BLOCK-B GROUND FLOOR&1ST FLOOR

BLOCK-A 2ND FLOOR

560100 BANGALORE

INDE

Sales agent :

VAT ID N° :

Partial delivery : Allowed

Technical inspection : No

Drum invoicing : No

Mode of transport : Airbus

Incoterms : FCA ROISSY-EN-FRANCE

Comment :

Tolerance : -10% / +10%

Ackn no : 13016848

of 23 June 2026

Delivery no : 85339508

of 28 July 2026

Item Num.	Cust. tariff Y/Prod.Code	Product Code	Description	Invoiced Quantity	Unit Price	U price	R.1	R.2	Net Unit Price	Amount
IN ENGLISH Nouvelle adresse de livraison : À : EUROPE MANUTENTION P/C NNR GLOBAL LOGISTICS 4 RUE DU CHAPELIER BATIMENT 3404 / FRET 4 95700 ROISSY CDG CEDEX Horaires d'ouverture : 8h30 - 12h / 14h - 16h30 Contact : M. LAMY Toni / +33 1 48 16 55 95 info client cph 26/08/26										
000010	SI00690008225	10061879	EN 2267-010A 002S (DR24) WXX Origin Draveil- France O/Study Code : 115693WXX1	6,000 m		1000 m			366.00	2,196.00

lynxéo
AEROSPACE & HEALTHCARE FRANCE
 140/146 Av. Eugène Delacroix
 91210 Draveil
 Tél. : 01 69 83 78 00
 SIRET 844 473 256 00023 R.C.S Nanterre

DISCOUNT	AMOUNT	RATE	AMOUNT	RATE	AMOUNT	CURRENCY	
0.00	0.00		2,196.00			USD	2,196.00

 Join the details of your payment by letter or E-mail: compta.paiement@lynxeogroup.com

Address: Lynxéo Aerospace & Healthcare France SAS: 52 Avenue du Général de Gaulle 92800 Puteaux France.

Payment due date : 15 September 2026 by Foreign Bank Transfer to mentioned above address.

Bank details : SOCIETE GENERALE - PARIS Iban : FR76 3000 3041 7000 0206 0739 065 Code Swift : SOGEFRPP

In case of advanced payment, a discount can be granted at the legal interest rate in application at the date of the bill.
 If payments are made later than the due date, interest will accrue, after formal demand served by the SELLER on the BUYER, at the BCE refinancing rate increased by ten (10) point, at the date of effectiveness of the order, starting from the maturity date of payments until complete payment and a flat rate indemnity for the recovery cost for an amount of forty (40) euros.
 VAT exemption - Art. 262 I of CGI.

Date: 23/07/2026 Quality representative: J.L. Régnier	This report has been produced electronically and is valid without stamp or signature
--	--

Product designation: EN 2267-010A 030S (DR12) WXX Ctrl batch n°: 261890689	Nexans P.N.: 10066367 Total quantity: 300 m
---	--

Characteristic	Unit	Result	Requirements	
			Min	Max
<u>SPECIF.EN2267-010 12/2018</u>	-	-	-	-
<u>CONDUCTOR</u>	-	-	-	-
Nature : Nickel plated copper		Pass		
Number of wire		Pass	37	37
Strand diameter	mm	Pass	0.31	0.33
Lay length	n x OD	Pass	8,0	16,0
Conductor diameter	mm	Pass	2.13	2.18
Direction of outer layer: left hand	-	Pass	-	-
<u>INSULATION</u>	-	-	-	-
N°1 Nature : Polyimide Tape	-	Pass	-	-
N°1 Minimum overlap tape	%	Pass	51.0	-
N°2 Nature: PTFE Tape UV	-	Pass	-	-
N°2 Minimum overlap tape	%	Pass	51.0	-
Color according to reference		Pass		
Text of marking		Pass		
Color :Green		Pass		
<u>FINAL CABLE</u>	-	-	-	-
Aspect		Pass	-	-
Diameter	mm	Pass	2.50	2.70
Maximum weight	g/m	Pass	-	31.3
<u>ELECTRICAL TESTS</u>	-	-	-	-
Impulse sparker test at 8kV		Pass	-	-
Linear resistance at 20°C	Ohm/km	Pass	4.80	6.80
Insulation resistance (1,5 Gohms.km)	-	Pass	-	-
<u>MECHANICAL TESTS</u>	-	-	-	-
Mini conductor elongation	%	Pass	10.0	-
Mini conductor breaking strength	Mpa	Pass	220.0	-
Mini adhesive strength (on 25 mm)	N	Pass	22.0	-
Durability of product identification	-	Pass	-	-
<u>PHYSICAL TESTS</u>	-	-	-	-
Maxi Heat shrinkage 290°C	mm	Pass	-	1.2
Delamination	-	Pass	-	-
Temperature at 310°C	-	Pass	-	-
Mandrel diameter	n x OD	Pass	12.0	12.0
Thermal shocks resistance	-	Pass	-	-
Temperature : -65°C at +260°C	-	Pass	-	-
Maxi Heat shrinkage of conductor	mm	Pass	-	1.2
UV laser marquability (Mini contrast)	%	Pass	50,0	-
Flexibility	-	Pass	-	-
Maximum force	N	Pass	-	8.0

Spool batch number for Ctrl batch : 261890689

ZX10218471

TEST REPORT N° 261879264

Date: 23/07/2026 Quality representative: JL. Régnier	This report has been produced electronically and is valid without stamp or signature
---	--

Product designation: EN 2267-010A 002S (DR24) Ctrl batch n°: 261879264	Nexans P.N.: 10061879 Total quantity: 6000 m
---	---

Characteristic	Unit	Result	Requirements	
			Min	Max
SPECIFICATION EN2267-010 12/2018	-	-	-	-
CONDUCTOR	-	-	-	-
Nature : Nickel plated copper alloy	-	Pass	-	-
Number of strands	-	Pass	19	19
Strand diameter	mm	Pass	0.11	0.13
Lay length	n x OD	Pass	8,0	16,0
Conductor diameter	mm	Pass	0.555	0.585
Direction of outer layer: left hand	-	Pass	-	-
INSULATION	-	-	-	-
N°1Nature : Polyimide Tape	-	Pass	-	-
N°1Minimum overlap tape	%	Pass	67,0	-
N°2Nature:PTFE Tape UV	-	Pass	-	-
N°2Minimum overlap tape	%	Pass	51,0	-
Color according to reference	-	Pass	-	-
Text of marking	-	Pass	-	-
Color :Green	-	Pass	-	-
FINAL CABLE	-	-	-	-
Aspect	-	Pass	-	-
Diameter	mm	Pass	0.85	0.96
Maximum weight	g/m	Pass	-	2.72
ELECTRICAL TESTS	-	-	-	-
Impulse sparker test at 8kV	-	Pass	-	-
Linear resistance at 20°C	Ohm/km	Pass	23.0	114.0
Insulation resistance (1,5 Gohms.km)	-	Pass	-	-
MECHANICAL TESTS	-	-	-	-
Mini conductor elongation	%	Pass	6,0	-
Mini conductor breaking strength	Mpa	Pass	350	-
Mini adhesive strength (on 25 mm)	N	Pass	5,0	-
Durability of product identification	-	Pass	-	-
PHYSICAL TESTS	-	-	-	-
Maxi Heat shrinkage 290°C	mm	Pass	-	0.8
Delamination	-	Pass	-	-
Temperature at 310°C	-	Pass	-	-
Mandrel diameter	n x OD	Pass	12,0	12,0
Thermal shocks resistance	-	Pass	-	-
Temperature : -65°C at +260°C	-	Pass	-	-
Maxi Heat shrinkage of conductor	mm	Pass	-	0.8
UV laser marquability (Mini contrast)	%	Pass	50,0	-

Spool batch number for Ctrl batch : 261879264

ZX10219398
ZX10219399

Date: 23/07/2026 Quality representative: JL. Régner	This report has been produced electronically and is valid without stamp or signature
--	--

Product designation: EN 2267-010A 002S (DR24) Ctrl batch n°: 261888689	Nexans P.N.: 10061879 Total quantity: 6000 m
---	---

Characteristic	Unit	Result	Requirements	
			Min	Max
SPECIFICATION EN2267-010 12/2018	-	-	-	-
CONDUCTOR	-	-	-	-
Nature : Nickel plated copper alloy	-	Pass	-	-
Number of strands	-	Pass	19	19
Strand diameter	mm	Pass	0.11	0.13
Lay length	n x OD	Pass	8,0	16,0
Conductor diameter	mm	Pass	0.555	0.585
Direction of outer layer: left hand	-	Pass	-	-
INSULATION	-	-	-	-
N°1Nature : Polyimide Tape	-	Pass	-	-
N°1Minimum overlap tape	%	Pass	67,0	-
N°2Nature:PTFE Tape UV	-	Pass	-	-
N°2Minimum overlap tape	%	Pass	51,0	-
Color according to reference	-	Pass	-	-
Text of marking	-	Pass	-	-
Color :Green	-	Pass	-	-
FINAL CABLE	-	-	-	-
Aspect	-	Pass	-	-
Diameter	mm	Pass	0.85	0.96
Maximum weight	g/m	Pass	-	2.72
ELECTRICIAL TESTS	-	-	-	-
Impulse sparker test at 8kV	-	Pass	-	-
Linear resistance at 20°C	Ohm/km	Pass	23.0	114.0
Insulation resistance (1,5 Gohms.km)	-	Pass	-	-
MECHANICAL TESTS	-	-	-	-
Mini conductor elongation	%	Pass	6.0	-
Mini conductor breaking strength	Mpa	Pass	350	-
Mini adhesive strength (on 25 mm)	N	Pass	5.0	-
Durability of product identification	-	Pass	-	-
PHYSICAL TESTS	-	-	-	-
Maxi Heat shrinkage 290°C	mm	Pass	-	0.8
Delamination	-	Pass	-	-
Temperature at 310°C	-	Pass	-	-
Mandrel diameter	n x OD	Pass	12.0	12.0
Thermal shocks resistance	-	Pass	-	-
Temperature : -65°C at +260°C	-	Pass	-	-
Maxi Heat shrinkage of conductor	mm	Pass	-	0.8
UV laser marquability (Mini contrast)	%	Pass	50,0	-

Spool batch number for Ctrl batch : 261888689

ZX10219383
ZX10219384