



Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

student grading system

Query 2

Employee_payroll_database x



```
24 (2, 'IT'),
25 (3, 'Sales'),
26 (4, 'Non IT');
27 • Insert Into Employee_details values
28 (678, 'harish', 1, 'Software Developer'),
29 (957, 'Harsha', 2, 'Software Engineer'),
30 (607, 'ammu', 3, 'Sales manager'),
31 (801, 'Mommy', 4, 'operation executive');
```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	employee_id	employee_name	department_id	designation
▶	607	ammu	3	Sales manager
	678	harish	1	Software Developer
	801	Mommy	4	operation executive
	957	Harsha	2	Software Engineer
*	NULL	NULL	NULL	NULL

Administration Schemas

Information

No object selected

Employee_details1 x

Department 2

Payroll 3

Result 4

Payroll 5

Payroll 6

Payroll 7

Employee_salary_details 8

Output

Action Output

#	Time	Action
✓ 42	23:04:47	Update Payroll Set bonus = 20000 Where employee_id = 678
✓ 43	23:04:47	Select * from Payroll Where employee_id = 678 LIMIT 0, 1000
✓ 44	23:04:47	Delete from Payroll where payroll_id = 3
✓ 45	23:04:47	Select * from Payroll LIMIT 0, 1000

Message

1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
1 row(s) returned
1 row(s) affected
3 row(s) returned
2 row(s) affected


```

24 (2, 'IT'),
25 (3, 'Sales'),
26 (4, 'Non IT');
27 • Insert Into Employee_details values
28 (678, 'harish', 1, 'Software Developer'),
29 (957, 'Harsha', 2, 'Software Engineer'),
30 (607, 'ammu', 3, 'Sales manager'),
31 (801, 'Mommy', 4, 'operation executive');

```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

	department_id	department_name
1	IT	
2	IT	
3	Sales	
4	Non IT	
•	NULL	NULL

Employee_details1 Department 2 x Payroll 3 Result 4 Payroll 5 Payroll 6 Payroll 7 Employee_salary_details 8

Output

Action Output

Time Action

42 23:04:47 Update Payroll Set bonus = 20000 Where employee_id = 678

43 23:04:47 Select * from Payroll Where employee_id = 678 LIMIT 0, 1000

Message

1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0

1 row(s) returned

1 row(s) affected

student grading system Query 2 Employee_payroll_database

Limit to 1000 rows

```

24      (2, 'IT'),
25      (3, 'Sales'),
26      (4, 'Non IT');
27 • Insert Into Employee_details values
28      (678, 'harish', 1, 'Software Developer'),
29      (957, 'Harsha', 2, 'Software Engineer'),
30      (607, 'ammu', 3, 'Sales manager'),
31      (801, 'Mommy', 4, 'operation executive');

```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

	payroll_id	employee_id	basic_salary	bonus	deductions	net_salary
▶	1	678	60000	15000	5000	70000
	2	957	50000	10000	3000	57000
	3	607	30000	6000	2000	34000
	4	801	25000	2000	1000	26000
•	NULL	NULL	NULL	NULL	NULL	NULL

Employee_details 1 Department 2 Payroll 3 × Result 4 Payroll 5 Payroll 6 Payroll 7 Employee_salary_details 8

Output

Action Output

#	Time	Action	Message
✓ 42	23:04:47	Update Payroll Set bonus = 20000 Where employee_id = 678	1 row(s) affected Rows matched
✓ 43	23:04:47	Select * from Payroll Where employee_id = 678 LIMIT 0, 1000	1 row(s) returned
✓ 44	23:04:47	Delete from Payroll where payroll_id = 3	1 row(s) affected


```

28      (678, 'harish', 1, 'Software Developer'),
29      (957, 'Harsha', 2, 'Software Engineer'),
30      (607, 'ammu', 3, 'Sales manager'),
31      (801, 'Mommy', 4, 'operation executive');

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	employee_name	department_name	basic_salary	bonus	deductions	net_salary
▶	harish	IT	60000	15000	5000	70000
	Harsha	IT	50000	10000	3000	57000
	ammu	Sales	30000	6000	2000	34000
	Mommy	Non IT	25000	2000	1000	26000

Employee_details 1 Department 2 Payroll 3 **Result 4** × Payroll 5 Payroll 6 Payroll 7

Output

Action Output

#	Time	Action
✓ 42	23:04:47	Update Payroll Set bonus = 20000 Where employee_id = 678
✓ 43	23:04:47	Select * from Payroll Where employee_id = 678 LIMIT 0, 1000
✓ 44	23:04:47	Delete from Payroll where payroll_id = 3
✓ 45	23:04:47	Select * from Payroll LIMIT 0, 1000
✓ 46	23:04:47	Create VIEW Employee_salary_details As Select Employee_details.employee_name, Departm
✓ 47	23:04:47	Select * from Employee_salary_details LIMIT 0, 1000


```

24      (2, 'IT'),
25      (3, 'Sales'),
26      (4, 'Non IT');
27 • Insert Into Employee_details values
28      (678, 'harish', 1, 'Software Developer'),
29      (957, 'Harsha', 2, 'Software Engineer'),
30      (607, 'ammu', 3, 'Sales manager'),
31      (801, 'Mommy', 4, 'operation executive');

```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

	payroll_id	employee_id	basic_salary	bonus	deductions	net_salary
▶	1	678	60000	15000	5000	70000
	2	957	50000	10000	3000	57000
	3	607	30000	6000	2000	34000
•	NULL	NULL	NULL	NULL	NULL	NULL

Employee_details 1 Department 2 Payroll 3 Result 4 Payroll 5 x Payroll 6 Payroll 7 Employee_sal

Output

Action Output

	#	Time	Action	Message
✓	42	23:04:47	Update Payroll Set bonus = 20000 Where employee_id = 678	1 row(s) a
✓	43	23:04:47	Select * from Payroll Where employee_id = 678 LIMIT 0, 1000	1 row(s) r
✓	44	23:04:47	Delete from Payroll where payroll_id = 3	1 row(s) .
✓	45	23:04:47	Select * from Payroll LIMIT 0, 1000	3 row(s)
✓	46	23:04:47	Create VIEW Employee_salary_details As Select Employee_details employee_name, Department.de...	0 row(s)

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

student grading system Query 2 Employee_payroll_database

Limit to 1000 rows

```
24 (2, 'IT'),
25 (3, 'Sales'),
26 (4, 'Non IT');
27 Insert Into Employee_details values
28 (678, 'harish', 1, 'Software Developer'),
29 (957, 'Harsha', 2, 'Software Engineer'),
30 (607, 'ammu', 3, 'Sales manager'),
31 (801, 'Mommy', 4, 'operation executive');
```

Result Grid

	payroll_id	employee_id	basic_salary	bonus	deductions	net_salary
1	678	678	60000	20000	5000	70000
•	NULL	NULL	NULL	NULL	NULL	NULL

Filter Rows: Edit: Export/Import: Wrap Cell Contents:

Employee_details1 Department 2 Payroll 3 Result 4 Payroll 5 Payroll 6 x Payroll 7 Employee_salary_details 8

Output

Action Output

#	Time	Action	Message
✓ 42	23:04:47	Update Payroll Set bonus = 20000 Where employee_id = 678	1 row(s) affected Rows matched: 1 Changed: 1 W
✓ 43	23:04:47	Select * from Payroll Where employee_id = 678 LIMIT 0, 1000	1 row(s) returned
✓ 44	23:04:47	Delete from Payroll where payroll_id = 3	1 row(s) affected
✓ 45	23:04:47	Select * from Payroll LIMIT 0, 1000	3 row(s) returned
✓ 46	23:04:47	Create VIEW Employee_salary_details As Select Employee_details.employee_name, Department.de...	0 row(s) affected
✓ 47	23:04:47	Select * from Employee_salary_details LIMIT 0, 1000	3 row(s) returned

student grading system Query 2 Employee_payroll_database

```

24 (2, 'IT'),
25 (3, 'Sales'),
26 (4, 'Non IT');
27 Insert Into Employee_details values
28 (678, 'harish', 1, 'Software Developer'),
29 (957, 'Harsha', 2, 'Software Engineer'),
30 (607, 'ammu', 3, 'Sales manager'),
31 (801, 'Mommy', 4, 'operation executive');
  
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

	payroll_id	employee_id	basic_salary	bonus	deductions	net_salary
▶	1	678	60000	20000	5000	70000
	2	957	50000	10000	3000	57000
	4	801	25000	2000	1000	26000
•	NULL	NULL	NULL	NULL	NULL	NULL

Employee_details 1 Department 2 Payroll 3 Result 4 Payroll 5 Payroll 6 Payroll 7 x Employee_salary_details 8

Output

Action Output

#	Time	Action	Message
✓ 42	23:04:47	Update Payroll Set bonus = 20000 Where employee_id = 678	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
✓ 43	23:04:47	Select * from Payroll Where employee_id = 678 LIMIT 0, 1000	1 row(s) returned
✓ 44	23:04:47	Delete from Payroll where payroll_id = 3	1 row(s) affected
✓ 45	23:04:47	Select * from Payroll LIMIT 0, 1000	3 row(s) returned
✓ 46	23:04:47	Create VIEW Employee_salary_details As Select Employee_details.employee_name, Department.de...	0 row(s) affected
✓ 47	23:04:47	Select * from Employee_salary_details LIMIT 0, 1000	3 row(s) returned

SQLAdditions

Automatic co
 disabled. Use
 manually get
 current caret
 toggle auto

Result
 Grid

Form
 Editor

Field
 Types

Apply

Revert

Context Help

Snip



Search



MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

No object selected

```
24 (2, 'IT'),
25 (3, 'Sales'),
26 (4, 'Non IT');
27 • Insert Into Employee_details values
28 (678, 'harish', 1, 'Software Developer'),
29 (957, 'Harsha', 2, 'Software Engineer'),
30 (607, 'ammu', 3, 'Sales manager'),
31 (801, 'Mommy', 4, 'operation executive');
```

employee_name	department_name	net_salary
harish	IT	70000
Harsha	IT	57000
Mommy	Non IT	26000

#	Time	Action	Message	Duration / Fetch
✓ 42	23:04:47	Update Payroll Set bonus = 20000 Where employee_id = 678	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
✓ 43	23:04:47	Select * from Payroll Where employee_id = 678 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
✓ 44	23:04:47	Delete from Payroll where payroll_id = 3	1 row(s) affected	0.000 sec
✓ 45	23:04:47	Select * from Payroll LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
✓ 46	23:04:47	Create VIEW Employee_salary_details As Select Employee_details.employee_name, Department.de...	0 row(s) affected	0.000 sec
✓ 47	23:04:47	Select * from Employee_salary_details LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

