

and One most imp thing is if we want to use these Config provide, in index.js file we must need to include these line

```
import
"antd/dist/antd.variable.min.css";
```

```
ConfigProvider.config({
  theme: {
    primaryColor: "red",
    errorColor: "red",
    warningColor: "red",
    successColor: "red",
    infoColor: "red",
  },
});
```

And i came to know that These 5 Color only play import Role in the Antd Design so no need of any less or arco or third party App

Directly or in-directly all the a-z all color of the antd depends on these 5 colors only

How to remove space between 2 chinese characters?

Following the Ant Design specification, we will add one space between if Button (exclude Text button and Link button) contains two Chinese characters only. If you don't need that, you can use [ConfigProvider](#) to set

`autoInsertSpaceInButton` as `false` .

按钮

`autoInsertSpaceInButton={boolean}`

these is one of the attribute of the config Object

React Error: Target Container is not a DOM Element

Asked 7 years, 3 months ago · Active 5 months ago · Viewed 170k times

I just got started using React, so this is probably a very simple mistake, but the code is very simple:

```
<!-- base.html -->
<html>
  <head>
    <title>Note Cards</title>
    <script src="http://<url>/react-0.11.2.js"></script>
  <!--      <script src="http://<url>/JSXTransformer-0.11.2.js"></script>
    <script src="http://code.jquery.com/jquery-1.10.0.min.js"></script>
    {% load staticfiles %}
    <link rel="stylesheet" type="text/css" href="{% static "css/style.css" %}">
    <script src="{% static "build/react.js" %}"></script>
  </head>
  <body>
    <h1 id="content">Note Cards</h1>
    <div class="gotcha"></div>
  </body>
</html>
```

Note that I am using Django's load static files here. (My JavaScript is a bit more complex, so I won't post it all here unless someone requests it.) This is the line with the error:

I figured it out!

After reading [this blog post](#) I realized that the placement of this line:

```
<script src="{% static "build/react.js" %}"></script>
```

was wrong. That line needs to be the last line in the `<body>` section, right before the `</body>` tag. Moving the line down solves the problem.

My explanation for this is that react was looking for the id in between the `<head>` tags, instead of in the `<body>` tags. Because of this it couldn't find the `content` id, and thus it wasn't a real DOM element.

//Config Affix, Anchor
scroll target container
//() => HTMLElement
getTargetContainer

i searched in antd doc for getTargetContainer , they is no results , so i took these stackoverf

Static config

Call ConfigProvider static function to modify theme color:

```
import { ConfigProvider } from 'antd';

ConfigProvider.config({
  theme: {
    primaryColor: '#25b864',
  },
});
```

we dont have any multipules files (we are not importing or changging any files from the nodules modules)

So no need of any worries

Conflict resolve

CSS Variable use `--ant` prefix by default. When exist multiple antd style file in your project, you can modify prefix to fix it.

Adjust

Modify `prefixCls` on the root of ConfigProvider:

```
import { ConfigProvider } from 'antd';
```

`iconPrefixCls="harish"` and `prefixCls="harish"`

if we use these attribues the pakka conflits vasthee , so dont use above attribues , if we want to use them , we need to modify antd.css ffile in nodules modules