



Harish Kumar S 251801090-2025-AIDS ▾

H2**Started on** Thursday, 24 September 2026, 9:10 AM**State** Finished**Completed on** Thursday, 24 September 2026, 9:11 AM**Time taken** 45 secs**Marks** 1.00/1.00**Grade** 10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

Input Format

· The first line contains T, the number of test cases. Following T lines contain:

1. Line 1 contains N1, followed by N1 integers of the first array
2. Line 2 contains N2, followed by N2 integers of the second array

Output Format

The intersection of the arrays in a single line

Example

Input:

1

3 10 17 57

6 2 7 10 15 57 246

Output:

10 57

Input:

1

6 1 2 3 4 5 6

2 1 6

Output:

1 6

For example:

Input	Result
1 3 10 17 57 6 2 7 10 15 57 246	10 57

Answer: (penalty regime: 0 %)

```

1 #include <stdio.h>
2
3 int main()
4 {
5     int T;
6     scanf("%d", &T);
7
8     while (T--)
9     {
10         int n1, n2;
11         scanf("%d", &n1);
12
13         int a[n1];
14         for (int i = 0; i < n1; i++)
15             scanf("%d", &a[i]);
16
17         scanf("%d", &n2);
18
19         int b[n2];
20         for (int i = 0; i < n2; i++)
21             scanf("%d", &b[i]);
22
23         int i = 0, j = 0;
24         int first = 1;
25
26         while (i < n1 && j < n2)
27         {
28             if (a[i] == b[j])
29                 if (first)

```

```
30         if (!first)
31             printf(" ");
32
33         printf("%d", a[i]);
34         first = 0;
35         i++;
36         j++;
37     }
38     else if (a[i] < b[j])
39     {
40         i++;
41     }
42     else
43     {
44         j++;
45     }
46 }
47
48 printf("\n");
49 }
50
51 return 0;
52 }
```

	Input	Expected	Got	
✓	1 3 10 17 57 6 2 7 10 15 57 246	10 57	10 57	✓
✓	1 6 1 2 3 4 5 6 2 1 6	1 6	1 6	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)