



Harish Kumar S 251801090-2025-AIDS ▾

H2**Started on** Thursday, 24 September 2026, 9:12 AM**State** Finished**Completed on** Thursday, 24 September 2026, 9:13 AM**Time taken** 1 min 37 secs**Marks** 1.00/1.00**Grade** 10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

Input Format

· The first line contains T, the number of test cases. Following T lines contain:

1. Line 1 contains N1, followed by N1 integers of the first array
2. Line 2 contains N2, followed by N2 integers of the second array

Output Format

The intersection of the arrays in a single line

Example

Input:

1

3 10 17 57

6 2 7 10 15 57 246

Output:

10 57

Input:

1

6 1 2 3 4 5 6

2 1 6

Output:

1 6

For example:

Input	Result
1 3 10 17 57 6 2 7 10 15 57 246	10 57

Answer: (penalty regime: 0 %)

```

1  #include <stdio.h>
2
3  int main()
4  {
5      int T;
6      scanf("%d", &T);
7
8      while (T--)
9      {
10         int n1, n2;
11         scanf("%d", &n1);
12
13         int a[n1];
14
15         for (int i = 0; i < n1; i++)
16             scanf("%d", &a[i]);
17
18         scanf("%d", &n2);
19
20         int b[n2];
21
22         for (int i = 0; i < n2; i++)

```

```
22 // ... \n\n23     scanf("%d", &b[i]);\n24\n25     int i = 0, j = 0;\n26\n27     while (i < n1 && j < n2)\n28     {\n29         if (a[i] == b[j])\n30         {\n31             printf("%d ", a[i]);\n32             i++;\n33             j++;\n34         }\n35         else if (a[i] < b[j])\n36         {\n37             i++;\n38         }\n39         else\n40         {\n41             j++;\n42         }\n43     }\n44\n45     printf("\\n");\n46 }\n47\n48 return 0;\n49 }\n50
```

	Input	Expected	Got	
✓	1 3 10 17 57 6 2 7 10 15 57 246	10 57	10 57	✓
✓	1 6 1 2 3 4 5 6 2 1 6	1 6	1 6	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Back to Course