



Harish Kumar S 251801090-2025-AIDS ▾

H2**Started on** Monday, 17 August 2026, 10:43 PM**State** Finished**Completed on** Monday, 17 August 2026, 10:44 PM**Time taken** 1 min 34 secs**Marks** 1.00/1.00**Grade** 10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
void reverse(int n)
{
    int rev = 0, remainder;
    while (n != 0)
    {
        remainder = n % 10;
        rev = rev * 10 + remainder;
        n/= 10;
    }
    print(rev);
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

```
1  #include <stdio.h>
2  int main()
3  {
4      int n,rev=0,remainder,count=0;
5      scanf("%d",&n);
6
7      while(n!=0)
8      {
9          remainder=n%10;
10         rev=rev*10+remainder;
11         n/=10;
12         count+=4;
13     }
14
15     count+=3;
16     printf("%d",count);
17
18     return 0;
19 }
```

	Input	Expected	Got	
✓	12	11	11	✓
✓	1234	19	19	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)