Troubleshooting

Symptom	Cause → Fix
`Invalid AiSuite configuration` at startup	`Validate()` failed — message names the key; compare with `samples/SampleApi/appsettings.json`
503 `PROVIDER_NOT_CONFIGURED`	Selected provider not registered: endpoint/region empty (conditional registration) or key missing (message says which config key to set)
502 `*_UNAVAILABLE`	Upstream down/invalid key/host unreachable; check `traceId` in server logs (provider + duration logged, content never)
400 `VALIDATION_ERROR`	Empty/oversize input or language outside `Languages:Supported`
400 `UNKNOWN_PROVIDER`	`/selection` name typo — check `GET /api/ai/providers`
`Sorry — unavailable` in widget	Backend not running / wrong `apiBaseUrl` / CORS — check Network tab (calls must hit YOUR domain)
`[xx] mock tag` in replies	Echo translation path doing its job — configure a real translation provider
Build file-lock errors (`MSB3021`)	A previous `dotnet run` still holds the port/DLL — stop it before rebuilding
Angular `TS2307`	`npm install` in `angular/pixous-ai-suite` first; keep `@angular/*` minor versions aligned
Languages list duplicated	Fixed: binder-append dedupe in `AddAiSuite` (keep the shipped version)

Debug with `GET /api/ai/info` (effective providers, key flags) and `GET /api/ai/selection` (available names) before touching code.