

TEXTILE & LEATHER

CHUNK 1

Product:

Polyester Continuous Filament Fully Drawn Yarn (FDY)

Description:

Polyester Fully Drawn Yarn (FDY) is a continuous-filament polyester yarn that has undergone drawing to develop the required orientation and mechanical properties. It is widely used in woven and knitted textile manufacturing, apparel, home textiles and industrial textile applications.

Applicable IS:

IS 17261:2019

Standard title:

Textiles — Polyester Continuous Filament Fully Drawn Yarn — Specification

Scope / applicability:

The standard specifies requirements for polyester continuous filament fully drawn yarn, including relevant physical, mechanical and dimensional characteristics.

BIS certification:

The product has been covered by a compulsory BIS certification framework through the Polyester Continuous Filament Fully Drawn Yarn Quality Control Order.

Certification scheme:

Scheme-I — BIS Standard Mark / ISI Mark where the applicable QCO is in force.

Applicable QCO:

Polyester Continuous Filament Fully Drawn Yarn (Quality Control) Order, 2021, together with subsequent amendments/orders listed by BIS.

Current status — August 2026:

BIS's current compulsory-certification page lists IS 17261:2019. However, the same BIS page records a rescind order dated 12 November 2025 for the 2023 QCO, so the AI must verify the currently enforceable notification before telling a manufacturer that a new licence is mandatory.

Product Manual:

BIS maintains product-manual material for IS 17261. The current BIS product-manual listing also contains IS 17261 material.

SIT:

Applicable Scheme of Inspection and Testing covers production controls, sampling, testing frequency and acceptance requirements.

Required testing:

- Linear density
- Linear density variation
- Tenacity
- Elongation
- Crimp-related properties where applicable
- Shrinkage-related properties where specified
- Filament characteristics
- Appearance
- Yarn evenness where specified
- Other physical requirements specified in the standard

Manufacturing / quality requirements:

Controlled polymer preparation, spinning, drawing, winding and package formation are necessary to achieve consistent yarn properties.

Documents / certification requirements:

- BIS application where certification is applicable
- Applicable Indian Standard
- Manufacturing-process details
- Raw-material information
- Product specification
- In-house testing facilities
- Calibration records
- Routine test records
- Product Manual/SIT
- Factory assessment documentation

Marking requirements:

BIS Standard Mark / ISI Mark where mandatory, together with prescribed manufacturer, product and licence identification.

Important exclusions:

Partially oriented yarn, industrial yarn and spun polyester yarn are different product categories and must not be automatically classified as FDY.

2026 special note:

The AI must distinguish FDY from POY and industrial yarn. BIS's current listing confirms that these are separate standards:

IS 17261 — FDY

IS 17262 — POY

IS 17264 — Polyester Industrial Yarn.

Official BIS source:

BIS — Scheme-I (ISI Mark Scheme)

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

CHUNK 2

Product:

Polyester Partially Oriented Yarn (POY)

Description:

Polyester Partially Oriented Yarn (POY) is a partially drawn continuous-filament polyester yarn commonly used as an intermediate yarn for producing textured yarn and other textile products. Its orientation, denier and mechanical characteristics are important for downstream processing.

Applicable IS:

IS 17262:2019

Standard title:

Textiles — Polyester Partially Oriented Yarn — Specification

Scope / applicability:

The standard specifies requirements for polyester partially oriented yarn used in textile processing and further conversion.

BIS certification:

The product has been covered by a compulsory BIS certification framework under the Polyester Partially Oriented Yarn Quality Control Order.

Certification scheme:

Scheme-I — BIS Standard Mark / ISI Mark where the applicable QCO is in force.

Applicable QCO:

Polyester Partially Oriented Yarn (Quality Control) Order, 2021, with subsequent amendments/orders listed by BIS.

Current status — August 2026:

IS 17262 is still listed by BIS in the compulsory-certification material. BIS also records a rescind order dated 12 November 2025 relating to the 2023 QCO, so current enforcement must be verified against the latest operative notification.

Product Manual:

BIS maintains product-manual documentation for IS 17262.

SIT:

Applicable Scheme of Inspection and Testing covers sampling, testing frequency and acceptance criteria.

Required testing:

- Linear density
- Linear density variation
- Tenacity
- Elongation
- Shrinkage-related characteristics where specified
- Appearance
- Filament characteristics
- Package characteristics

- Other yarn-performance parameters specified by the standard

Manufacturing / quality requirements:

Controlled polymer spinning and partial orientation processes are required to maintain consistent yarn quality.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Manufacturing-process description
- Raw-material records
- Product specification
- Laboratory/testing capability
- Calibration records
- Test reports
- Product Manual/SIT
- Factory assessment documents

Marking requirements:

BIS Standard Mark / ISI Mark where mandatory, with prescribed manufacturer and product identification.

Important exclusions:

FDY and textured yarn are not the same as POY. POY may be used as an intermediate feedstock for further processing.

2026 special note:

The AI should recognize POY as a distinct polyester yarn category and should not answer a POY query using FDY requirements.

Official BIS source:

BIS — Scheme-I (ISI Mark Scheme)

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

CHUNK 3

Product:

Polyester Staple Fibres (PSF)

Description:

Polyester staple fibre consists of short polyester fibres produced by cutting or forming polymer filaments into staple lengths. It is used in spinning, nonwoven fabrics, filling materials, home textiles, apparel and industrial textiles.

Applicable IS:

IS 17263:2019

Standard title:

Textiles — Polyester Staple Fibres — Specification

Scope / applicability:

The standard specifies requirements for polyester staple fibres according to relevant fibre characteristics and intended textile processing.

BIS certification:

The product has been covered under the Polyester Staple Fibres Quality Control framework.

Certification scheme:

Scheme-I — BIS Standard Mark / ISI Mark where the applicable QCO is in force.

Applicable QCO:

Polyester Staple Fibres (Quality Control) Order, 2021, with subsequent amendments/orders listed by BIS.

Current status — August 2026:

IS 17263 is currently listed on BIS's compulsory-certification page. BIS records a rescind order dated 12 November 2025 for the earlier 2022 QCO, so current mandatory-certification status must be checked against the latest operative notification.

Product Manual:

BIS maintains product-manual documentation for IS 17263.

SIT:

Applicable Scheme of Inspection and Testing governs fibre sampling, routine testing and acceptance requirements.

Required testing:

- Fibre linear density
- Fibre length
- Tenacity
- Elongation
- Crimp characteristics where specified
- Moisture-related characteristics
- Fibre appearance
- Colour where applicable
- Shrinkage-related properties

- Other standard-specific fibre characteristics

Manufacturing / quality requirements:

Controlled polymer production, spinning, fibre formation, drawing, crimping and cutting are required for consistent staple-fibre performance.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Manufacturing-process details
- Polymer/raw-material information
- Fibre specification
- Laboratory facilities
- Calibration records
- Test reports
- Product Manual/SIT
- Factory assessment documentation

Marking requirements:

BIS Standard Mark / ISI Mark where mandatory, together with prescribed product and manufacturer information.

Important exclusions:

Viscose staple fibre, polypropylene staple fibre and other synthetic/natural fibres are separate categories.

2026 special note:

The AI should distinguish polyester staple fibre from polyester yarn. PSF is a fibre input that may subsequently be spun into yarn.

Official BIS source:

BIS — Scheme-I (ISI Mark Scheme)

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

CHUNK 4

Product:

Polyester Industrial Yarn

Description:

Polyester industrial yarn is a high-performance polyester yarn intended for industrial textile applications rather than ordinary apparel alone. It may be used in products such as tyre reinforcement, conveyor-related textiles, technical fabrics and other engineered textile applications.

Applicable IS:

IS 17264:2019

Standard title:

Textiles — Polyester Industrial Yarn — Specification

Scope / applicability:

The standard specifies requirements for polyester industrial yarn intended for industrial textile applications.

BIS certification:

The product has been covered by the Polyester Industrial Yarn Quality Control framework.

Certification scheme:

Scheme-I — BIS Standard Mark / ISI Mark where the applicable QCO is in force.

Applicable QCO:

Polyester Industrial Yarn (Quality Control) Order, 2021, with subsequent amendments/orders listed by BIS.

Current status — August 2026:

BIS's current compulsory-certification page lists IS 17264:2019. The page also records a rescind order dated 12 November 2025 relating to the 2023 QCO, so current enforceability should be checked against the latest notification.

Product Manual:

BIS maintains product-manual documentation for IS 17264.

SIT:

Product-specific Scheme of Inspection and Testing applies to manufacturing controls and routine testing.

Required testing:

- Linear density
- Tenacity
- Elongation
- Shrinkage-related properties
- Filament characteristics
- Yarn evenness where specified
- Appearance
- Package characteristics

- Other industrial-yarn performance requirements

Manufacturing / quality requirements:

Controlled polymer preparation, spinning, drawing, winding and finishing processes are required to achieve high and consistent yarn performance.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Manufacturing process
- Raw-material records
- Product specification
- Testing capability
- Calibration
- Routine test records
- Product Manual/SIT
- Factory assessment

Marking requirements:

BIS Standard Mark / ISI Mark where mandatory with prescribed product and manufacturer information.

Important exclusions:

Ordinary polyester textile yarn, FDY, POY and spun polyester yarn are separate categories.

2026 special note:

Industrial yarn should not be treated as ordinary apparel yarn. The AI should ask about the intended end use when a manufacturer uses the generic term "polyester yarn."

Official BIS source:

BIS — Scheme-I (ISI Mark Scheme)

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

CHUNK 5

Product:

100 Percent Polyester Spun Grey and White Yarn

Description:

100 percent polyester spun yarn is produced from polyester staple fibres and is available in grey or white forms before dyeing or further textile processing. It is used in apparel, home textiles, industrial textiles and blended-textile manufacturing.

Applicable IS:

IS 17265:2019

Standard title:

Textiles — 100 Percent Spun Polyester Grey and White Yarn — Specification

Scope / applicability:

The standard applies to spun yarn made from 100 percent polyester staple fibre in the specified grey and white yarn categories.

BIS certification:

The product has been covered by a compulsory BIS certification framework.

Certification scheme:

Scheme-I — BIS Standard Mark / ISI Mark where the applicable QCO is in force.

Applicable QCO:

100 Percent Polyester Spun Grey and White Yarn (Quality Control) Order, 2021, together with amendments/orders listed by BIS.

Current status — August 2026:

BIS currently lists IS 17265:2019 in its compulsory-certification material. BIS also records a rescind order dated 12 November 2025 concerning the 2023 QCO, so current enforcement should be verified before treating certification as mandatory for a particular transaction.

Product Manual:

BIS maintains product-manual documentation for the standard.

SIT:

Applicable Scheme of Inspection and Testing covers yarn sampling, routine testing and acceptance criteria.

Required testing:

- Yarn count/linear density
- Count variation
- Tenacity
- Elongation
- Unevenness
- Imperfections
- Twist
- Hairiness where specified
- Appearance

- Moisture-related characteristics where specified
- Other yarn-quality parameters

Manufacturing / quality requirements:

Controlled fibre preparation, carding, drawing, spinning, winding and package formation are required for consistent yarn quality.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Manufacturing-process details
- Raw-material information
- Yarn specification
- Laboratory/testing capability
- Calibration records
- Routine test records
- Product Manual/SIT
- Factory assessment

Marking requirements:

BIS Standard Mark / ISI Mark where mandatory with prescribed product, manufacturer and licence details.

Important exclusions:

Blended polyester yarn and dyed polyester yarn may have different standards or specifications.

2026 special note:

The AI should distinguish 100 percent spun polyester yarn from filament polyester yarn such as FDY and POY.

Official BIS source:

BIS — Scheme-I (ISI Mark Scheme)

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

CHUNK 6

Product:

Viscose Staple Fibres

Description:

Viscose staple fibre is a regenerated cellulose fibre produced from cellulose-based raw materials. It is widely used in apparel, home textiles, nonwovens and blended fabrics because of its softness, absorbency and textile-processing characteristics.

Applicable IS:

IS 17266:2019

Standard title:

Textiles — Viscose Staple Fibres — Specification

Scope / applicability:

The standard specifies requirements for viscose staple fibres according to relevant physical and performance characteristics.

BIS certification:

The product has been covered under the Viscose Staple Fibres Quality Control framework.

Certification scheme:

Scheme-I — BIS Standard Mark / ISI Mark where the applicable QCO is in force.

Applicable QCO:

Viscose Staple Fibres (Quality Control) Order, 2022, together with the amendments/orders listed by BIS.

Current status — August 2026:

BIS's current compulsory-certification page lists IS 17266:2019, but also records a rescind order dated 18 November 2025 for the 2022 QCO. Therefore the AI must verify the latest operative notification before asserting current mandatory certification.

Product Manual:

BIS maintains product-manual information for IS 17266.

SIT:

Applicable Scheme of Inspection and Testing covers fibre sampling and routine quality tests.

Required testing:

- Fibre linear density
- Fibre length
- Tenacity
- Elongation
- Crimp characteristics where specified
- Moisture regain where specified
- Fibre appearance

- Shrinkage-related properties
- Other standard-specific requirements

Manufacturing / quality requirements:

Controlled cellulose preparation, viscose formation, spinning, coagulation, washing, drying and cutting processes are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Manufacturing process
- Raw-material information
- Fibre specification
- Laboratory facilities
- Calibration records
- Test records
- Product Manual/SIT
- Factory assessment

Marking requirements:

BIS Standard Mark / ISI Mark where mandatory with prescribed manufacturer and product identification.

Important exclusions:

Viscose filament yarn, modal fibre and other regenerated-cellulose products are distinct categories.

2026 special note:

The AI should distinguish viscose staple fibre from polyester staple fibre because they have different raw materials, properties and BIS standards.

Official BIS source:

BIS — Scheme-I (ISI Mark Scheme)

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

CHUNK 7

Product:

Sanitary Napkins

Description:

Sanitary napkins are absorbent disposable or reusable menstrual-hygiene products designed to collect menstrual fluid. Product safety, absorbency, cleanliness, comfort and material quality are important for consumer health.

Applicable IS:

IS 5405:2019

Standard title:

Sanitary Napkins — Specification

Scope / applicability:

The standard specifies requirements for sanitary napkins, including relevant material, absorbency, dimensions and performance characteristics.

BIS certification:

Mandatory under the Medical Textiles Quality Control framework when the product falls within the applicable order.

Certification scheme:

Scheme-I — BIS Standard Mark / ISI Mark.

Applicable QCO:

Medical Textiles (Quality Control) Order, 2023 and subsequent amendments/orders listed by BIS, including the 2024 and 2025 amendments/orders.

Current status — August 2026:

BIS currently lists IS 5405:2019 under Medical Textiles. The current BIS listing records amendments through 2025, so the latest operative requirements must be used for certification decisions.

Product Manual:

Applicable BIS Product Manual for IS 5405.

SIT:

Covers sampling, absorbency/performance testing, material requirements and routine quality-control checks.

Required testing:

- Absorption capacity
- Absorption rate where specified
- Dimensions
- Adhesive performance where applicable
- Material characteristics
- pH where specified
- Microbiological/hygiene requirements where specified
- Surface characteristics

- Packaging
- Labelling requirements
- Other performance requirements specified in the standard

Manufacturing / quality requirements:

Controlled preparation of absorbent material, forming, assembly, adhesive application, packaging and hygiene controls are required.

Documents / certification requirements:

- BIS application
- Applicable IS
- Raw-material specifications
- Manufacturing-process details
- Hygiene/quality-control procedures
- Laboratory/test facilities
- Calibration records
- Routine test records
- Product Manual/SIT
- Factory assessment

Marking requirements:

BIS Standard Mark / ISI Mark with prescribed product, manufacturer and licence information.

Important exclusions:

Reusable sanitary pads and period panties are covered under a separate standard, IS 17514:2021.

2026 special note:

The AI should distinguish disposable sanitary napkins from reusable menstrual products and should not provide IS 5405 requirements for period panties or reusable pads.

Official BIS source:

BIS — Scheme-I (ISI Mark Scheme)

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

CHUNK 8

Product:

Disposable Baby Diapers

Description:

Disposable baby diapers are absorbent hygiene products designed to retain urine and other bodily waste while maintaining comfort and skin contact safety. Their absorbency, leakage resistance, materials and hygiene characteristics are important.

Applicable IS:

IS 17509:2021

Standard title:

Disposable Baby Diaper — Specification

Scope / applicability:

The standard specifies requirements for disposable baby diapers, including relevant construction, absorbency, dimensions, performance and material characteristics.

BIS certification:

Mandatory under the applicable Medical Textiles Quality Control framework.

Certification scheme:

Scheme-I — BIS Standard Mark / ISI Mark.

Applicable QCO:

Medical Textiles (Quality Control) Order, 2023 and subsequent amendments/orders listed by BIS.

Current status — August 2026:

BIS currently lists IS 17509:2021 under Medical Textiles compulsory certification. The applicable current QCO and amendments must be checked for the exact compliance date and conditions.

Product Manual:

Applicable BIS Product Manual for IS 17509.

SIT:

Covers routine inspection, sampling and testing of diaper performance and material characteristics.

Required testing:

- Absorption capacity
- Absorption rate where specified
- Rewet characteristics
- Leakage performance
- Dimensions
- Fastener performance

- Core/material characteristics
- pH where specified
- Hygiene/microbial requirements where specified
- Skin-contact-related material requirements
- Packaging
- Labelling

Manufacturing / quality requirements:

Controlled absorbent-core formation, topsheet/backsheet assembly, elastic and fastening systems, adhesive application and hygienic packaging are required.

Documents / certification requirements:

- BIS application
- Applicable IS
- Raw-material specifications
- Manufacturing-process flow
- Hygiene procedures
- Testing capability
- Calibration
- Test reports
- Product Manual/SIT
- Factory assessment

Marking requirements:

BIS Standard Mark / ISI Mark with prescribed product information and manufacturer/licence identification.

Important exclusions:

Adult incontinence diapers and reusable baby products are separate categories.

2026 special note:

The AI should distinguish baby diapers from adult incontinence diapers and menstrual hygiene products because they fall under different standards.

Official BIS source:

BIS — Scheme-I (ISI Mark Scheme)

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

CHUNK 9

Product:

Reusable Sanitary Pad / Sanitary Napkin / Period Panties

Description:

Reusable menstrual products are textile-based hygiene products designed for repeated use during menstruation. They require appropriate absorbency, durability, hygiene, material safety and washing/reuse performance.

Applicable IS:

IS 17514:2021

Standard title:

Reusable Sanitary Pad / Sanitary Napkin / Period Panties — Specification

Scope / applicability:

The standard covers reusable menstrual hygiene products including reusable sanitary pads, sanitary napkins and period panties within its specified product requirements.

BIS certification:

Mandatory under the applicable Medical Textiles Quality Control framework.

Certification scheme:

Scheme-I — BIS Standard Mark / ISI Mark.

Applicable QCO:

Medical Textiles (Quality Control) Order, 2023 and subsequent amendments/orders listed by BIS.

Current status — August 2026:

BIS currently lists IS 17514:2021 under Medical Textiles compulsory certification.

Product Manual:

Applicable BIS Product Manual for IS 17514.

SIT:

Covers absorbency, material performance, construction, durability and other relevant product tests.

Required testing:

- Absorption capacity
- Absorption rate where specified
- Leakage performance
- Dimensions
- Fabric/material characteristics

- Colour fastness where specified
- pH where specified
- Washing/reuse performance
- Fastener performance
- Seam/construction quality
- Hygiene-related requirements
- Labelling and packaging

Manufacturing / quality requirements:

Controlled textile selection, cutting, stitching/assembly, absorbent-layer construction, finishing and hygiene controls are required.

Documents / certification requirements:

- BIS application
- Applicable IS
- Textile/material specifications
- Manufacturing process
- Washing/reuse test records
- Hygiene controls
- Laboratory facilities
- Calibration
- Product Manual/SIT
- Factory assessment

Marking requirements:

BIS Standard Mark / ISI Mark with prescribed product information, manufacturer details and licence identification.

Important exclusions:

Disposable sanitary napkins are covered separately by IS 5405:2019.

2026 special note:

The AI should recognize consumer terms such as "period underwear," "period panties," "reusable pad" and "cloth sanitary pad," but must verify the actual product construction before applying the standard.

Official BIS source:

BIS — Scheme-I (ISI Mark Scheme)

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

CHUNK 10

Product:

Shoe Covers

Description:

Shoe covers are textile or polymer-based protective coverings worn over footwear to reduce transfer of dirt, contaminants or biological material between environments.

They are used in medical, laboratory, industrial and controlled environments depending on their specification.

Applicable IS:

IS 17349:2020

Standard title:

Medical Textiles — Shoe Covers — Specification

Scope / applicability:

The standard specifies requirements for shoe covers intended for medical or related controlled-environment applications within its scope.

BIS certification:

Mandatory under the applicable Medical Textiles Quality Control framework.

Certification scheme:

Scheme-I — BIS Standard Mark / ISI Mark.

Applicable QCO:

Medical Textiles (Quality Control) Order, 2023 and subsequent amendments/orders listed by BIS.

Current status — August 2026:

BIS currently lists IS 17349:2020 under the Medical Textiles compulsory-certification category.

Product Manual:

Applicable BIS Product Manual for IS 17349.

SIT:

Product-specific testing covers material, construction, dimensions and performance requirements.

Required testing:

- Material characteristics
- Dimensions
- Seam/construction quality
- Tensile strength where specified

- Resistance to penetration where specified
- Fluid resistance where applicable
- Elastic/fastening performance
- Cleanliness/hygiene requirements
- Packaging
- Labelling
- Other standard-specific tests

Manufacturing / quality requirements:

Controlled material preparation, cutting, assembly, seam construction, elastic fitting and hygienic packaging are required.

Documents / certification requirements:

- BIS application
- Applicable IS
- Raw-material specifications
- Manufacturing-process details
- Quality-control plan
- Testing facilities
- Calibration
- Routine test records
- Product Manual/SIT
- Factory assessment

Marking requirements:

BIS Standard Mark / ISI Mark with prescribed product, manufacturer and licence information.

Important exclusions:

General-purpose shoe covers sold for ordinary household or non-medical applications may not automatically fall within the same BIS medical-textile requirements.

2026 special note:

The AI should identify the intended application. A "shoe cover" for a hospital, cleanroom or medical environment should not automatically be treated the same as a disposable household shoe cover.

Official BIS source:

BIS — Scheme-I (ISI Mark Scheme)

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

CHUNK 11

Product:

Surgical Gowns

Description:

Surgical gowns are protective medical garments worn by healthcare personnel during surgical and other procedures. They are designed to provide a barrier against fluids and contamination while allowing adequate movement and comfort.

Applicable IS:

IS 17362:2020

Standard title:

Medical Textiles — Surgical Gowns — Specification

Scope / applicability:

The standard specifies requirements for surgical gowns used in healthcare environments, including material, construction and protective-performance characteristics.

BIS certification:

Mandatory under the applicable Medical Textiles Quality Control framework where the product falls within the order's scope.

Certification scheme:

Scheme-I — BIS Standard Mark / ISI Mark.

Applicable QCO:

Medical Textiles (Quality Control) Order, 2023, with applicable amendments/orders.

Current status — August 2026:

BIS lists the surgical-gown standard within its Medical Textiles compulsory-certification material.

Product Manual:

Applicable BIS Product Manual for IS 17362.

SIT:

Covers material, construction and protective-performance testing, together with sampling and routine quality-control requirements.

Required testing:

- Fabric construction
- Basis weight
- Tensile strength
- Tear strength where specified

- Seam strength
- Resistance to penetration by liquids
- Hydrostatic pressure where specified
- Absorbency/wetting characteristics where specified
- Dimensional stability
- Colour fastness where applicable
- Sterility-related requirements where specifically claimed
- Other barrier-performance tests

Manufacturing / quality requirements:

Controlled textile selection, cutting, sewing, seam construction, finishing and hygienic packaging are required.

Documents / certification requirements:

- BIS application
- Applicable IS
- Raw-material specifications
- Fabric test reports
- Manufacturing-process details
- Quality-control plan
- Laboratory/testing capability
- Calibration
- Routine test records
- Product Manual/SIT
- Factory assessment

Marking requirements:

BIS Standard Mark / ISI Mark with prescribed product, size, manufacturer and licence information.

Important exclusions:

Surgical gowns should not be confused with ordinary hospital gowns, patient gowns or general protective clothing.

2026 special note:

The AI should ask whether the garment is intended for surgical/medical use before applying the medical-textile standard.

Official BIS source:

BIS — Scheme-I (ISI Mark Scheme)

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

CHUNK 12

Product:

Surgical Drapes

Description:

Surgical drapes are textile or nonwoven medical products used to isolate the operative field and reduce contamination during medical procedures. Their barrier performance, construction and cleanliness are important.

Applicable IS:

IS 17361:2020

Standard title:

Medical Textiles — Surgical Drapes — Specification

Scope / applicability:

The standard specifies requirements for surgical drapes intended for use in healthcare and surgical environments.

BIS certification:

Mandatory under the applicable Medical Textiles Quality Control framework where covered.

Certification scheme:

Scheme-I — BIS Standard Mark / ISI Mark.

Applicable QCO:

Medical Textiles (Quality Control) Order, 2023, with applicable amendments/orders.

Current status — August 2026:

BIS lists the standard under Medical Textiles compulsory certification.

Product Manual:

Applicable BIS Product Manual for IS 17361.

SIT:

Product-specific sampling and performance testing.

Required testing:

- Material characteristics
- Basis weight
- Tensile strength
- Tear strength
- Seam strength
- Resistance to liquid penetration

- Hydrostatic pressure where specified
- Absorbency/wetting characteristics where specified
- Dimensions
- Construction
- Linting/cleanliness where specified
- Other barrier-performance requirements

Manufacturing / quality requirements:

Controlled fabric/nonwoven production, cutting, joining, finishing, folding and hygienic packaging are required.

Documents / certification requirements:

- BIS application
- Applicable IS
- Material specifications
- Manufacturing process
- Quality-control plan
- Test facilities
- Calibration records
- Test reports
- Product Manual/SIT
- Factory assessment

Marking requirements:

BIS Standard Mark / ISI Mark with prescribed product and manufacturer information.

Important exclusions:

Surgical drapes are different from ordinary hospital bed sheets, curtains and general-purpose textile coverings.

2026 special note:

The AI should distinguish reusable surgical drapes from disposable surgical drapes and identify the actual product construction and intended use.

Official BIS source:

BIS — Scheme-I (ISI Mark Scheme)

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

CHUNK 13

Product:

Medical Masks

Description:

Medical masks are protective face coverings intended for healthcare and medical environments. Their filtration, breathability, fluid resistance and construction characteristics are important for their intended level of protection.

Applicable IS:

IS 16289:2014

Standard title:

Medical Textiles — Surgical Masks — Specification

Scope / applicability:

The standard covers surgical masks intended for medical use and specifies relevant material and performance characteristics.

BIS certification:

Mandatory under the applicable Medical Textiles Quality Control framework where covered.

Certification scheme:

Scheme-I — BIS Standard Mark / ISI Mark.

Applicable QCO:

Medical Textiles (Quality Control) Order, 2023, with applicable amendments/orders.

Current status — August 2026:

BIS lists IS 16289:2014 within its Medical Textiles compulsory-certification material.

Product Manual:

Applicable BIS Product Manual for IS 16289.

SIT:

Covers material, construction and performance testing.

Required testing:

- Bacterial filtration efficiency where specified
- Differential pressure/breathability
- Splash/fluid resistance where specified
- Microbial cleanliness
- Dimensions
- Material construction
- Strap/tie strength
- Biocompatibility-related requirements where specified
- Other performance parameters

Manufacturing / quality requirements:

Controlled nonwoven material production/selection, cutting, mask assembly, nose-piece and tie/ear-loop attachment, inspection and hygienic packaging are required.

Documents / certification requirements:

- BIS application
- Applicable IS
- Material specifications
- Manufacturing-process details
- Performance test reports
- Quality-control plan
- Calibration
- Routine test records
- Product Manual/SIT
- Factory assessment

Marking requirements:

BIS Standard Mark / ISI Mark with prescribed product, manufacturer and licence information.

Important exclusions:

Respiratory protective devices such as N95-type respirators are not automatically equivalent to surgical masks.

2026 special note:

The AI should distinguish a ****surgical/medical mask**** from a ****respirator**** and from a general cloth face covering.

Official BIS source:

BIS — Scheme-I (ISI Mark Scheme)

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

CHUNK 14

Product:

Hospital Bed Sheets

Description:

Hospital bed sheets are textile products used on patient beds in healthcare facilities. They require appropriate fabric construction, dimensional stability, durability, cleanliness and, where specified, hygiene-related characteristics.

Applicable IS:

Product-specific BIS standard requires verification according to the exact hospital-textile category.

Standard / classification:

The applicable IS depends on whether the product is a bed sheet, draw sheet, protective sheet or another healthcare textile.

BIS certification:

Mandatory only where the exact product is covered by the applicable Medical Textiles QCO.

Certification scheme:

Scheme-I where compulsory certification applies.

Applicable QCO:

Medical Textiles (Quality Control) Order, 2023 and applicable amendments/orders.

Current status — August 2026:

Exact IS and compulsory scope require verification for the particular hospital textile.

Product Manual:

To be identified after confirming the applicable standard.

SIT:

Product-specific textile and performance testing.

Required testing:

- Fabric construction
- Fibre composition
- Mass per unit area
- Tensile strength
- Tear strength
- Seam strength
- Dimensional stability
- Shrinkage
- Colour fastness
- Washing durability
- Absorbency where specified
- Other hygiene/performance requirements

Manufacturing / quality requirements:

Controlled fibre/yarn selection, weaving/knitting, bleaching/dyeing, finishing, cutting and stitching are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Fibre/yarn information
- Fabric specifications
- Manufacturing process
- Test reports
- Calibration
- Quality-control records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified, together with prescribed product information.

Important exclusions:

Ordinary household bed sheets are not automatically medical textiles simply because they are supplied to a hospital.

2026 special note:

The AI must determine whether the product is a **medical textile specifically covered by BIS** or an ordinary textile supplied to a healthcare facility.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 15

Product:

Hospital Blankets

Description:

Hospital blankets are textile coverings used to provide warmth and comfort to patients in healthcare facilities. Depending on their classification, they may require specific fabric, durability and hygiene characteristics.

Applicable IS:

Product-specific BIS standard requires verification.

Standard / classification:

The applicable standard depends on the exact medical-textile blanket specification and intended use.

BIS certification:

Mandatory only where the product is specifically covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Medical Textiles (Quality Control) Order, 2023 and applicable amendments/orders where the product is covered.

Current status — August 2026:

Exact IS and compulsory status require verification.

Product Manual:

To be identified after confirming the applicable standard.

SIT:

Product-specific textile and performance testing.

Required testing:

- Fibre composition
- Fabric construction
- Mass per unit area
- Tensile strength
- Tear strength
- Dimensional stability
- Shrinkage
- Colour fastness
- Washing durability
- Seam strength
- Thermal/covering characteristics where specified
- Hygiene-related requirements where applicable

Manufacturing / quality requirements:

Controlled yarn/fibre selection, weaving/knitting, dyeing/finishing, cutting and stitching are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Raw-material specifications

- Manufacturing-process details
- Test facilities
- Calibration
- Test records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

General household blankets and quilts are not automatically medical textiles.

2026 special note:

The AI should ask whether the blanket is a **specific medical textile covered by BIS** or simply an ordinary blanket purchased by a hospital.

Official BIS source:

BIS — Scheme-I (ISI Mark Scheme)

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

CHUNK 16

Product:

Mosquito Nets

Description:

Mosquito nets are textile mesh products designed to physically prevent mosquitoes and other insects from reaching people while sleeping or resting. They may be untreated or treated with insecticidal substances depending on their intended application.

Applicable IS:

IS 9886:1981

Standard title:

Mosquito Nets — Specification

Scope / applicability:

The standard covers mosquito nets of the specified textile construction and dimensions.

BIS certification:

Compulsory certification status must be checked against the current QCO and exact product category.

Certification scheme:

Scheme-I where compulsory certification applies.

Applicable QCO:

Current BIS/QCO requirements applicable to mosquito nets.

Current status — August 2026:

The existence of the Indian Standard does not by itself establish that every mosquito net currently requires BIS certification.

Product Manual:

To be identified if the product is within the applicable compulsory certification scheme.

SIT:

Sampling and testing according to the applicable BIS scheme.

Required testing:

- Fabric construction
- Mesh dimensions
- Dimensions
- Fibre composition
- Mass per unit area
- Tensile strength
- Tear strength
- Seam strength
- Colour fastness
- Dimensional stability
- Insecticidal performance where specifically applicable
- Other standard-specific characteristics

Manufacturing / quality requirements:

Controlled weaving/knitting, mesh formation, cutting, stitching, finishing and packaging are required.

Documents / certification requirements:

- Applicable BIS application where mandatory
- Indian Standard
- Material specifications
- Manufacturing-process details
- Test reports

- Calibration
- Quality-control records
- Product Manual/SIT where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Insecticide-treated mosquito nets can have additional regulatory requirements beyond the textile standard.

2026 special note:

The AI should distinguish an ordinary household mosquito net from an insecticide-treated public-health mosquito net.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 17

Product:

Cotton Yarn

Description:

Cotton yarn is produced by spinning cotton fibres into yarn and is one of the most widely used textile inputs in India. It is used for weaving, knitting, sewing and production of apparel and home textiles.

Applicable IS:

Product-specific BIS standard depends on yarn type, count and intended application.

Standard / classification:

Exact IS must be selected according to the yarn construction, count, fibre characteristics and intended use.

BIS certification:

Mandatory only where the exact cotton-yarn category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Applicable textile QCO, if the exact product is included.

Current status — August 2026:

Exact compulsory scope requires verification.

Product Manual:

To be identified for the applicable cotton-yarn standard.

SIT:

Product-specific sampling and testing.

Required testing:

- Yarn count/linear density
- Count variation

- Twist
- Tenacity
- Elongation
- Unevenness
- Imperfections
- Hairiness where specified
- Fibre composition
- Moisture regain where specified
- Appearance
- Other yarn-specific parameters

Manufacturing / quality requirements:

Controlled fibre opening, carding, combing where applicable, drawing, roving, spinning, winding and packaging are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Fibre/raw-material details
- Yarn specification
- Manufacturing process
- Laboratory facilities
- Calibration
- Routine test records
- Product Manual/SIT where applicable
- Factory assessment

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Blended yarns, recycled-fibre yarns and specialized industrial cotton yarns may have different standards.

2026 special note:

The AI should ask for yarn type and count rather than treating all cotton yarn as one BIS category.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 18

Product:

Cotton Fabrics

Description:

Cotton fabrics are woven or knitted textile materials made wholly or partly from cotton fibres. They are widely used in apparel, household textiles, institutional textiles and industrial applications.

Applicable IS:

Product-specific BIS standard depends on fabric construction and intended use.

Standard / classification:

The exact IS depends on weave/knit, fibre composition, fabric weight, application and performance requirements.

BIS certification:

Mandatory only where the particular fabric category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Applicable textile QCO where the exact product is covered.

Current status — August 2026:

Exact standard and compulsory status require verification.

Product Manual:

To be identified after confirming the fabric category.

SIT:

Product-specific fabric testing.

Required testing:

- Fibre composition
- Fabric construction
- Ends and picks / stitch density
- Mass per unit area
- Width
- Tensile strength
- Tear strength
- Shrinkage

- Dimensional stability
- Colour fastness
- Seam/slippage properties where applicable
- Abrasion where specified
- Other performance characteristics

Manufacturing / quality requirements:

Controlled yarn selection, weaving/knitting, dyeing, printing and finishing processes are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Fibre/yarn information
- Fabric specification
- Manufacturing process
- Laboratory test reports
- Calibration
- Quality-control records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

A generic cotton fabric is not automatically subject to BIS certification merely because it is made from cotton.

2026 special note:

The AI should identify the exact fabric type and intended use before determining BIS requirements.

Official BIS source:

BIS — Scheme-I (ISI Mark Scheme)

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

CHUNK 19

Product:

Polyester Fabric

Description:

Polyester fabric is a textile material made from polyester fibres or yarns and is used extensively in apparel, furnishings, industrial textiles and technical applications. Its properties depend on yarn construction, weave/knit and finishing.

Applicable IS:

Product-specific BIS standard depends on fabric type and application.

Standard / classification:

The applicable IS must be identified according to fibre form, fabric construction, weight and intended use.

BIS certification:

Mandatory only where the exact polyester-fabric category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Applicable textile QCO where the exact product is included.

Current status — August 2026:

Exact standard and compulsory scope require verification.

Product Manual:

To be identified for the exact polyester-fabric category.

SIT:

Product-specific textile testing.

Required testing:

- Fibre composition
- Fabric construction
- Mass per unit area
- Width
- Tensile strength
- Tear strength
- Dimensional stability
- Shrinkage
- Colour fastness
- Abrasion resistance where specified
- Pilling where specified
- Seam performance where applicable
- Other standard-specific tests

Manufacturing / quality requirements:

Controlled yarn selection, weaving/knitting, dyeing, printing, heat setting and finishing are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Fibre/yarn specifications
- Manufacturing process
- Test reports
- Calibration
- QC records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Polyester industrial fabrics and medical textiles can have separate product standards.

2026 special note:

The AI should distinguish ordinary polyester apparel fabric from technical/industrial or medical polyester textile products.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 20

Product:

Textile Floor Coverings / Carpets

Description:

Textile floor coverings include carpets and other textile products designed to cover floors and provide comfort, insulation and decorative value. Their fibre composition, construction, durability and dimensional characteristics vary significantly.

Applicable IS:

Product-specific BIS standard depends on the carpet/floor-covering type.

Standard / classification:

Exact IS must be selected according to fibre material, construction, pile type and intended application.

BIS certification:

Mandatory only where the exact floor-covering category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Applicable textile-product QCO where the exact product is covered.

Current status — August 2026:

Exact standard and compulsory status require verification.

Product Manual:

To be identified for the applicable carpet/floor-covering standard.

SIT:

Product-specific physical, dimensional and performance testing.

Required testing:

- Fibre composition
- Construction
- Mass per unit area
- Pile height where applicable
- Thickness
- Dimensions
- Colour fastness
- Abrasion resistance
- Flammability where specified
- Dimensional stability
- Tuft/pile retention where applicable
- Other performance requirements

Manufacturing / quality requirements:

Controlled yarn/fibre preparation, tufting/weaving/needle punching, backing, dyeing and finishing processes are required.

Documents / certification requirements:

- BIS application where applicable

- Applicable IS
- Fibre/material specifications
- Manufacturing process
- Laboratory test reports
- Calibration
- Quality-control records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Handmade carpets, machine-made carpets, rugs, mats and specialized fire-resistant floor coverings may have different specifications.

2026 special note:

The AI should identify the construction and material before determining the relevant BIS standard. "Carpet" alone is not sufficient for a definitive compliance answer.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 21

Product:

Protective Clothing for Industrial Use

Description:

Protective clothing is designed to reduce exposure of workers to specified workplace hazards such as chemicals, heat, mechanical risks or contaminated environments. The required construction and performance depend heavily on the hazard for which the garment is designed.

Applicable IS:

Product-specific IS depends on the hazard category and type of protective garment.

Standard / classification:

The applicable standard must be selected according to whether the garment provides chemical, heat, flame, mechanical, electrical or other protection.

BIS certification:

Mandatory only where the specific protective-clothing product is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where compulsory certification applies.

Applicable QCO:

Relevant textile/PPE QCO or other applicable BIS compulsory-certification order.

Current status — August 2026:

Exact BIS applicability must be established from the product's intended hazard and applicable QCO.

Product Manual:

To be identified for the exact protective-clothing standard.

SIT:

Testing depends on the claimed protection.

Required testing:

- Fabric composition
- Tensile strength
- Tear strength
- Seam strength
- Dimensional stability
- Abrasion resistance
- Flame resistance where applicable
- Heat resistance where applicable
- Chemical penetration/permeation where applicable
- Liquid penetration where applicable
- Other hazard-specific tests

Manufacturing / quality requirements:

Controlled textile selection, garment construction, seams, closures, finishing and quality inspection are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Hazard/protection classification
- Material specifications
- Manufacturing process
- Performance test reports
- Calibration
- Quality-control records
- Product Manual/SIT where applicable
- Factory assessment

Marking requirements:

BIS Standard Mark only where applicable and certified, together with required protection classification and manufacturer identification.

Important exclusions:

Ordinary uniforms, workwear and industrial clothing without a specified protective claim are not automatically protective PPE.

2026 special note:

The AI must first identify the ****hazard**** before selecting a standard. "Protective clothing" is too broad to map directly to one IS.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 22

Product:

High Visibility Warning Clothing

Description:

High-visibility clothing is designed to make workers more conspicuous in traffic, construction, roadwork and other low-visibility environments. It generally uses fluorescent and retroreflective materials to improve visual recognition.

Applicable IS:

Product-specific standard depends on the type and performance classification of the high-visibility garment.

Standard / classification:

The applicable IS must be identified according to garment type, background material and retroreflective performance.

BIS certification:

Mandatory only if the exact product is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant BIS textile/PPE QCO where applicable.

Current status — August 2026:

Exact compulsory status and applicable standard require verification.

Product Manual:

To be identified for the exact high-visibility clothing standard.

SIT:

Visibility, material and garment-performance testing.

Required testing:

- Fluorescent material performance
- Retroreflective performance
- Colour requirements
- Wash durability

- Dimensional stability
- Tensile strength
- Tear strength
- Seam strength
- Garment configuration
- Reflective-band dimensions
- Other visibility requirements

Manufacturing / quality requirements:

Controlled selection and placement of fluorescent and retroreflective materials, garment assembly and inspection are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Material specifications
- Reflective-material test reports
- Manufacturing process
- Wash-durability records
- Calibration
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable, with prescribed garment/protection classification and manufacturer information.

Important exclusions:

Ordinary coloured work shirts or jackets are not automatically high-visibility PPE.

2026 special note:

The AI should identify whether the garment has a ****formal high-visibility performance claim**** rather than assuming any fluorescent garment qualifies.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 23

Product:

Flame-Resistant Protective Clothing

Description:

Flame-resistant clothing is designed to reduce the risk of ignition, flame spread and heat exposure in specified work environments. It is used in industries such as welding, foundries, oil and gas, electrical work and firefighting-related applications depending on the garment specification.

Applicable IS:

Product-specific IS depends on the exact flame/heat hazard and garment category.

Standard / classification:

The applicable standard must be selected according to the claimed protection, garment construction and exposure conditions.

BIS certification:

Mandatory only where the exact product is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant BIS textile/PPE QCO where applicable.

Current status — August 2026:

Exact compulsory scope requires verification.

Product Manual:

To be identified for the applicable protective-clothing standard.

SIT:

Flame, heat, fabric and garment-performance testing.

Required testing:

- Flame resistance
- Limited flame spread
- Heat resistance
- Thermal performance where specified
- Tensile strength
- Tear strength
- Seam strength
- Dimensional stability
- Shrinkage
- Colour fastness
- Durability after washing
- Other hazard-specific tests

Manufacturing / quality requirements:

Controlled fibre/material selection, flame-resistant finishing where applicable, garment construction and seam control are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Protection classification
- Material specifications
- Flame-performance test reports
- Washing/durability records
- Manufacturing process
- Calibration
- Product Manual/SIT
- Factory assessment

Marking requirements:

BIS Standard Mark only where applicable and certified, along with required protection classification.

Important exclusions:

Ordinary cotton workwear is not automatically flame-resistant protective clothing.

2026 special note:

A flame-retardant finish and an inherently flame-resistant fibre are not necessarily equivalent. The AI should identify the actual claimed protection and test basis.

Official BIS source:

BIS — Products Under Compulsory Certification

CHUNK 24

Product:

Industrial Safety Gloves — Textile/Leather

Description:

Industrial safety gloves protect workers' hands from hazards such as abrasion, cuts, heat, chemicals or mechanical impact. Textile and leather gloves may provide different levels of protection depending on material and construction.

Applicable IS:

Product-specific IS depends on the hazard and glove type.

Standard / classification:

The applicable standard must be selected according to the claimed protection, material and application.

BIS certification:

Mandatory only where the exact safety-glove category is covered by compulsory BIS certification.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant BIS PPE/textile/leather QCO where applicable.

Current status — August 2026:

Exact compulsory scope requires verification.

Product Manual:

To be identified for the applicable glove standard.

SIT:

Hazard-specific performance testing.

Required testing:

- Material composition
- Tensile strength
- Tear strength
- Abrasion resistance
- Cut resistance where applicable
- Puncture resistance where applicable
- Heat resistance where applicable
- Chemical resistance where applicable
- Seam strength
- Dexterity where specified
- Dimensional requirements

Manufacturing / quality requirements:

Controlled material selection, cutting, stitching, coating/finishing where applicable and inspection are required.

Documents / certification requirements:

- BIS application where applicable

- Applicable IS
- Protection classification
- Material specifications
- Performance test reports
- Manufacturing process
- Calibration
- Quality-control records
- Product Manual/SIT
- Factory assessment

Marking requirements:

BIS Standard Mark only where applicable and certified, with prescribed protection information.

Important exclusions:

General household gloves and fashion leather gloves are not automatically industrial safety gloves.

2026 special note:

The AI should ask ****what hazard the glove protects against**** before identifying the applicable standard.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 25

Product:

Leather Safety Footwear

Description:

Leather safety footwear is designed to protect workers' feet against specified occupational hazards. Depending on construction, it may include protective toe caps, penetration resistance, slip resistance, electrical protection or other safety features.

Applicable IS:

IS 15298 series / applicable current part for the specific safety-footwear category.

Standard / classification:

The applicable part depends on general requirements, test methods and the specific type of safety/protective/occupational footwear.

BIS certification:

Mandatory where the product falls within the applicable compulsory BIS certification framework.

Certification scheme:

Scheme-I — BIS Standard Mark / ISI Mark where applicable.

Applicable QCO:

Footwear (Quality Control) Order, 2024, as amended, where the exact product is covered.

Current status — August 2026:

The current footwear QCO framework covers specified footwear categories. Exact applicability must be matched to the construction and intended use.

Product Manual:

Applicable BIS Product Manual for the relevant IS 15298 part.

SIT:

Footwear performance, material and component testing.

Required testing:

- Upper material
- Sole material
- Sole adhesion
- Flexing resistance
- Abrasion resistance
- Slip resistance where specified
- Toe-cap performance where applicable
- Penetration resistance where applicable
- Bond strength
- Water resistance where specified
- Dimensions
- Construction
- Other footwear-specific tests

Manufacturing / quality requirements:

Controlled leather/material selection, cutting, stitching, lasting, sole attachment, finishing and final inspection are required.

Documents / certification requirements:

- BIS application
- Applicable IS 15298 part
- Footwear construction details
- Material specifications

- Component specifications
- Test reports
- Calibration
- Product Manual/SIT
- Factory assessment

Marking requirements:

BIS Standard Mark / ISI Mark where mandatory, with prescribed footwear identification, size and manufacturer/licence information.

Important exclusions:

Ordinary leather shoes, formal shoes and fashion footwear are not automatically safety footwear.

2026 special note:

The AI should identify the ****safety function**** and construction before deciding which IS 15298 requirements apply.

Official BIS source:

BIS — Footwear under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 26

Product:

Leather Uppers for Footwear

Description:

Leather uppers are the upper components of footwear manufactured from leather and used in shoes, boots and other footwear. Their thickness, strength, flexing behaviour and finish affect the durability and appearance of the final product.

Applicable IS:

Product-specific standard depends on the leather type and footwear category.

Standard / classification:

Exact IS must be identified according to upper-leather type, thickness, tanning method and intended footwear application.

BIS certification:

Mandatory only where the exact footwear/leather product is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Footwear (Quality Control) Order, 2024, as amended, where applicable to the specified footwear component/category.

Current status — August 2026:

Exact compulsory scope requires product-specific verification.

Product Manual:

To be identified for the applicable footwear/leather standard.

SIT:

Leather physical and performance testing.

Required testing:

- Leather thickness
- Tensile strength
- Tear strength
- Flexing resistance
- Finish adhesion where specified
- Colour fastness
- Water resistance where specified
- Grain characteristics
- Abrasion resistance where specified
- Stitching/processing characteristics where applicable

Manufacturing / quality requirements:

Controlled hide selection, tanning, dyeing, finishing, splitting, cutting and inspection are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Leather type
- Tanning/process details
- Material specifications
- Test reports
- Calibration
- Quality-control records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Finished footwear and raw hides are different products and must not be automatically mapped to a leather-upper standard.

2026 special note:

The AI should determine whether the user is asking about **raw hide, finished leather, footwear upper or finished footwear**, because each can have different requirements.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 27

Product:

Leather Shoe Soles

Description:

Leather soles are footwear components manufactured from leather and used as the bottom construction of certain shoes and traditional footwear. Their thickness, abrasion performance, flexing characteristics and construction suitability are important.

Applicable IS:

Product-specific footwear/leather standard.

Standard / classification:

Exact IS must be identified according to sole material, construction and footwear type.

BIS certification:

Mandatory only where the exact product is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Footwear (Quality Control) Order, 2024, as amended, where the exact product category is covered.

Current status — August 2026:

Exact compulsory scope requires verification.

Product Manual:

To be identified for the relevant footwear-component standard.

SIT:

Physical and footwear-performance testing.

Required testing:

- Thickness
- Tensile strength
- Tear strength
- Flexing resistance
- Abrasion resistance

- Water absorption where specified
- Water resistance where specified
- Hardness where specified
- Surface quality
- Dimensional requirements

Manufacturing / quality requirements:

Controlled tanning, cutting, splitting, finishing and sole preparation processes are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Leather specifications
- Manufacturing-process details
- Test reports
- Calibration
- Product Manual/SIT where applicable
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Rubber, PVC, PU and EVA footwear soles are different material categories and may have separate standards.

2026 special note:

The AI should identify the ****sole material**** before selecting the standard. A shoe sole is not automatically a leather product.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 28

Product:

Finished Leather

Description:

Finished leather is animal hide or skin that has undergone tanning and subsequent finishing processes to obtain desired appearance, flexibility, strength and durability. It is used in footwear, bags, furniture, garments and industrial applications.

Applicable IS:

Product-specific BIS standard depends on leather type and intended application.

Standard / classification:

Exact IS must be identified according to animal origin, tanning method, finish and end use.

BIS certification:

Mandatory only where the exact finished-leather category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant leather/footwear QCO where the exact product is covered.

Current status — August 2026:

Exact compulsory scope requires product-specific verification.

Product Manual:

To be identified for the applicable leather standard.

SIT:

Physical, chemical and performance testing.

Required testing:

- Leather thickness
- Tensile strength
- Tear strength
- Flexing resistance
- Abrasion resistance
- Water resistance/absorption where specified
- pH
- Colour fastness
- Finish adhesion
- Grain characteristics
- Chemical characteristics
- Other end-use-specific requirements

Manufacturing / quality requirements:

Controlled curing, soaking, liming, tanning, dyeing, fatliquoring, drying, finishing and inspection processes are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Animal/material classification
- Tanning-process information
- Chemical specifications
- Laboratory test reports
- Calibration
- Quality-control records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Raw hides and skins, synthetic leather and finished leather footwear are separate categories.

2026 special note:

The AI must distinguish **genuine leather, synthetic/artificial leather and coated textile materials** before providing BIS information.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 29

Product:

Leather Gloves

Description:

Leather gloves are protective or general-use hand coverings made from animal leather. Depending on their construction and intended use, they may be used for industrial handling, welding, general work or ordinary consumer purposes.

Applicable IS:

Product-specific standard depends on glove type and intended application.

Standard / classification:

The applicable IS must be identified according to whether the gloves are industrial protective gloves, welding gloves or general-purpose leather gloves.

BIS certification:

Mandatory only where the exact product category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant footwear/leather/PPE QCO where the exact product is covered.

Current status — August 2026:

Exact compulsory scope requires verification.

Product Manual:

To be identified for the applicable leather-glove standard.

SIT:

Material and performance testing based on intended protection.

Required testing:

- Leather thickness
- Tensile strength
- Tear strength
- Seam strength
- Flexing resistance
- Abrasion resistance
- Heat resistance where applicable
- Cut/puncture resistance where applicable
- Chemical resistance where applicable
- Dimensional requirements

Manufacturing / quality requirements:

Controlled leather selection, cutting, stitching, reinforcement, finishing and inspection are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Glove type
- Material specification

- Manufacturing process
- Performance test reports
- Calibration
- QC records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified, with applicable protection classification and manufacturer identification.

Important exclusions:

Fashion gloves and ordinary leather gloves are not automatically industrial safety gloves.

2026 special note:

The AI should first establish whether the glove is being sold as ****protective PPE**** or simply as a consumer leather accessory.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 30

Product:

Leather Belts and Leather Accessories

Description:

Leather belts and similar accessories are consumer products manufactured from leather or leather-like materials. Requirements can vary considerably depending on whether the material is genuine leather, synthetic leather or coated textile.

Applicable IS:

Product-specific standard requires verification according to the exact accessory and material.

Standard / classification:

The applicable IS depends on product construction, leather/material type and intended application.

BIS certification:

Mandatory only where the exact product is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant BIS leather/footwear QCO only where the exact product category is included.

Current status — August 2026:

A generic leather belt should not automatically be assumed to require BIS certification.

Product Manual:

To be identified only after establishing the applicable compulsory standard.

SIT:

Where covered, testing may include material, physical and durability characteristics.

Required testing:

- Material identification
- Leather thickness
- Tensile strength
- Tear strength
- Flexing/durability
- Colour fastness
- Finish adhesion where specified
- Buckle/fastener performance where applicable
- Dimensional requirements
- Chemical requirements where specified

Manufacturing / quality requirements:

Controlled leather/material selection, cutting, edge finishing, stitching, buckle attachment and final inspection are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Material specification
- Manufacturing process
- Test reports
- Calibration
- QC records
- Product Manual/SIT where applicable
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where the product is covered and certified.

Important exclusions:

Synthetic leather belts, textile belts and fashion accessories may not fall under the same requirements.

2026 special note:

The AI should never tell a consumer that "all leather belts need BIS" without first establishing that the product is within a compulsory BIS category.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 31

Product:

Protective Gloves for Medical Use

Description:

Medical protective gloves are hand coverings used to reduce contamination and exposure during healthcare procedures. Depending on their intended use, they may be examination gloves, surgical gloves or other specialized medical gloves.

Applicable IS:

Product-specific standard depends on the glove type and intended medical application.

Standard / classification:

The exact IS must be selected according to whether the glove is surgical, examination, reusable or intended for another medical purpose.

BIS certification:

Mandatory where the exact medical-textile product is covered by the applicable compulsory BIS requirement.

Certification scheme:

Scheme-I — BIS Standard Mark / ISI Mark where applicable.

Applicable QCO:

Medical Textiles (Quality Control) Order, 2023 and applicable amendments/orders.

Current status — August 2026:

Exact applicability must be checked against the current BIS compulsory-certification list and the specific glove category.

Product Manual:

To be identified for the applicable medical-glove standard.

SIT:

Covers material, physical, dimensional, barrier and other product-specific testing.

Required testing:

- Material composition
- Dimensions
- Tensile strength
- Elongation
- Freedom from holes where applicable

- Liquid-tightness
- Barrier performance
- Surface characteristics
- Biocompatibility-related requirements where specified
- Cleanliness
- Packaging
- Labelling

Manufacturing / quality requirements:

Controlled raw materials, forming, curing, washing, finishing, inspection and hygienic packaging are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Raw-material specifications
- Manufacturing process
- Quality-control plan
- Laboratory test reports
- Calibration
- Routine test records
- Product Manual/SIT
- Factory assessment

Marking requirements:

BIS Standard Mark / ISI Mark only where applicable and certified, together with prescribed product and manufacturer identification.

Important exclusions:

Household rubber gloves, industrial leather gloves and general-purpose protective gloves are not automatically medical gloves.

2026 special note:

The AI should first establish whether the glove is intended for **surgery, examination, cleaning or industrial protection** before identifying the relevant standard.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 32

Product:

Surgical Caps / Head Covers

Description:

Surgical caps and head covers are medical textile products intended to cover the head and hair of healthcare personnel during procedures. They help control contamination and maintain hygienic conditions in controlled medical environments.

Applicable IS:

Product-specific medical-textile standard requires verification.

Standard / classification:

The applicable IS depends on the exact construction, reusable/disposable nature and intended medical use.

BIS certification:

Mandatory only where the exact product is included in the applicable Medical Textiles QCO.

Certification scheme:

Scheme-I where compulsory certification applies.

Applicable QCO:

Medical Textiles (Quality Control) Order, 2023 and applicable amendments/orders.

Current status — August 2026:

Exact standard and compulsory status require product-specific verification.

Product Manual:

To be identified after confirming the exact medical head-cover standard.

SIT:

Material, construction, cleanliness and performance testing as specified.

Required testing:

- Fabric/nonwoven construction
- Basis weight
- Dimensions
- Tensile strength
- Seam strength
- Linting where specified
- Cleanliness
- Colour fastness where applicable
- Elastic/fastener performance
- Other medical-textile requirements

Manufacturing / quality requirements:

Controlled material selection, cutting, assembly, elastic attachment, finishing and hygienic packaging are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Material specifications
- Manufacturing-process details
- Hygiene procedures
- Test reports
- Calibration
- QC records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Ordinary caps, hair nets and fashion head coverings are not automatically medical textiles.

2026 special note:

The AI should distinguish a medical surgical head cover from a general-purpose hair net or disposable cap.

Official BIS source:

BIS — Products Under Compulsory Certification

CHUNK 33

Product:

Surgical Face Masks

Description:

Surgical face masks are medical textile products designed to reduce the transmission of droplets and protect the wearer and surrounding environment during medical procedures. Filtration, breathability and fluid resistance are important performance characteristics.

Applicable IS:

IS 16289:2014

Standard title:

Medical Textiles — Surgical Masks — Specification

Scope / applicability:

The standard specifies requirements for surgical masks intended for use in medical environments.

BIS certification:

Mandatory under the applicable Medical Textiles Quality Control framework.

Certification scheme:

Scheme-I — BIS Standard Mark / ISI Mark.

Applicable QCO:

Medical Textiles (Quality Control) Order, 2023 and applicable amendments/orders.

Current status — August 2026:

BIS lists IS 16289 under Medical Textiles compulsory certification.

Product Manual:

Applicable BIS Product Manual for IS 16289.

SIT:

Sampling and testing cover material and performance characteristics.

Required testing:

- Bacterial filtration efficiency
- Differential pressure/breathability
- Splash resistance where specified
- Microbial cleanliness
- Dimensions
- Strap/tie strength
- Material construction
- Fluid resistance
- Other standard-specific requirements

Manufacturing / quality requirements:

Controlled nonwoven selection, cutting, mask assembly, attachment of ties/loops and hygienic packaging are required.

Documents / certification requirements:

- BIS application
- Applicable IS
- Raw-material specifications
- Manufacturing process
- Laboratory reports
- Calibration
- Routine test records
- Product Manual/SIT
- Factory assessment

Marking requirements:

BIS Standard Mark / ISI Mark with prescribed product and manufacturer/licence details.

Important exclusions:

Respirators, particulate-filtering masks and industrial dust masks may be governed by different standards.

2026 special note:

The AI should distinguish ****surgical mask****, ****medical mask**** and ****respirator**** rather than treating all face coverings as equivalent.

Official BIS source:

BIS — Scheme-I (ISI Mark Scheme)

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

Product:

Patient Gowns

Description:

Patient gowns are garments worn by patients in healthcare settings for comfort, modesty and hygienic management during examination, treatment and hospitalization. Their requirements depend on whether they are ordinary patient clothing or a specialized protective medical textile.

Applicable IS:

Product-specific standard requires verification.

Standard / classification:

The applicable IS depends on the intended medical use and whether the gown provides a defined protective barrier.

BIS certification:

Mandatory only where the exact product is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Medical Textiles (Quality Control) Order, 2023 where the exact product is covered.

Current status — August 2026:

Exact compulsory status requires product-specific verification.

Product Manual:

To be identified after confirming the applicable medical-textile standard.

SIT:

Textile and garment-performance testing according to the applicable standard.

Required testing:

- Fibre composition
- Fabric construction
- Mass per unit area
- Tensile strength
- Tear strength
- Seam strength
- Dimensional stability
- Shrinkage
- Colour fastness
- Washing durability
- Barrier performance where claimed
- Other application-specific requirements

Manufacturing / quality requirements:

Controlled fabric selection, cutting, stitching, seam construction, closures and finishing are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Material specifications
- Manufacturing process
- Test reports

- Calibration
- QC records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Ordinary hospital patient gowns are not automatically equivalent to surgical gowns or protective gowns.

2026 special note:

The AI should ask whether the gown is intended simply for patient clothing or is claimed as a protective/surgical barrier garment.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 35

Product:

Hospital Curtains

Description:

Hospital curtains are textile products used to separate patient areas and provide privacy in healthcare facilities. Depending on their construction and intended use,

they may also require specific hygiene, flame-resistance or antimicrobial characteristics.

Applicable IS:

Product-specific medical-textile standard requires verification.

Standard / classification:

The exact IS depends on whether the curtain is a general privacy curtain, specialized medical curtain or a curtain with additional performance claims.

BIS certification:

Mandatory only where the exact product is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Medical Textiles (Quality Control) Order, 2023 where the exact product is included.

Current status — August 2026:

Exact compulsory scope requires verification.

Product Manual:

To be identified for the applicable hospital-textile standard.

SIT:

Material, construction and performance testing according to the applicable standard.

Required testing:

- Fibre composition
- Fabric construction
- Mass per unit area
- Tensile strength
- Tear strength
- Seam strength
- Dimensional stability
- Colour fastness
- Flammability where specified
- Washing durability
- Antimicrobial performance where specifically claimed
- Other medical-textile requirements

Manufacturing / quality requirements:

Controlled weaving/knitting, dyeing, finishing, cutting and assembly are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Material specifications
- Manufacturing process
- Performance-test reports
- Calibration
- QC records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Ordinary household curtains and decorative curtains supplied to hospitals are not automatically medical textiles.

2026 special note:

The AI should distinguish a ****hospital privacy curtain**** from a generic curtain used inside a hospital building.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 36

Product:

Cotton Towels

Description:

Cotton towels are absorbent textile products commonly used for bathing, hand drying, healthcare and household purposes. Their absorbency, fabric construction, dimensional stability and colour fastness are key quality characteristics.

Applicable IS:

IS 7056:1973

Standard title:

Cotton Terry Towels — Specification

Scope / applicability:

The standard specifies requirements for cotton terry towels, including relevant construction and performance characteristics.

BIS certification:

The existence of an Indian Standard does not by itself mean every cotton towel currently requires compulsory BIS certification.

Certification scheme:

Scheme-I where compulsory certification applies.

Applicable QCO:

Relevant textile QCO only if the exact product is included.

Current status — August 2026:

The product standard exists, but compulsory-certification status must be verified against the current QCO before advising a manufacturer that an ISI licence is mandatory.

Product Manual:

To be identified if the product falls within a compulsory certification scheme.

SIT:

Product-specific textile testing.

Required testing:

- Fibre composition
- Fabric construction
- Mass per unit area

- Absorbency
- Dimensions
- Tensile strength
- Tear strength
- Shrinkage
- Colour fastness
- Pile characteristics
- Washing durability

Manufacturing / quality requirements:

Controlled yarn selection, weaving, pile formation, dyeing, finishing and cutting are required.

Documents / certification requirements:

- Applicable BIS application where mandatory
- Applicable IS
- Yarn/fibre specifications
- Manufacturing process
- Test reports
- Calibration
- QC records
- Product Manual/SIT where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Microfibre towels, synthetic towels and specialized medical wipes are separate products.

2026 special note:

The AI should not tell a consumer that all cotton towels require BIS simply because IS 7056 exists.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 37

Product:

Cotton Blankets

Description:

Cotton blankets are textile coverings manufactured primarily from cotton fibres and used for warmth and comfort. Their construction, weight, strength, dimensional stability and colour fastness determine quality.

Applicable IS:

Product-specific standard depends on the blanket type and intended use.

Standard / classification:

The applicable IS must be selected according to construction, fibre content, weight and intended application.

BIS certification:

Mandatory only where the exact blanket category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant textile QCO where the exact product is covered.

Current status — August 2026:

Exact compulsory status requires product-specific verification.

Product Manual:

To be identified for the applicable blanket standard.

SIT:

Textile-performance testing.

Required testing:

- Fibre composition
- Mass per unit area
- Fabric construction
- Tensile strength
- Tear strength
- Dimensional stability
- Shrinkage
- Colour fastness
- Washing durability
- Thermal/covering characteristics where specified
- Other product-specific tests

Manufacturing / quality requirements:

Controlled fibre/yarn selection, weaving/knitting, dyeing, finishing and sewing processes are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Fibre/yarn specifications
- Manufacturing process
- Test reports
- Calibration
- QC records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Wool blankets, synthetic blankets, hospital-specific blankets and fire-resistant blankets may have different standards.

2026 special note:

The AI should identify the fibre composition and intended use before mapping a blanket to an IS standard.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 38

Product:

Cotton Bed Sheets

Description:

Cotton bed sheets are woven textile fabrics used as bedding in homes, hotels, hospitals and institutions. Their fibre composition, fabric construction, strength, shrinkage and colour fastness determine performance.

Applicable IS:

Product-specific standard depends on the exact bed-sheet category.

Standard / classification:

The applicable IS must be selected according to fabric construction, fibre content, institutional use and other specified characteristics.

BIS certification:

Mandatory only where the exact product category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant textile QCO where the product is specifically included.

Current status — August 2026:

Exact compulsory status requires verification.

Product Manual:

To be identified for the applicable cotton-bed-sheet standard.

SIT:

Textile material and performance testing.

Required testing:

- Fibre composition
- Fabric construction
- Mass per unit area
- Width and dimensions
- Tensile strength
- Tear strength
- Shrinkage
- Dimensional stability
- Colour fastness
- Washing durability
- Seam performance where applicable
- Other standard-specific tests

Manufacturing / quality requirements:

Controlled yarn preparation, weaving, dyeing, finishing and cutting are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Fibre/yarn specifications
- Manufacturing-process details

- Test reports
- Calibration
- QC records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Polyester, blended and specialized hospital textiles may fall under different standards.

2026 special note:

A hospital purchasing cotton bed sheets does not automatically make the product a medical textile. The AI should determine whether a specific BIS medical-textile standard applies.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 39

Product:

Cotton Sewing Thread

Description:

Cotton sewing thread is a twisted yarn designed for joining textile components during garment and other textile manufacturing. Its strength, twist, evenness and dimensional stability influence seam quality.

Applicable IS:

Product-specific standard depends on thread type and intended application.

Standard / classification:

The applicable IS must be identified according to thread construction, count and intended use.

BIS certification:

Mandatory only where the exact cotton-sewing-thread category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant textile QCO if the exact product is included.

Current status — August 2026:

Exact compulsory status requires verification.

Product Manual:

To be identified for the applicable sewing-thread standard.

SIT:

Yarn/thread physical and performance testing.

Required testing:

- Linear density/count
- Tensile strength
- Elongation
- Twist
- Unevenness
- Appearance
- Colour fastness where dyed
- Shrinkage where specified
- Seam performance where applicable
- Other thread-specific properties

Manufacturing / quality requirements:

Controlled fibre preparation, spinning, twisting, winding, lubrication/finishing and packaging are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Fibre composition
- Thread specification
- Manufacturing process
- Test reports
- Calibration
- QC records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Polyester sewing thread, industrial thread and specialized surgical thread are separate categories.

2026 special note:

The AI should identify fibre composition and intended use before determining the applicable BIS standard.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 40

Product:

Polyester Sewing Thread

Description:

Polyester sewing thread is a strong synthetic thread used for stitching garments, upholstery, footwear, industrial textiles and other textile products. It provides good strength, abrasion resistance and dimensional stability.

Applicable IS:

Product-specific standard depends on thread construction and intended application.

Standard / classification:

Exact IS must be selected according to filament/staple construction, count, finish and end use.

BIS certification:

Mandatory only where the exact product category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant textile QCO where the exact product is covered.

Current status — August 2026:

Exact standard and compulsory scope require verification.

Product Manual:

To be identified for the applicable polyester-thread standard.

SIT:

Thread/yarn performance testing.

Required testing:

- Linear density/count
- Tensile strength
- Elongation
- Twist
- Unevenness
- Abrasion resistance where specified
- Shrinkage

- Colour fastness where dyed
- Lubrication/finish characteristics where specified
- Sewing performance where applicable

Manufacturing / quality requirements:

Controlled polymer/fibre selection, spinning or filament production, twisting, winding, finishing and packaging are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Fibre/polymer details
- Thread specification
- Manufacturing process
- Test reports
- Calibration
- QC records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Polyester FDY/POY, industrial yarn and general polyester yarn are not the same as finished sewing thread.

2026 special note:

The AI should distinguish ****sewing thread**** from ordinary polyester yarn because the end use and construction are different.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 41

Product:

Woollen Blankets

Description:

Woollen blankets are textile coverings manufactured using wool or wool-rich fibres to provide thermal insulation and warmth. They are used in households, institutional settings, defence supplies and cold-weather applications.

Applicable IS:

Product-specific BIS standard depends on blanket construction, fibre composition and intended use.

Standard / classification:

The applicable IS must be identified according to wool content, construction, weight and end use.

BIS certification:

Mandatory only where the exact blanket category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant textile QCO where the product is specifically included.

Current status — August 2026:

An Indian Standard existing for a woollen product does not automatically mean every woollen blanket requires compulsory BIS certification.

Product Manual:

To be identified after confirming the applicable compulsory standard.

SIT:

Product-specific textile sampling and testing.

Required testing:

- Fibre composition
- Wool content
- Mass per unit area
- Fabric construction
- Dimensions
- Tensile strength
- Tear strength
- Shrinkage
- Dimensional stability
- Colour fastness
- Washing durability
- Thermal characteristics where specified
- Other standard-specific requirements

Manufacturing / quality requirements:

Controlled fibre sorting, yarn production, weaving/knitting, milling, dyeing, finishing and inspection are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Fibre/material specifications
- Manufacturing process
- Test reports
- Calibration
- Quality-control records
- Product Manual/SIT where applicable
- Factory assessment

Marking requirements:

BIS Standard Mark only where applicable and certified, with prescribed product and manufacturer information.

Important exclusions:

Synthetic blankets and mixed-fibre blankets may be governed by different specifications.

2026 special note:

The AI should identify fibre composition before determining whether a woollen blanket falls under a particular BIS standard.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 42

Product:

Woollen Fabrics

Description:

Woollen fabrics are woven or knitted textile materials made wholly or partly from wool and used in apparel, blankets, uniforms and other textile products. Their fibre composition and finishing determine thermal and mechanical performance.

Applicable IS:

Product-specific standard depends on fabric type, wool content and intended application.

Standard / classification:

Exact IS must be selected according to fibre composition, construction, weight and end use.

BIS certification:

Mandatory only where the exact woollen-fabric category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant textile QCO where the exact product is included.

Current status — August 2026:

Exact compulsory scope requires verification.

Product Manual:

To be identified for the applicable woollen-fabric standard.

SIT:

Textile-performance testing according to the applicable standard.

Required testing:

- Fibre composition
- Wool content
- Fabric construction
- Mass per unit area
- Tensile strength
- Tear strength
- Shrinkage
- Dimensional stability
- Colour fastness
- Pilling where specified
- Abrasion resistance where specified
- Other fabric-specific requirements

Manufacturing / quality requirements:

Controlled wool sorting, blending, spinning, weaving/knitting, dyeing, milling and finishing are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS

- Fibre/yarn details
- Manufacturing-process information
- Test reports
- Calibration
- QC records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Carpet wool, technical wool textiles and synthetic fabrics with wool-like appearance are different categories.

2026 special note:

The AI should not infer that a fabric is "wool" simply because it is marketed as wool-like. Fibre composition must be established.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 43

Product:

Silk Fabrics

Description:

Silk fabrics are textile materials made from silk fibres and are used extensively in apparel, sarees, furnishings and premium textile products. Fibre identity, fabric construction, colour fastness and durability are important quality characteristics.

Applicable IS:

Product-specific BIS standard depends on silk type and fabric construction.

Standard / classification:

Exact IS must be selected according to silk content, weave, construction and intended use.

BIS certification:

Mandatory only where the exact silk-product category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant textile QCO where the exact product is covered.

Current status — August 2026:

Exact compulsory scope requires verification.

Product Manual:

To be identified for the applicable silk-fabric standard.

SIT:

Material identification and textile-performance testing.

Required testing:

- Fibre composition
- Silk content
- Fabric construction
- Mass per unit area
- Dimensions
- Tensile strength
- Tear strength
- Colour fastness
- Shrinkage
- Dimensional stability
- Seam performance where applicable
- Other standard-specific requirements

Manufacturing / quality requirements:

Controlled silk processing, reeling, yarn preparation, weaving, dyeing, printing and finishing are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Fibre/yarn specifications
- Manufacturing-process details
- Test reports
- Calibration
- QC records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Artificial silk, rayon, viscose and synthetic satin should not be automatically classified as genuine silk.

2026 special note:

For consumer queries, the AI should distinguish ****silk fibre****, ****silk yarn****, ****silk fabric**** and ****silk-blended fabric**** before determining the applicable standard.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 44

Product:

Silk Yarn

Description:

Silk yarn is produced from silk fibres or filaments and is used to manufacture silk fabrics, garments and other premium textile products. Its fineness, strength, twist and fibre composition influence the quality of the finished fabric.

Applicable IS:

Product-specific BIS standard depends on the silk-yarn category.

Standard / classification:

Exact IS must be identified according to raw silk type, spun silk or another yarn category.

BIS certification:

Mandatory only where the exact silk-yarn category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant textile QCO where the exact product is included.

Current status — August 2026:

Exact compulsory scope requires verification.

Product Manual:

To be identified for the applicable silk-yarn standard.

SIT:

Yarn physical and material testing.

Required testing:

- Fibre composition
- Linear density/count
- Tensile strength
- Elongation
- Twist

- Evenness
- Appearance
- Moisture-related characteristics
- Colour fastness where dyed
- Other yarn-specific properties

Manufacturing / quality requirements:

Controlled cocoon processing, reeling, silk preparation, spinning where applicable, twisting and winding are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Silk/yarn classification
- Raw-material records
- Manufacturing process
- Test reports
- Calibration
- QC records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Synthetic filament yarn and artificial silk yarn are not genuine silk yarn.

2026 special note:

The AI should verify whether the user means **raw silk, reeled silk, spun silk or silk-blend yarn** before mapping the query to an IS standard.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 45

Product:

Jute Bags

Description:

Jute bags are bags manufactured from jute fibre or jute-based fabric and are commonly used for packaging agricultural commodities and other goods. Their strength, dimensions and fabric construction are important for load-bearing applications.

Applicable IS:

Product-specific BIS standard depends on the type of jute bag and intended packaging use.

Standard / classification:

The applicable IS must be identified according to bag construction, capacity and intended contents.

BIS certification:

Mandatory only where the exact jute-bag category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant textile/jute QCO where the exact product is covered.

Current status — August 2026:

Exact compulsory status requires verification.

Product Manual:

To be identified for the applicable jute-bag standard.

SIT:

Bag construction, dimensions and mechanical performance testing.

Required testing:

- Jute fibre/fabric composition
- Mass per unit area
- Fabric construction
- Breaking strength
- Tear strength
- Bag dimensions
- Stitching/seam strength
- Capacity
- Resistance to handling
- Moisture-related properties where specified
- Other packaging-specific tests

Manufacturing / quality requirements:

Controlled jute yarn preparation, weaving, cutting, stitching, finishing and inspection are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Jute/fabric specification
- Manufacturing process
- Test reports
- Calibration
- QC records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified, with prescribed product and manufacturer identification.

Important exclusions:

Jute shopping bags, decorative bags and industrial packaging bags may have different requirements.

2026 special note:

The AI should identify the ****intended packaging use and capacity**** because jute bags for foodgrains and ordinary shopping bags are not necessarily governed by the same specification.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 46

Product:

Jute Hessian Cloth

Description:

Jute hessian is a coarse woven fabric manufactured from jute yarn. It is commonly used for packaging, agricultural applications, erosion control, handicrafts and other industrial purposes.

Applicable IS:

Product-specific BIS standard depends on the hessian type and intended application.

Standard / classification:

Exact IS must be selected according to fabric construction, yarn count, weight and intended use.

BIS certification:

Mandatory only where the exact jute-fabric category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant textile/jute QCO where the product is included.

Current status — August 2026:

Exact compulsory scope requires verification.

Product Manual:

To be identified for the applicable jute-fabric standard.

SIT:

Fabric construction and physical-performance testing.

Required testing:

- Jute composition
- Ends and picks
- Mass per unit area
- Width
- Breaking strength
- Tear strength
- Yarn characteristics
- Moisture regain where specified
- Dimensional stability
- Surface condition
- Other standard-specific requirements

Manufacturing / quality requirements:

Controlled jute fibre preparation, spinning, weaving, batching, finishing and inspection are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS

- Fibre/yarn specifications
- Manufacturing process
- Test reports
- Calibration
- QC records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Jute sacks, jute geotextiles and decorative jute fabrics are different products and may use separate standards.

2026 special note:

The AI should distinguish **hessian cloth**, **jute bags**, **jute sacks** and **jute geotextiles** rather than treating them as one product.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 47

Product:

Jute Sacking Bags

Description:

Jute sacking bags are heavy-duty woven jute bags traditionally used for packaging and transporting agricultural commodities such as foodgrains. Their fabric strength, bag dimensions, stitching and load-bearing performance are particularly important.

Applicable IS:

Product-specific BIS standard depends on the type of sacking bag and commodity for which it is intended.

Standard / classification:

The exact IS must be selected according to bag type, dimensions, capacity and intended commodity.

BIS certification:

Mandatory where the exact product is covered by the applicable compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant jute/textile QCO and any commodity-specific requirements.

Current status — August 2026:

Exact compulsory status requires verification against the current applicable order.

Product Manual:

To be identified for the applicable jute-sacking standard.

SIT:

Fabric and finished-bag performance testing.

Required testing:

- Fabric construction
- Mass per unit area
- Breaking strength
- Tear strength
- Bag dimensions
- Capacity
- Seam strength
- Stitching quality
- Weight tolerance
- Moisture-related characteristics
- Cleanliness where required
- Other commodity-specific requirements

Manufacturing / quality requirements:

Controlled jute yarn preparation, weaving, cutting, stitching and bag finishing are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Bag type/capacity
- Jute/fabric specification
- Manufacturing process
- Test reports
- Calibration
- QC records
- Product Manual/SIT

- Factory assessment where applicable

Marking requirements:

BIS Standard Mark where applicable, together with prescribed bag/product and manufacturer information.

Important exclusions:

Plastic woven sacks, paper bags and specialized geotextile bags are separate products.

2026 special note:

For foodgrain packaging, the AI should additionally distinguish BIS product requirements from any separate government procurement, food-safety or commodity-packaging requirements.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 48

Product:

Jute Geotextiles

Description:

Jute geotextiles are permeable textile materials made from jute and used in civil-engineering applications such as soil stabilization, erosion control, drainage and slope protection. Their strength, permeability and biodegradability make them useful for environmentally oriented infrastructure projects.

Applicable IS:

Product-specific BIS standard depends on the geotextile type and application.

Standard / classification:

The applicable IS must be selected according to woven/nonwoven construction, mass, strength and intended civil-engineering use.

BIS certification:

Mandatory only where the exact geotextile category is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant textile/geotextile QCO where the exact product is covered.

Current status — August 2026:

Exact compulsory scope requires verification.

Product Manual:

To be identified for the applicable jute-geotextile standard.

SIT:

Geotextile physical and performance testing.

Required testing:

- Mass per unit area
- Thickness

- Tensile strength
- Elongation
- Tear strength
- Puncture resistance
- Water permeability
- Apparent opening size where applicable
- Dimensional stability
- Biodegradation characteristics where specified
- Other geotechnical performance tests

Manufacturing / quality requirements:

Controlled jute fibre/yarn preparation, weaving or nonwoven formation, treatment, finishing and dimensional control are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Geotextile construction details
- Fibre/yarn specifications
- Manufacturing process
- Laboratory test reports
- Calibration
- QC records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Synthetic geotextiles made from polypropylene, polyester or other polymers are separate categories.

2026 special note:

The AI should identify the ****civil-engineering function**** because drainage, reinforcement, erosion-control and filtration geotextiles may have different performance requirements.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 49

Product:

Nonwoven Textile Fabrics

Description:

Nonwoven fabrics are textile sheets formed by bonding or entangling fibres without conventional weaving or knitting. They are used in medical products, hygiene products, filtration, packaging, agriculture and industrial applications.

Applicable IS:

Product-specific standard depends strongly on the application.

Standard / classification:

The applicable IS must be selected according to fibre type, manufacturing process and intended use.

BIS certification:

Mandatory only where the exact nonwoven product is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant textile or product-specific QCO where the exact product is covered.

Current status — August 2026:

There is no single compulsory BIS requirement covering every nonwoven fabric.

Product Manual:

To be identified for the exact nonwoven application.

SIT:

Application-specific testing.

Required testing:

- Fibre composition
- Mass per unit area
- Thickness
- Tensile strength
- Tear strength
- Bursting strength where specified
- Air permeability
- Water resistance

- Absorbency
- Pore characteristics
- Flammability where applicable
- Other application-specific tests

Manufacturing / quality requirements:

Controlled fibre preparation, web formation, bonding, calendaring, coating and finishing processes are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Fibre/material details
- Manufacturing process
- Test reports
- Calibration
- QC records
- Product Manual/SIT where applicable
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where the specific product is covered and certified.

Important exclusions:

Medical nonwovens, disposable hygiene products, geotextiles and filtration media may each have separate requirements.

2026 special note:

"Nonwoven fabric" is a manufacturing category, not a single compliance category. The AI must determine the end use before selecting a standard.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

CHUNK 50

Product:

Textile Filter Fabrics

Description:

Textile filter fabrics are porous textile materials used to separate particles from gases or liquids in industrial and environmental filtration systems. Their permeability, filtration efficiency, strength and chemical resistance depend on the application.

Applicable IS:

Product-specific standard depends on the filtration application and fabric construction.

Standard / classification:

The exact IS must be selected according to whether the material is used for air filtration, liquid filtration, dust collection, industrial processing or another application.

BIS certification:

Mandatory only where the exact filter-fabric product is covered by a compulsory BIS requirement.

Certification scheme:

Scheme-I where applicable.

Applicable QCO:

Relevant textile/industrial-product QCO where the exact product is included.

Current status — August 2026:

Exact compulsory scope requires verification.

Product Manual:

To be identified for the applicable filter-fabric standard.

SIT:

Application-specific filtration and material testing.

Required testing:

- Fibre composition
- Mass per unit area
- Thickness
- Air permeability
- Liquid permeability where applicable
- Filtration efficiency
- Particle retention
- Tensile strength
- Tear strength
- Burst strength where applicable
- Temperature resistance where specified
- Chemical resistance where specified
- Dimensional stability
- Other filtration-performance tests

Manufacturing / quality requirements:

Controlled fibre/yarn selection, weaving/knitting/nonwoven formation, finishing, coating and dimensional control are required.

Documents / certification requirements:

- BIS application where applicable
- Applicable IS
- Fibre/material specification
- Manufacturing process
- Filtration-performance reports
- Calibration
- QC records
- Product Manual/SIT
- Factory assessment where applicable

Marking requirements:

BIS Standard Mark only where applicable and certified.

Important exclusions:

Filter cartridges, filter bags as complete assemblies and polymer membrane filters may have separate product standards.

2026 special note:

The AI should not provide one BIS standard for every "filter cloth" query. It must identify the **filtration medium, process and end application** first.

Official BIS source:

BIS — Products Under Compulsory Certification

<https://www.bis.gov.in/product-certification/products-under-compulsory-certification/>

