

14) REPLACE() :- replace based on their position.

Syntax :-

[= REPLACE (old text, start - num, num - chars, new text)]

example :- $A_1 = ABC123$

[= REPLACE (A_1 , 4, 3, "456")]

Result :- ABC456

15) Relative References :-

* When you copy a formula reference change automatically.

eg :-

A	B	C
10	20	=A1+B1
30	40	?

* You copy it down C2 one cell automatically will change = A2+B2

* Changes when copied.

16) Absolute References :-

* Does not change when you copy a formula.

* We use the \$ symbol

eg :-

$$* \boxed{= \$A\$1 * B2}$$

$\$A\$1 \Rightarrow$ Absolute $\rightarrow$ stays the same.

$B2 \Rightarrow$ Relative $\rightarrow$ changes when copied

example :-

If C2 contains $= B2 * \$E\1

When copied to C3 $\Rightarrow = B3 * \$E\1

$B2 \rightarrow$ changed to $B3$, but
 $\$E\1 stayed the same.

Here $\rightarrow$ $A\$1$ - row locked, column change
 $\$A1$ - column locked, row change.

17) Paste Link :-

Connect one cell / range to another.

Copy $A1 = 5000 \rightarrow$ go to another cell

$\rightarrow$ paste special $\rightarrow$ paste links.

18) Random function:-

2 common Random number functions

RAND()

RAND BETWEEN()

1. RAND() :-

* Generate random decimal b/w 0 to 1

Syntax:- $[=RAND()]$

result:- 0.5832

number change everytime excel recalcs

2) RANDBETWEEN():-

* Generate random whole number between two numbers

* Syntax:- $[=RANDBETWEEN(1, 100)]$

Result:- 57

For Fixed numbers:-Copy $\rightarrow$ Paste special $\rightarrow$ values

Round () :-

* Rounds a number to the specified number of decimal places.

Syntax :- $[= \text{ROUND}(\text{number}, \text{num_digits})]$

example :- $[= \text{ROUND}(12.5678, 2)]$

Result :- 12.57

Next digit 5 or more $\Rightarrow$ round up.

Next digit 5 or less $\Rightarrow$ round down.

ROUNDUP () :-

* Rounds always from zero.

example :- $[= \text{ROUNDUP}(12.569, 2)]$

Result :- 12.57

ROUND DOWN () :-

* Rounds always towards zero.

eg :- $[= \text{ROUND DOWN}(12.567, 2)]$

result :- 12.56.

* It ignores extra decimal digits.

2a) mixed reference :-

Syntax :- $\boxed{= \$A2 * B\$1}$

One part of the cell reference is fixed and other part can change.

$\$A2$ $\rightarrow$ column A is fixed, row changes -
 $A\$1$ $\rightarrow$ Row 1 is fixed, column changes