





File Edit Options View Tools Extensions Window Help
Logical
Physical
Simulation Panel
Event List
Vis. Time(sec) Last Device
1.262 --
1.263 PC1
1.264 --
1.264 Switch0
1.264 Switch0
1.264 Switch0
1.264 Switch0
1.264 --
1.265 PC2
1.266 Switch0
1.266 --
1.267 PC1
1.268 Switch0
1.269 PC2
1.270 Switch0
Reset Simulation
Constant Delay
Play Controls
Event List Filters - Visible Events
Edit Filters
Show All/None
PC-PT PC3
PC-PT PC4
2960-24TT Switch0
PC-PT PC0
PC-PT PC2
PC-PT PC1
Time: 00:03:53.448
PLAY CONTROLS
Event List
Realtime
Simulation
Search for device
(Select a Device to Drag and Drop to the Workspace)
Scenario 0
New
Delete
Toggle PDU List Window
Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete
Successful PC1 PC1 ICMP 1.262 N 0 (edit) (delete)
Successful PC1 PC2 ICMP 1.262 N 1 (edit) (delete)


PC0
Physical
Config
Desktop
Programming
Attributes
Command Prompt
X
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.1
Pinging 192.168.10.1 with 32 bytes of data:
Reply from 192.168.10.1: bytes=32 time<1ms TTL=128
Reply from 192.168.10.1: bytes=32 time<1ms TTL=128
Reply from 192.168.10.1: bytes=32 time<1ms TTL=128
Reply from 192.168.10.1: bytes=32 time<1ms TTL=128
Ping statistics for 192.168.10.1:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>


File Edit Options View Tools Extensions Window Help
Logical
Physical
Root
PC-PT PC0
PC-PT PC3
PC-PT PC5
2960-24TT Switch0
2960-24TT Switch1
2960-24TT Switch2
PC-PT PC1
PC-PT PC2
PC-PT PC4
Simulation Panel
Event List
Vis. Time(sec) Last Device
0.004 Switch0
0.004 Switch1
0.004 Switch1
0.004 Switch1
0.004 Switch0
0.004 Switch2
0.004 Switch2
0.005 Switch1
0.005 Switch1
0.005 Switch1
0.005 PC3
0.005 Switch2
0.005 Switch2
Reset Simulation
Constant Delay
Play Controls
Event List Filters - Visible Events
Edit Filters
Show All/None
Time: 00:01:21.045
PLAY CONTROLS:
Event List
Realtime
Search for device
(Select a Device to Drag and Drop to the Workspace)
Scenario 0
New
Delete
Toggle PDU List Window
Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete
Successful PC0 PC1 ICMP 0.000 N 0 (edit) (delete)
In Progress PC0 PC3 ICMP 0.000 N 1 (edit) (delete)
In Progress PC0 PC2 ICMP 0.000 N 2 (edit) (delete)
PC0 PC1 ICMP 2.961 N 3 (edit) (delete)


PC0
Physical
Config
Desktop
Programming
Attributes
Command Prompt
X
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.2
Pinging 192.168.10.2 with 32 bytes of data:
Reply from 192.168.10.2: bytes=32 time<1ms TTL=128
Reply from 192.168.10.2: bytes=32 time<1ms TTL=128
Reply from 192.168.10.2: bytes=32 time<1ms TTL=128
Reply from 192.168.10.2: bytes=32 time<1ms TTL=128
Ping statistics for 192.168.10.2:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>


RING TOPOLOGY
PC-PT
PC0
PC-PT
PC3
PC-PT
PC1
PC-PT
PC2

```
Packet Tracer PC Command Line 1.0
C:\> ping 192.168.1.2

Pinging 192.168.1.2 with 32 bytes of data:
Reply from 192.168.1.2: bytes=32 time<1ms TTL=128
Reply from 192.168.1.2: bytes=32 time<1ms TTL=128
Reply from 192.168.1.2: bytes=32 time<1ms TTL=128
Reply from 192.168.1.2: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.1.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 1ms, Average = 0ms
```