



Next Drop API Documentation

Courier API Integration Guide

Version History

Version 1.0 - Initial release of API documentation

Security & Rate Limits

All API requests are authenticated via APIKEY. Do not share your API key.

Rate Limit: 30 requests per minute per API key. Exceeding will return HTTP 429.

Authentication & Security

API requests require the following header:

APIKEY: XXXXXXXXXXXXXXXX (provided by Next Drop or customer can generate from portal-Utilities->API DOC->Generate API KEY)

Table of Contents

1. Add Create New Booking (Auto Generated Booking Number)
2. Create New Booking (Third Party OrderAPI)
3. Create New Booking (Agent OrderAPI)
4. Generate AWB API
5. Generate Label API
6. Webhook

Production URL	https://app.nextdrop.ae/
Staging URL	https://app.nextdrop.ae/

Product / Package Type	
ProductName	Product Code
Domestic	CN
International	ME
Cross Border	CB

Service Type - Domestic (CN)	
Service Type	Service Code
Standard Delivery	104
Same Day Delivery	105
E-commerce Delivery	101

Service Type -International (ME)	
Service Type	Service Code
Export Standard Delivery	102
Import Standard Delivery	103

Domestic Cities
Abu Dhabi
Al Ain
Dubai
Sharjah
Ajman
Umm Al Quwain
Fujairah
Ras Al Khaimah
Hatta
Western Region

1. Create New Booking (Auto Generated Booking Number)

URL: https://app.nextdrop.ae/Order/customer_order

HTTP Method: JSON POST

Post Body (Json) / Fields:

Field	Sample Value	Data Type	Mandatory
customer_branch	Dubai	String	Yes
to_customer	ABC Company	String	Yes
to_address	Mozna Building, POBox 235371	String	Yes
to_city	Dubai	String	Yes
to_location	Al Qusais	String	Yes
to_country	United Arab Emirates	String	Yes
to_cperson	John Smith	String	Yes
to_contactno	+971 566541210	String	Yes
to_mobilenno	+971 566541210	String	Yes
reference_number	CN14125543634	String	Optional
weight	0.5	Decimal	Yes
pieces	4	Number	Yes
package_code	101	String	Yes
service_code	CN	String	Yes
currency_code	AED	String	Optional
cod_amount	200.00	Decimal	Optional
item_description	Dress samples	String	Optional
special_instruction	Handle with care	String	Optional
customs_declared_currency_code	AED	String	Optional
customs_declared_value	0	Decimal	Optional

Sample PHP Code:

```
<?php
$payload = array(
    "to_customer": "TSS Smart",
    "to_address": "Mozna Building, Doha Street",
    "to_city": "Dubai",
    "to_location": "Al Nahda",
    "to_country": "United Arab Emirates",
    "to_cperson": " John Smith ",
    "to_contactno": "+971 566541210",
    "to_mobilenno": "+971 566541210",
    "reference_number": "CN14125543634",
    "weight": "1",
    "pieces": "4",
    "currency_code": "AED",
    "cod_amount": "200.00",
    "item_description": "test order (تجربة)",
    "special_instruction": "Urgent Delivery",
    "customs_declared_currency_code": "AED",
    "customs_declared_value": 0,
    "package_code": "101",
    "service_code": "CN",
    "customer_branch": "Dubai",
}

$post_data = json_encode($payload);
$curl = curl_init();
curl_setopt_array($curl, array(
    CURLOPT_URL => "https://app.nextdrop.ae/Order/customer_order ",
    CURLOPT_RETURNTRANSFER => true,
    CURLOPT_ENCODING => "",
    CURLOPT_MAXREDIRS => 10,
    CURLOPT_TIMEOUT => 30,
    CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,
    CURLOPT_CUSTOMREQUEST => "POST",
    CURLOPT_POSTFIELDS => $post_data,
    CURLOPT_HTTPHEADER => array(
        "Content-Type: application/json",
        "APIKEY: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX"
    ),
));
$response = curl_exec($curl);
$error = curl_error($curl);
curl_close($curl);
echo $response;
?>
```

Response

```
{
  "status":1,
  "message":"Success",
  "data":{
    "awb_number":"SME122015",
    "current_status":"AWB Created",
    "status_details":"Shipment submitted by customer",
    "status_datetime":"2024-08-12 10:10:16",
    "location":"Customer Location"
  }
}
```

2. Create New Booking (Third Party OrderAPI-shipper details can pass thru api)

URL: [https:// app.nextdrop.ae/Order/thirdparty_order](https://app.nextdrop.ae/Order/thirdparty_order)

HTTP Method: JSON POST

Post Body (Json) / Fields:

Field	Sample Value	Date Type	Mandatory
from_customer	From Company	String	Optional
from_address	Mozna Building, POBox 235371	String	Optional
from_city	Dubai	String	Optional
from_location	Al Qusais	String	Optional
from_country	United Arab Emirates	String	Optional
from_cperson	John Roy	String	Optional
from_contactno	+971 556541210	String	Optional
from_mobilenno	+971 556541210	String	Optional
to_customer	ABC Company	String	Yes
to_address	Mozna Building, POBox 235371	String	Yes
to_city	Dubai	String	Yes
to_location	Al Qusais	String	Yes
to_country	United Arab Emirates	String	Yes
to_cperson	John Smith	String	Yes

to_contactno	+971 566541210	String	Yes
to_mobilenno	+971 566541210	String	Yes
reference_number	14125543634	String	Optional
weight	5.5	Decimal	Yes
pieces	4	Number	Yes
package_code	101	String	Yes
service_code	CN	String	Yes
currency_code	AED	String	Optional
cod_amount	200.00	Decimal	Optional
item_description	Sample Dress	String	Optional
special_instruction	Urgent Delivery	String	Optional
customer_branch	Dubai	String	Yes
customs_declared_currency_code	USD	String	Optional
customs_declared_value	0	Decimal	Optional

Sample PHP Code:

```
<?php
$payload = array(
    "customer_branch":"Dubai",
    "from_customer":"From Company",
    "from_address":"Mozna Building, POBox 235371",
    "from_city":"Abu Dhabi",
    "from_location":"Abu Dhabi",
    "from_country":"United Arab Emirates",
    "from_cperson":"John Roy",
    "from_contactno":"+971 556541210",
    "from_mobilenno":"+971 556541210",
    "to_customer":"ABC Company",
    "to_address":"Mozna Building, POBox 235371",
    "to_city":"Dubai",
    "to_location":"Al Qusais",
    "to_country":"United Arab Emirates",
    "to_cperson":"John Smith",
    "to_contactno":"+971 566541210",
    "to_mobilenno":"+971 566541210",
    "reference_number":"14125543634",
    "weight":"5.5",
    "pieces":"4",
    "currency_code":"AED",
    "cod_amount":"210.00",
    "item_description":"description here",
```

```

        "special_instruction":"special instruction here",
        "customs_declared_currency_code":"USD",
        "customs_declared_value":10,
        "package_code":"101",
        "service_code":"CN"
    );
    $post_data = json_encode($payload);
    $curl = curl_init();
    curl_setopt_array($curl, array(
        CURLOPT_URL => "https://app.nextdrop.ae/Order/thirdparty_order ",
        CURLOPT_RETURNTRANSFER => true,
        CURLOPT_ENCODING => "",
        CURLOPT_MAXREDIRS => 10,
        CURLOPT_TIMEOUT => 30,
        CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,
        CURLOPT_CUSTOMREQUEST => "POST",
        CURLOPT_POSTFIELDS => $post_data,
        CURLOPT_HTTPHEADER => array(
            "Content-Type: application/json",
            "APIKEY: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX"
        ),
    ));
    $response = curl_exec($curl);
    $err = curl_error($curl);
    curl_close($curl);
    echo $response;
?>

```

Response

```

{
    "status":1,
    "message":"Success",
    "data":{
        "awb_number":"SME122016",
        "current_status":"AWB Created",
        "status_details":"Shipment submitted by customer",
        "status_datetime":"2024-08-12 10:11:19",
        "location":"Customer Location"
    }
}

```

3. **Create New Booking (Agent OrderAPI** –Pass Booking Number/shipper details can pass thru api)

URL: https://app.nextdrop.ae/Order/agent_order

HTTP Method: JSON POST

Post Body (Json) / Fields:

Field	Sample Value	Date Type	Mandatory
awb_number	Booking Number	String	Yes
from_customer	From Company	String	Yes
from_address	Mozna Building, POBox 235371	String	Yes
from_city	Dubai	String	Yes
from_location	Al Qusais	String	Yes
from_country	United Arab Emirates	String	Yes
from_cperson	John Roy	String	Yes
from_contactno	+971 556541210	String	Yes
from_mobilenno	+971 556541210	String	Yes
to_customer	ABC Company	String	Yes
to_address	Mozna Building, POBox 235371	String	Yes
to_city	Dubai	String	Yes
to_location	Al Qusais	String	Yes
to_country	United Arab Emirates	String	Yes
to_cperson	John Smith	String	Yes
to_contactno	+971 566541210	String	Yes
to_mobilenno	+971 566541210	String	Yes
reference_number	14125543634	String	Optional
weight	5.5	Decimal	Yes
pieces	4	Number	Yes
package_code	101	String	Yes
service_code	CN	String	Yes
currency_code	AED	String	Optional
cod_amount	210.00	Decimal	Optional
item_description	description here	String	Optional
special_instruction	special instruction here	String	Optional
customer_branch	Dubai	String	Yes

customs_declared_currency_code	USD	String	Optional
customs_declared_value	0	Decimal	Optional

Sample PHP Code:

```
<?php
$payload = array(
    "awb_number":"XYZ10000",
    "customer_branch":"Dubai",
    "from_customer":"From Company",
    "from_address":"Mozna Building, POBox 235371",
    "from_city":"Abu Dhabi",
    "from_location":"Abu Dhabi",
    "from_country":"United Arab Emirates",
    "from_cperson":"John Roy",
    "from_contactno":"+971 556541210",
    "from_mobilenno":"+971 556541210",
    "to_customer":"ABC Company",
    "to_address":"Mozna Building, POBox 235371",
    "to_city":"Dubai",
    "to_location":"Al Qusais",
    "to_country":"United Arab Emirates",
    "to_cperson":"John Smith",
    "to_contactno":"+971 566541210",
    "to_mobilenno":"+971 566541210",
    "reference_number":"14125543634",
    "weight":"5.5",
    "pieces":"4",
    "currency_code":"AED",
    "cod_amount":"210.00",
    "item_description":"description here",
    "special_instruction":"special instruction here",
    "customs_declared_currency_code":"USD",
    "customs_declared_value":10,
    "package_code":"101",
    "service_code":"CN"
);

$post_data = json_encode($payload);
$curl = curl_init();
curl_setopt_array($curl, array(
```

```

CURLOPT_URL => "https://app.nextdrop.ae/Order/agent_order ",
CURLOPT_RETURNTRANSFER => true,
CURLOPT_ENCODING => "",
CURLOPT_MAXREDIRS => 10,
CURLOPT_TIMEOUT => 30,
CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,
CURLOPT_CUSTOMREQUEST => "POST",
CURLOPT_POSTFIELDS => $post_data,
CURLOPT_HTTPHEADER => array(
    "Content-Type: application/json",
    "APIKEY: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX"
),
));
$response = curl_exec($curl);
$error = curl_error($curl);
curl_close($curl);
echo $response;
?>

```

Response

```

{
  "status":1,
  "message":"Success",
  "data":{
    "awb_number":"XYZ10000",
    "current_status":"AWB Created",
    "status_details":"Shipment submitted by customer",
    "status_datetime":"2024-08-12 10:38:40",
    "location":"Customer Location"
  }
}

```

4. Generate AWB API

URL: https://app.nextdrop.ae/Order/generate_awb

HTTP Method: JSON POST

Post Body (Json) / Fields:

```

<?php
$payload = array(
    "awb_number ":"XYZ10000"
);
$post_data = json_encode($payload);
$curl = curl_init();
curl_setopt_array($curl, array(
    CURLOPT_URL => "https:// app.nextdrop.ae/Order/generate_awb ",

```

```

CURLOPT_RETURNTRANSFER => true,
CURLOPT_ENCODING => "",
CURLOPT_MAXREDIRS => 10,
CURLOPT_TIMEOUT => 30,
CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,
CURLOPT_CUSTOMREQUEST => "POST",
CURLOPT_POSTFIELDS => $post_data,
CURLOPT_HTTPHEADER => array(
    "Content-Type: application/json",
    "APIKEY: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX"
),
));
$response = curl_exec($curl);
$error = curl_error($curl);
curl_close($curl);
echo $response;
?>

```

Response

```

{
  "status": 1,
  "data": "JVBERi0xLjcKJe",
  "metadata": {
    "name": "XYZ10000.pdf",
    "content-type": "application/pdf"
  }
}

```

5. Generate Label API

URL: https://app.nextdrop.ae/Order/generate_label

HTTP Method: JSON POST

Post Body (Json) / Fields:

```

<?php
$payload = array(
    "awb_number ":"XYZ10000"
);
$post_data = json_encode($payload);
$curl = curl_init();
curl_setopt_array($curl, array(
    CURLOPT_URL => "https://app.nextdrop.ae/Order/generate_label ",
    CURLOPT_RETURNTRANSFER => true,
    CURLOPT_ENCODING => "",
    CURLOPT_MAXREDIRS => 10,
    CURLOPT_TIMEOUT => 30,

```

```
CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,  
CURLOPT_CUSTOMREQUEST => "POST",  
CURLOPT_POSTFIELDS => $post_data,  
CURLOPT_HTTPHEADER => array(  
    "Content-Type: application/json",  
    "APIKEY: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX"  
),  
));  
$response = curl_exec($curl);  
$err = curl_error($curl);  
curl_close($curl);  
echo $response;  
?>
```

Response

```
{  
  "status": 1,  
  "data": "JVBERi0xLjcKJe",  
  "metadata": {  
    "name": " XYZ10000.pdf",  
    "content-type": "application/pdf"  
  }  
}
```

6. Webhook

URL: Provided by Customer

HTTP Method: JSON POST

Field	Sample Value	Type
booking_number	SME122010	String
reference_number	EP9000000207660	String
status_datetime	2024-08-10 13:19:20	String
location	At Office	String
courier_status	Out For Delivery	String
status_details	Shipment out for delivery	String
employee_name	David	String
done_by	Administrator	String

Post Body (Json) / Fields

Sample PHP Code:

```
<?php
$payload = [
    'booking_number' => 'SME122010',
    'reference_number' => 'EP9000000207660',
    'status_datetime' => '2025-08-10 13:19:20',
    'location' => 'At Office',
    'courier_status' => 'Out For Delivery',
    'status_details' => 'Shipment out for delivery',
    'employee_name' => 'David',
    'done_by' => 'Administrator'
];
$post_data = json_encode($payload);
$curl = curl_init();
curl_setopt_array($curl, array(
    CURLOPT_URL => "CUSTOMER_HOOK_URL",
    CURLOPT_RETURNTRANSFER => true,
```

```

CURLOPT_ENCODING => "",
CURLOPT_MAXREDIRS => 10,
CURLOPT_TIMEOUT => 30,
CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,
CURLOPT_CUSTOMREQUEST => "POST",
CURLOPT_POSTFIELDS => $post_data,
CURLOPT_HTTPHEADER => array(
    "Content-Type: application/json",
    "API-KEY: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX"
),
));
$response = curl_exec($curl);
$error = curl_error($curl);
curl_close($curl);
echo $response;
?>

```

Response

Field	Sample Value	Type
status	1	Integer
message	success	String