


## Microbial communities through the lens of data integration, knowledge aggregation and metabolic networks analysis

Haris Zafeiropoulos

Dissertation presented in partial fulfillment of the requirements for the degree of Doctor of Science (PhD) in Biology

#### **Promotors:**

Prof. Emmanouil Ladoukakis Dr Evangelos Pafilis Dr Christoforos Nikolaou



Members of the examination committee and reading committee

## **Preface**

Hello friend.

Haris Zafeiropoulos

## **Contents**

| Pr | eface                     |  | i                |
|----|---------------------------|--|------------------|
| AŁ | strac                     | et e e e e e e e e e e e e e e e e e e   | iii              |
| П  | ερίληψ                    | <del>γ</del> η   | iv               |
| Li | st of F                   | Figures and Tables   | v                |
| Li | st of A                   | Abbreviations and Symbols  | vi               |
| 1  | Intr<br>1.1<br>1.2<br>1.3 | Microbes   | 1<br>1<br>1      |
| 2  | Mic<br>2.1<br>2.2<br>2.3  | robial diversity: who  Metabarcoding has caveats What about metagenomics?                | 3<br>3<br>3      |
| 3  | <b>Mic</b> : 3.1          | robial diversity: the <i>what</i> & <i>where</i> Data integration, Knowledge aggregation | <b>5</b>         |
| 4  | Meta<br>4.1<br>4.2<br>4.3 | Abolic networks  Metabolism as the corner stone  | 7<br>7<br>7<br>7 |
| 5  | <b>Divi</b> 5.1 5.2       | ing into (the dirt of) a swamp  A metagenome study                                       | <b>9</b><br>9    |
| 6  | <b>Not</b> 6.1 6.2        | the sky, but the computing resources is now the limit  HPC solutions                     |                  |
| 7  | Con                       | nclusion   | 13               |
| D: | bliom                     | ranhy  | 17               |

## **Abstract**

The abstract environment contains a more extensive overview of the work. But it should be limited to one page.

# Περίληψη

γεια σου φίλε ..

# **List of Figures and Tables**

## **List of Figures**

|      | workflow from publication      |   |
|------|--------------------------------|---|
| 5.1  | The KU Leuven logo             | Ç |
| List | t of Tables                    |   |
| 5.1  | A table with the wrong layout. | Ç |

## **List of Abbreviations and Symbols**

### **Abbreviations**

LoG Laplacian-of-Gaussian MSE Mean Square error

PSNR Peak Signal-to-Noise ratio

### **Symbols**

"The Answer to the Ultimate Question of Life, the Universe, and Everything"

according to [?]

c Speed of light

E Energy

m Mass

 $\pi$  The number pi

## Introduction

The first contains a general introduction to the work. The goals are defined and the modus operandi is explained.

### 1.1 Microbes..

NGS -> breakthrough in what we can see Taxonomy

### 1.2 ..and their functions..

TA PANTA OLA

### 1.3 make the world go round!

\* ecosystem functioning

<sup>\*</sup> microbial interactions

## Microbial diversity: who

This chapter will be about finding the taxa present in an environment sample.

First we will discuss a few things about the biodiversity assessment methods in general in terms of a short introduction.

### 2.1 Metabarcoding..

Then we will describe PEMA

### 2.2 .. has caveats

And here we will talk about DARN

### 2.3 What about metagenomics?

And at this point we ll mention our work and findings (if any) in the framework of the EOSC Life project.

FIGURE 2.1: workflow from publication

FIGURE 2.2: COI - reference phylogenetic tree

# Microbial diversity: the *what* & *where*

### 3.1 Data integration, Knowledge aggregation

PREGO will be described here

### Metabolic networks

### 4.1 Metabolism as the corner stone

The relationship between genotype and phenotype is fundamental to biology. Many levels of control are introduced when moving from one to the other. Systems biology aims at deciphering "the strategy" both at the cell and at higher levels of organization, in case of multicell species, that enables organisms to produce orderly adaptive behavior in the face of widely varying genetic and environmental conditions ([3]); the term "strategy" is used as per [1]. Systems biology approaches aim at interpreting how a system's properties emerge; from the cell to the community level.

#### 4.1.1 Genome-scale metabolic network reconstruction

### 4.2 The flux sampling approach

From Price et al. [2]: "Pairwise correlation coefficients can be calculated between all reaction fluxes based on uniform random sampling. Perfectly correlated reactions (R2 = 1) operate as functional modules within a biochemical network, whereas uncorrelated reactions (R2 0) operate independently of each other. The degree of independence between reactions is an important consideration when choosing a set of fluxes to measure that will best determine the operating state of a biochemical network"

Polanyi

### 4.3 The 'dingo' Python library

## Diving into (the dirt of) a swamp

- 5.1 A metagenome study..
- 5.2 ..to see how they can live there!



FIGURE 5.1: The KU Leuven logo.

| gnats     | gram    | \$13.65 |
|-----------|---------|---------|
|           | each    | .01     |
| gnu       | stuffed | 92.50   |
| emu       |         | 33.33   |
| armadillo | frozen  | 8.99    |

TABLE 5.1: A table with the wrong layout.

# Not the sky, but the computing resources is now the limit

### 6.1 HPC solutions

HPC paper

### 6.2 Infrustuctures could be of use

white paper of Elixir microbiome community

## Conclusion

The final chapter contains the overall conclusion. It also contains suggestions for future work and industrial applications.

## **Appendices**

## **Bibliography**

- [1] Michael Polanyi. Life's irreducible structure: Live mechanisms and information in dna are boundary conditions with a sequence of boundaries above them. *Science*, 160 (3834):1308–1312, 1968.
- [2] Nathan D Price, Jennifer L Reed, and Bernhard Ø Palsson. Genome-scale models of microbial cells: evaluating the consequences of constraints. *Nature Reviews Microbiology*, 2(11):886–897, 2004.
- [3] Richard Strohman. Maneuvering in the complex path from genotype to phenotype. *Science*, 296(5568):701–703, 2002.

### PhD disseration

Student: Haris Zafeiropoulos

*Titen*: Microbial communities through the lens of data integration, knowledge aggregation and metabolic networks analysis

*UDC*: 621.3

Korte inhoud:

Hier komt een heel bondig abstract van hooguit 500 woorden. La Commando's mogen hier gebruikt worden. Blanco lijnen (of het commando \par) zijn wel niet toegelaten!

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Dissertation presented in partial fulfillment of the requirements for the degree of Doctor of Science (PhD) in Biology

Promotors: Prof. Emmanouil Ladoukakis Dr Evangelos Pafilis Dr Christoforos Nikolaou

:

: