Status	Finished
Started	Wednesday, 21 October 2026, 10:16 PM
Completed	Wednesday, 21 October 2026, 10:20 PM
Duration	3 mins 59 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Following statement return values in the form of: D1.keys() # D1 is a dictionary

a. string
b. dictionary
c. tuple
d. list ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following is used to delete an element from Dictionary?

a. remove
b. delete
c. None of the mentioned
d. pop ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Traversing a dictionary can be done using _____.

a. None of the mentioned
b. jump statement
c. loop ✓
d. if statement

Question **5**

Correct

Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

a. None of the mentioned
b. It will create a new dictionary.
c. It will merge all the elements of dictionary 'D1' in dictionary 'D2'.
d. It will merge all the elements of dictionary 'D2' in dictionary 'D1'. ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Suppose d = {"john":40, "peter":45}, to delete the entry for "john" what command do we use?

a. d.delete("john")
b. d.delete("john":40)
c. del d("john":40)
d. del d["john"] ✓

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

a. 4 ✓

b. Invalid Synatx,Error

c. 5

d. A

Question **8**

Correct

Mark 1.00 out of 1.00

In Python, Dictionaries are immutable

Select one:

True

False ✓

Question **9**

Correct

Mark 1.00 out of 1.00

To obtain the number of entries in dictionary which command is used?

a. d.size()

b. size(d)

c. d.len()

d. len(d) ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following are true of Python dictionaries:

a) All the keys in a dictionary must be of the same type.

b) Items are accessed by their position in a dictionary.

c) A dictionary can contain any object type except another dictionary.

d) Dictionaries can be nested to any depth.

e) Dictionaries are mutable.

f) Dictionaries are accessed by key.

a. b,c

b. c,d,e

c. a,b

d. d,e,f ✓

Question **11**

Correct

Mark 1.00 out of 1.00

_____ function returns the value corresponding to the key passed as the argument.

a. update

b. del

c. values

d. get ✓

Question **12**

Correct

Mark 1.00 out of 1.00

_____ function returns the number of key: value pairs of the dictionary.

a. total

b. len ✓

c. items

d. length

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following is feature of Dictionary?

a. Dictionary is mutable.
b. All of the mentioned ✓
c. Keys are unique within a dictionary.
d. Keys must be of an immutable data type.

Question **14**

Correct

Mark 1.00 out of 1.00

Dictionaries are flexible in nature, means elements can be added or removed from it.

a. True ✓
b. False

Question **15**

Correct

Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.Items) ✓
b. print(A.keys)
c. print(A.get)
d. print(A.values)