

AQA A-Level Chemistry Paper 3: Student Strategy Guide

Based on 10 Past Papers + 8 Examiner Reports (Specimen 2015, 2017–2025)

HSJ Tuition | ChemMastery · hsjtuition.co.uk

Important disclaimer This guide is based on HSJ Tuition's independent analysis of every publicly available AQA Chemistry Paper 3 (7405/3) question paper and examiner report from 2015 to 2025. The patterns and advice here come from ten papers' worth of examiner evidence, not guesswork. That said, **exam content cannot be predicted or guaranteed**. AQA can set any topic from the full specification at any time. Paper 3 is the synoptic paper and can assess anything. Use this guide to prioritise your revision and avoid common errors, but don't use it instead of covering the full spec. HSJ Tuition accepts no responsibility for topics not appearing or appearing differently than anticipated.

WHY THIS GUIDE EXISTS

We went through every AQA Chemistry Paper 3 from the specimen paper through June 2025, plus every published examiner report. This guide tells you **exactly where students lose marks**, based on what examiners have flagged year after year.

WHAT PAPER 3 ASSESSES

Paper 3 is a 2-hour written exam worth 90 marks (30% of the A-level). It has two sections:

- **Section A:** 60 marks of structured short and long answer questions (typically 5–6 questions)
- **Section B:** 30 marks of multiple-choice questions (30 × 1 mark)

Paper 3 is the **synoptic paper**. It can test **anything from the entire specification**: physical, organic, inorganic, and practical skills. It always includes practical techniques and data analysis. Every paper has at least one Level of Response (LoR) question worth 6 marks.

In practice, Paper 3 = **enthalpy + kinetics + electrode potentials + acids/bases + practical skills + whatever else AQA feels like**.

PART 1: WHAT TO REVISE FIRST

These topics show up **every single year** in Section A and account for roughly 40–50 marks:

Priority	Topic	Frequency	Marks per paper
1	Enthalpy calculations (Hess's law, Born-Haber, calorimetry)	9/9	5–18
2	Practical techniques (reflux, recrystallisation, filtration, separating funnel)	9/9	8–19
3	Percentage uncertainty and error analysis	9/9	2–4

These also come up nearly every year:

Priority	Topic	Frequency
4	Kinetics: rate equations, orders, k, units, Arrhenius	7/9
5	Electrode potentials: SHE, cell EMF, E _o data, cell diagrams	7/9
6	Acids, bases, pH, K _a , buffers, titration curves	7/9
7	Organic synthesis: alcohols, esters, acyl derivatives	7/9
8	Period 3 elements and oxides	5/9
9	Transition metal complexes, colour, colorimetry	5/9
10	Equilibria: K _c expression and calculation	5/9

Don't skip Tier 1 for Tier 2. A student who nails enthalpy calculations, practical descriptions, and percentage uncertainty picks up more marks than someone who loosely revises everything.

PART 2: THE GOLDEN RULES

These come from errors that show up in **multiple examiner reports**. They apply across the whole paper.

Rule 1: Double the uncertainty for two readings

If you take two readings (e.g. initial and final temperature, or two mass readings on a balance), the uncertainty is **doubled**. This has been flagged in **four separate examiner reports** (2017, 2018, 2019, 2022). It's the single most

repeated correction across all Paper 3 reports.

Rule 2: Know the difference between reflux and distillation

Reflux **returns vapours to the flask** so you don't lose reactants. It is not a separation technique. Distillation **collects vapours** to separate a product. Students mix these up constantly (flagged 2017, 2018, 2021, 2023, 2024).

Rule 3: Describe the method, not the apparatus list

When asked to describe an experiment, write a **step-by-step method**. Don't just list equipment. Examiners say it explicitly: "apparatus lists are not required; mention apparatus as used in the method." Flagged 2017–2019.

Rule 4: Never offer two alternative answers

If you write two answers and one is wrong, the wrong one **cancels out the correct one**. You get zero. Cross out anything you don't want marked. Flagged every year.

Rule 5: Learn recrystallisation as a fixed sequence

The order is: (1) dissolve in minimum hot solvent, (2) hot filtration to remove insoluble impurities, (3) cool to crystallise, (4) vacuum/Buchner filtration, (5) wash crystals with cold solvent, (6) dry. Students confuse this with distillation or solvent extraction almost every year (2017, 2021, 2023, 2024).

Rule 6: Label your working in calculations

Examiners can't give you method marks if they can't tell which number is what. Label every step: "moles of X = ...", "concentration = ...". Flagged every year.

Rule 7: Watch your unit conversions (J/kJ, nm/m)

Forgetting to convert J to kJ in thermodynamics, or nm to m in $E = hc/\lambda$, costs marks every year. Flagged 2020, 2022, 2024. Always check what units the data is in and what units the answer needs.

Rule 8: Give BOTH colours for a colour change

"Green" on its own scores zero. You need "orange to green" or "colourless to purple". Give the colour before AND after. Flagged 2019, 2021.

Rule 9: Be specific with electrode potential notation

Don't write vague things like "the electrode potential for Cu^{2+} is less than...". Write " $E^\circ(\text{Cu}^{2+}/\text{Cu})$ " or " E° for the Cu^{2+}/Cu half-cell". Also: "Co" is cobalt, "CO" is carbon monoxide. Sloppy notation gets penalised (flagged 2019, 2020, 2022).

Rule 10: In LoR questions, pack in as much correct chemistry as you can

Level of Response (6-mark) questions are marked holistically. The way to hit Level 3 is **as much correct chemistry as possible** in a **logical order**. Don't waste lines on introductions or repeating the question. Get straight into the chemistry. Fewer than 10–20% of students hit Level 3 in any year.

PART 3: TOPIC-BY-TOPIC KEY MISTAKES

Enthalpy and Thermodynamics

- **Hess's law direction**: don't assume $\Delta H = \sum \text{products} - \sum \text{reactants}$ always works. That shortcut only applies to enthalpies of formation. Draw the cycle and follow the arrows (flagged 2017).
- **Mass in $q = mc\Delta T$** : m is the mass of the **solution** (usually water), not the mass of the solid you dissolved. Flagged 2018, 2022.
- **Endothermic reactions**: the source of error is heat **gain** from surroundings, not heat loss. This catches students who assume every calorimetry error is about heat loss (flagged 2022).
- **Bomb calorimeter**: it operates at constant **volume**, so it measures internal energy change, not enthalpy change (which is constant pressure). Only 11% got this right in 2020.
- **Yield over 100%**: if your percentage yield comes out above 100%, don't flip the calculation. Report the number as calculated and suggest a reason (impure product, incomplete drying, etc.). Only 10% got this in 2017.
- **J/kJ in entropy calculations**: when doing $\Delta G = \Delta H - T\Delta S$, make sure ΔH and $T\Delta S$ are in the same units. Students regularly forget to convert entropy from $\text{J K}^{-1} \text{mol}^{-1}$ to $\text{kJ K}^{-1} \text{mol}^{-1}$ (flagged 2022).

Practical Skills

- **Anti-bumping granules**: they provide nucleation sites for smooth boiling. They do NOT "slow the reaction down" or "prevent particles from bumping into each other." Only 30% got this in 2017.

- **Why reflux?:** the answer is "returns vapours to the reaction mixture so reactants are not lost and the reaction can go to completion." Don't say "it separates the products."
- **Percentage uncertainty:** if your thermometer reads $\pm 0.5^{\circ}\text{C}$ and you take an initial and final reading, the total uncertainty is $\pm 1.0^{\circ}\text{C}$. **Always double for two readings.**
- **Reducing % uncertainty:** if asked how to reduce it using the same thermometer, increase the **temperature change** by using more reactant. Don't suggest a smaller volume, because that reduces the temperature change too (flagged 2018).
- **Quenching:** when you take a sample from a reaction mixture to titrate, you need to **stop the reaction first**, e.g. by adding to ice or excess sodium carbonate. Oddly, students who weren't asked about quenching often mentioned it, but when actually asked, they couldn't explain it properly (flagged 2018).
- **Drawing apparatus:** Buchner funnels need horizontal filter paper, a side-arm on the flask, and open tubes. Sealed tubes and missing side-arms are common mistakes (flagged 2018, 2024).
- **Melting point, not boiling point:** when checking purity of a **solid**, you measure melting point (lower and broader = impure). Suggesting "boiling point" for a solid gets zero (flagged 2024).
- **Making a standard solution:** weigh solid, dissolve in a beaker with a small amount of distilled water, transfer to a volumetric flask including washings, then make up to the mark. Descriptions of "weighing by difference" are often contradictory, so be precise (flagged 2019, 2020).
- **Recrystallisation:** don't describe distillation or solvent extraction when the question says recrystallisation. Also know that **residue** is the solid left behind and **filtrate** is the liquid that passes through. Students mix these up (flagged 2024).
- **Cotton wool plug:** it lets gas out (prevents pressure build-up) while keeping solid in. A bung would be dangerous (pressure); an open flask would lose product (flagged 2024).

Kinetics

- **Best-fit lines can be curved:** don't assume "line of best fit" means a straight line. If the data curves, draw a smooth curve through the points (flagged 2018).
- **Tangent, not average:** to find rate at a specific time, draw a **tangent** and calculate its gradient. Don't just divide concentration by time, because that gives average rate, not instantaneous rate (flagged 2018).
- **Pseudo-order:** when one reagent is in large excess, its concentration barely changes, so the rate only depends on the other reagent(s). You need to explain **why**, not just state it. 63% scored zero on this in 2018.
- **Clock reaction design:** use a fixed visible change (colour appearing, going cloudy) to time the reaction. You don't need to measure concentrations directly. Time to the change gives a measure of initial rate ($1/t$ is proportional to rate). The average mark on this was 1.8 out of 6 in 2018.
- **First order from a graph:** a straight line through the origin on a rate vs concentration graph confirms first order. You need to say **both** "straight line" and "through the origin" (flagged 2022).
- **Arrhenius gradient:** gradient of $\ln k$ vs $1/T$ is $-E_a/R$. So $E_a = -\text{gradient} \times R$. Don't read the y-intercept as if the x-axis starts at zero (flagged 2020, 2024).
- **You can't talk about "concentration" of a solid:** if a solid is in excess, the reason rate is unaffected is that the surface area stays roughly constant. Not that "the concentration of the solid is constant." Only 6% got this in 2024.

Acids, Bases and Buffers

- **pH = pKa at half-equivalence:** at the half-equivalence point, $[\text{HA}] = [\text{A}^-]$, so $K_a = [\text{H}^+]$, so $\text{pH} = \text{pKa}$. Only 26% got this in 2017.
- **pH direction:** higher pH means **lower** $[\text{H}^+]$. Students still get this backwards at A-level. 50% scored zero on this in 2019.
- **Arrow types:** strong acid = single forward arrow ($\rightarrow$). Weak acid = equilibrium arrow ($\rightleftharpoons$). Using the wrong one loses marks (flagged 2019).
- **Buffer explanations:** don't just say "a buffer resists changes in pH." Write out the equilibrium equation and explain which species reacts with added acid or base, and how that shifts the equilibrium to keep pH roughly constant. Be specific (flagged 2024).
- **Ka in a buffer is different:** in a buffer, $[\text{H}^+]$ does NOT equal $[\text{A}^-]$. That approximation only works for a weak acid on its own in water. In a buffer, use $K_a = [\text{H}^+][\text{A}^-]/[\text{HA}]$ with the actual concentrations (flagged 2024).
- **Unsuitable indicators:** methyl orange doesn't work for weak acid/strong base titrations because its colour change range (pH 3.1–4.4) misses the steep bit of the curve. Universal indicator doesn't work because the colour changes gradually, so you can't pinpoint the endpoint (flagged 2024).

Electrode Potentials

- **Salt bridge:** it lets **ions** flow to complete the circuit. It does NOT let electrons through. Electrons go through the external wire (flagged 2019).
- **Standard conditions:** 1 mol dm⁻³ solutions, 298 K, 100 kPa. Not 1 atm (that's the old value). Flagged 2019.
- **Using E^o data:** compare half-cell potentials properly. More positive E^o = stronger oxidising agent. Be explicit: "E^o(NO₃⁻/NO) is more positive than E^o(Cu²⁺/Cu), so NO₃⁻ can oxidise Cu" (flagged 2020, 2022).
- **Charge changes in substitution:** when a neutral ligand (like H₂O) replaces a charged ligand (like Cl⁻), the overall charge on the complex changes. Students regularly miss this (flagged 2020).

Organic Chemistry

- **Curly arrows:** must start from a lone pair or a bond. Never from an atom. An arrow starting from an atom gets zero for that step (flagged 2017, 2022).
- **Carbocation stability:** explain the stability of the **intermediate** carbocation (positive inductive effect from alkyl groups), not the final product. Only 17% got full marks in 2017.
- **3D enantiomer drawings:** use wedge and dash notation properly. Sloppy 3D drawings get penalised (flagged 2019, 2022).
- **E/Z isomers:** don't draw the same alkene twice and label one E and one Z. Make sure the groups on each C of the double bond are actually different (flagged 2017).
- **Solubility:** ionic compounds dissolve because ions interact with polar water. A molecule with a big non-polar region (e.g. benzene ring) won't dissolve even if it has some polar groups. Only 1% got full marks on this in 2017.
- **Dehydration vs oxidation:** a tertiary alcohol can't be **oxidised** but it CAN be **dehydrated**. Students confused these in 2023 and only 16% got it right.

Period 3

- **Answer what's asked:** if the question says "oxides", talk about the **oxides**, not the metals. Students constantly discuss the metals instead (flagged 2018).
- **"Bonds" vs intermolecular forces:** don't call intermolecular forces "bonds". Say "intermolecular forces" or "van der Waals forces" (flagged 2018).
- **Giant covalent contradictions:** don't write "SiO₂ has a macromolecular structure with strong bonds between the molecules." That contradicts itself. A giant covalent structure has no molecules (flagged 2018).
- **Sodium flame colour:** it's yellow/orange, not red. And sodium doesn't form a "precipitate" when it burns. It produces a white solid (flagged 2018).

Transition Metal Complexes

- **Origin of colour:** d-orbitals split into two energy levels. **Visible light** of specific frequencies is absorbed, promoting electrons between these levels. The colour you see is the complementary colour. You must say "visible light", not just "light" (flagged 2020).
- **E = hc/λ:** convert wavelength from nm to metres before putting it in the equation. A lot of students forget this (flagged 2020, 2024).
- **Orbital terminology:** "orbital", "subshell", and "shell" mean different things. Don't use them interchangeably (flagged 2024).

General Exam Technique

- **Don't repeat the question** at the start of your answer. It wastes time and space and gets no marks (flagged every year 2017–2019).
- **Cross out rough work** clearly. Rubbed-out answers can still show up on scanned papers (flagged 2018).
- **MCQs:** shade one lozenge per question. If you change your mind, cross out the wrong one clearly and shade the new one. Multiple lozenges = zero (flagged 2017, 2018, 2022).
- **"Explain" means give reasons:** if the command word is "explain", don't just state a fact. Give the reason behind it. Students who restate what they've been told to explain get zero (flagged 2024).

PART 4: THE EASY MARKS CHECKLIST

Before you hand in your paper, check these **every time**:

- ☐ Percentage uncertainty **doubled** for two readings (thermometer, balance)
- ☐ All enthalpy calculations: J and kJ are **consistent** throughout

- Hess's law: arrows go the **right way** around the cycle
- Mass in $q = mc\Delta T$ is the mass of **solution**, not the solid
- Recrystallisation: includes **hot filtration** before cooling
- Colour changes give **both** the before and after colour
- Electrode potential notation is **specific**: $E_o(\text{Cu}^{2+}/\text{Cu})$, not "the E_o for copper"
- Arrhenius gradient is **negated**: $E_a = -\text{gradient} \times R$
- Curly arrows start from **lone pairs or bonds**, never atoms
- All rough work is **crossed out** so examiners ignore it

These 10 checks alone could save you 8–15 marks.

PART 5: TRENDS AND TOPIC PATTERNS

What 2025 Paper 3 covered (less likely to repeat in the same form)

- Enthalpy of solution / calorimetry calculation (Q1, 9 marks)
- Kinetics: iodine clock, orders from data, rate equation, units of k (Q2, 15 marks)
- Electrode potentials: cell diagram mistakes, overall equation, using E_o data (Q3, 11 marks)
- K_c expression and calculation with ICE table (Q4, 9 marks)
- Oxidation of alcohols, chemical tests, IR spectroscopy (Q5, 10 marks)
- Rapeseed oil, esters, stereoisomerism, biodiesel, saponification (Q6, 6 marks)

What 2026 Papers 1 and 2 already tested

Paper 1 (2 June 2026) tested: ionisation energies (1st IE of aluminium, successive IEs); Born-Haber cycle for strontium bromide + Hess hydration enthalpy; Group 2 (barium + water, hydroxide solubility trend, $\text{Mg}(\text{OH})_2$ use, barium hydroxide + sulfuric acid); magnesium metallic bonding/conductivity/melting point + magnesium in titanium extraction; calorimetry — enthalpy of solution of anhydrous sodium carbonate (extrapolation graph + practical evaluation); autocatalysis kinetics (manganate(VII) + ethanedioate concentration-time curve); transition metal test-tube reactions; hydrated Fe^{3+} acidity (Brønsted-Lowry, pH 3); $\text{K}_3[\text{M}(\text{C}_2\text{O}_4)_3]$ identified by KMnO_4 /ethanedioate redox titration + optical isomerism of the complex; acids and bases (pH of water and K_w at 30 °C, weak-acid/ NaOH titration curve + indicator choice, **6-mark buffer pH calculation** + buffer action); Le Chatelier ($\text{SO}_2/\text{O}_2/\text{SO}_3$ yield); gas volume from lithium nitrate decomposition; Period 3 oxide reactions (amphoteric behaviour).

Paper 2 (9 June 2026) tested: K_c calculation, rate equations (orders, k , rate-determining step), bond enthalpy Hess cycle (C-F), atom economy, elimination mechanism (7-marker), nucleophilic addition (NaBH_4 and epoxide), E-Z isomerism, ^1H and ^{13}C NMR, amino acid identification, R_f value, halogenoalkane reactivity (C-I vs C-Br), IF_4^+ shape, equilibrium constants and temperature.

Topics not tested on Papers 1 or 2 yet: ones to watch for Paper 3

Topic	Status	Why it matters
Electrode potentials / electrochemical cells	Not on Paper 1 (and not reported on Paper 2)	Shows up on 7/9 past Paper 3s. This is the single strongest genuine gap.
Percentage uncertainty	Not calculated on Paper 1	Shows up on 9/9 past Paper 3s. Near-certain.
Rates practical (iodine clock, initial rates, tangents)	P1 had an autocatalysis curve, but not a clock-reaction/initial-rates practical	Clock-reaction design and initial-rate analysis are repeat LoR favourites (2018, 2019, 2025)
Practical: recrystallisation / organic purification	Not on Paper 1	Repeat LoR favourite
TM complexes: colour / colorimetry	P1 had a complex ion (oxalate) and its isomerism, but not colour / d-orbital splitting	Shows up on 5/9 past Paper 3s
TLC / chromatography	P2 had an R_f value, but no full TLC technique question	Full technique question last seen Jun 2023
Equilibrium: K_c calculation	P1 had Le Chatelier (qualitative), not a K_c calculation	K_c is a regular Section A question (and K_p is near-permanent in the MCQs)
Environmental chemistry (NO _x , catalysts)	Not tested	Last seen Nov 2020, 5-year gap
DNA / nucleotides	Not tested	Never been in Paper 3 Section A
Oils, fats, biodiesel	Not tested	Only appeared once (Jun 2025)

Topics already heavily tested on Paper 1 — lower priority as a *major* Paper 3 question

These still appear on Paper 3 historically, but Paper 1 hit them hard this year, so they are less likely to be the main focus again:

Topic	Covered on Paper 1
Acids, bases, pH, buffers	A 6-mark buffer pH calculation, full pH/K _w work, a titration curve and indicator choice. Heavily tested — don't expect another big acids/buffer question.
Calorimetry (enthalpy of solution)	Full Na ₂ CO ₃ enthalpy-of-solution experiment with extrapolation graph. A repeat calorimetry LoR is now less likely.
Born-Haber / Hess cycles	Born-Haber for SrBr ₂ + Hess hydration enthalpy.
Group 2 / Period 3	Group 2 reactions and Period 3 oxides both came up.

On Arrhenius specifically: the $\ln k$ vs $1/T$ graph and E_a calculation came up in 2020 and 2024. Paper 1 used an autocatalysis curve and (per reports) Paper 2 leaned on orders/rate equations, so if rates appear on Paper 3 a clock-reaction practical or initial-rates analysis is the likelier angle than another Arrhenius graph. Know Arrhenius, but don't bet the paper on it.

Topics with long gaps in Paper 3 history

Topic	Last in Section A	Gap
Environmental chemistry	Nov 2020	5 years
Born-Haber as main topic	Jun 2022	3 years
K _c with algebraic ICE table	Nov 2021	4+ years
Amino acids as main question	Jun 2023	2 years

Level of Response (LoR) question patterns

The 6-mark LoR question tends to alternate between two types:

- **Practical method descriptions:** calorimetry (2017), recrystallisation (2017, 2024), rate experiment design (2018, 2019), measuring E_o (2020)
- **Synoptic explanations:** ion tests (2022, 2023), TM colour + colorimetry (2024), alcohol identification (2025)

Typical Paper 3 structure

- **Q1:** usually a practical/synthesis question with enthalpy or thermodynamics (8–19 marks)
- **Q2–Q4:** a mix of kinetics, electrode potentials, acids/bases, organic (varies each year)
- **One long organic practical question:** preparation + purification + yield (13–19 marks)
- **One LoR question** (6 marks): practical method OR synoptic explanation
- **Section B:** 30 MCQs testing the full breadth of the spec. Topics that don't make it into Section A often show up here instead (Maxwell-Boltzmann, amino acid zwitterions, polymer types, cisplatin, DNA base pairing)

HSJ Tuition / ChemMastery. Internal resource. Based on AQA 7405/3 SQP (2015), JUN17–JUN25 (10 papers) and 8 examiner reports.