



ANDROID STATIC ANALYSIS REPORT




 InstaPro  (408.0.0.51.78)

File Name:	InstaPro_v14.25.apk
Package Name:	com.instapro.android
Scan Date:	Feb. 13, 2026, 7:39 a.m.

App Security Score:

50/100 (MEDIUM RISK)

Grade:



Trackers Detection:

4/432

 FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
5	127	3	4	1

FILE INFORMATION

File Name: InstaPro_v14.25.apk

Size: 139.09MB

MD5: 0a81f1f1a1ae1cc43e88017688a810f2

SHA1: 6f6cbf9d4edd9f82d61dbe15b67c9e37cdc64c2a

SHA256: cd20dd38b4313a5ceb55dbcd3930ee8676ad4b72cb417da45ef75e2213591419

APP INFORMATION

App Name: InstaPro 🐾

Package Name: com.instapro.android

Main Activity: com.instagram.lockscreen.LockScreenShortcutActivity

Target SDK: 36

Min SDK: 28

Max SDK:

Android Version Name: 408.0.0.51.78

Android Version Code: 999999999

APP COMPONENTS

Activities: 482

Services: 98

Receivers: 62

Providers: 16

Exported Activities: 52

Exported Services: 14

Exported Receivers: 20

Exported Providers: 12

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: False

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=California, L=Mountain View, O=Android, OU=Android, CN=Android, E=android@android.com

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2008-02-29 01:33:46+00:00

Valid To: 2035-07-17 01:33:46+00:00

Issuer: C=US, ST=California, L=Mountain View, O=Android, OU=Android, CN=Android, E=android@android.com

Serial Number: 0x936eacbe07f201df
Hash Algorithm: sha1
md5: e89b158e4bcf988ebd09eb83f5378e87
sha1: 61ed377e85d386a8dfee6b864bd85b0bfaa5af81
sha256: a40da80a59d170caa950cf15c18c454d7a39b26989d8b640ecd745ba71bf5dc
sha512: 5216ccb62004c4534f35c780ad7c582f4ee528371e27d4151f0553325de9ccbe6b34ec4233f5f640703581053abfea303977272d17958704d89b7711292a4569
PublicKey Algorithm: rsa
Bit Size: 2048
Fingerprint: f9f32662753449dc550fd88f1ed90e94b81adef9389ba16b89a6f3579c112e75
Found 1 unique certificates

≡ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.AUTHENTICATE_ACCOUNTS	dangerous	act as an account authenticator	Allows an application to use the account authenticator capabilities of the Account Manager, including creating accounts as well as obtaining and setting their passwords.
android.permission.MANAGE_ACCOUNTS	dangerous	manage the accounts list	Allows an application to perform operations like adding and removing accounts and deleting their password.
android.permission.GET_ACCOUNTS	dangerous	list accounts	Allows access to the list of accounts in the Accounts Service.
android.permission.USE_CREDENTIALS	dangerous	use the authentication credentials of an account	Allows an application to request authentication tokens.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
android.permission.USE_FULL_SCREEN_INTENT	normal	required for full screen intents in notifications.	Required for apps targeting Build.VERSION_CODES.Q that want to use notification full screen intents.
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
android.permission.BLUETOOTH	normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.READ_CONTACTS	dangerous	read contact data	Allows an application to read all of the contact (address) data stored on your phone. Malicious applications can use this to send your data to other people.
android.permission.READ_PROFILE	dangerous	read the user's personal profile data	Allows an application to read the user's personal profile data.
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.
android.permission.NEARBY_WIFI_DEVICES	dangerous	required for advertising and connecting to nearby devices via Wi-Fi.	Required to be able to advertise and connect to nearby devices via Wi-Fi.
android.permission.RECORD_AUDIO	dangerous	record audio	Allows application to access the audio record path.
android.permission.MODIFY_AUDIO_SETTINGS	normal	change your audio settings	Allows application to modify global audio settings, such as volume and routing.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.READ_MEDIA_IMAGES	dangerous	allows reading image files from external storage.	Allows an application to read image files from external storage.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.READ_MEDIA_VIDEO	dangerous	allows reading video files from external storage.	Allows an application to read video files from external storage.
android.permission.READ_MEDIA_VISUAL_USER_SELECTED	dangerous	allows reading user-selected image or video files from external storage.	Allows an application to read image or video files from external storage that a user has selected via the permission prompt photo picker. Apps can check this permission to verify that a user has decided to use the photo picker, instead of granting access to READ_MEDIA_IMAGES or READ_MEDIA_VIDEO . It does not prevent apps from accessing the standard photo picker manually. This permission should be requested alongside READ_MEDIA_IMAGES and/or READ_MEDIA_VIDEO , depending on which type of media is desired.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.ACCESS_MEDIA_LOCATION	dangerous	access any geographic locations	Allows an application to access any geographic locations persisted in the user's shared collection.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
android.permission.READ_PHONE_STATE	dangerous	read phone state and identity	Allows the application to access the phone features of the device. An application with this permission can determine the phone number and serial number of this phone, whether a call is active, the number that call is connected to and so on.
android.permission.READ_PHONE_NUMBERS	dangerous	allows reading of the device's phone number(s).	Allows read access to the device's phone number(s). This is a subset of the capabilities granted by READ_PHONE_STATE but is exposed to instant applications.
android.permission.READ_BASIC_PHONE_STATE	normal	allows read-only access to basic phone state information.	Allows read only access to phone state with a non dangerous permission, including the information like cellular network type, software version.
android.permission.ANSWER_PHONE_CALLS	dangerous	permits an app to answer incoming phone calls.	Allows the app to answer an incoming phone call.
android.permission.READ_CALL_LOG	dangerous	grants read access to the user's call log.	Allows an application to read the user's call log.

PERMISSION	STATUS	INFO	DESCRIPTION
com.android.launcher.permission.INSTALL_SHORTCUT	unknown	Unknown permission	Unknown permission from android reference
com.android.launcher.permission.UNINSTALL_SHORTCUT	unknown	Unknown permission	Unknown permission from android reference
com.instagram.direct.permission.PROTECTED_DEEPLINKING	unknown	Unknown permission	Unknown permission from android reference
com.instagram.direct.permission.DIRECT_APP_THREAD_STORE_SERVICE	unknown	Unknown permission	Unknown permission from android reference
com.facebook.services.identity.FEO2	unknown	Unknown permission	Unknown permission from android reference
com.htc.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for htc phones.
com.htc.launcher.permission.UPDATE_SHORTCUT	normal	show notification count on app	Show notification count or badge on application launch icon for htc phones.
com.huawei.android.launcher.permission.CHANGE_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for huawei phones.
com.samsung.android.app.smartcapture.permission.PENDING_UPDATE	unknown	Unknown permission	Unknown permission from android reference
com.sonyericsson.home.permission.BROADCAST_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for sony phones.
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for sony phones.
com.motorola.launcher3.permission.UNREAD_BADGE	unknown	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE_DATA_SYNC	normal	permits foreground services for data synchronization.	Allows a regular application to use Service.startForeground with the type "dataSync".
android.permission.FOREGROUND_SERVICE_MEDIA_PLAYBACK	normal	enables foreground services for media playback.	Allows a regular application to use Service.startForeground with the type "mediaPlayback".
com.facebook.katana.provider.ACCESS	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_AD SERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.
android.permission.ACCESS_AD SERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.
android.permission.MANAGE_EXTERNAL_STORAGE	dangerous	Allows an application a broad access to external storage in scoped storage	Allows an application a broad access to external storage in scoped storage. Intended to be used by few apps that need to manage files on behalf of the users.
android.permission.SYSTEM_ALERT_WINDOW	dangerous	display system-level alerts	Allows an application to show system-alert windows. Malicious applications can take over the entire screen of the phone.
android.permission.FOREGROUND_SERVICE_PHONE_CALL	normal	enables foreground services during phone calls.	Allows a regular application to use Service.startForeground with the type "phoneCall".
android.permission.FOREGROUND_SERVICE_MICROPHONE	normal	permits foreground services with microphone use.	Allows a regular application to use Service.startForeground with the type "microphone".
android.permission.RUN_USER_INITIATED_JOBS	normal	allows using the user-initiated jobs API.	Allows applications to use the user-initiated jobs API. For more details see JobInfo.Builder.setUserInitiated(boolean) .
.permission.RECEIVE_ADM_MESSAGE	unknown	Unknown permission	Unknown permission from android reference
com.amazon.device.messaging.permission.RECEIVE	unknown	Unknown permission	Unknown permission from android reference
android.permission.CREDENTIAL_MANAGER_SET_ALLOWED_PROVIDERS	normal	allows specifying candidate credential providers.	Allows specifying candidate credential providers to be queried in Credential Manager get flows, or to be preferred as a default in the Credential Manager create flows.
android.permission.BLUETOOTH_CONNECT	dangerous	necessary for connecting to paired Bluetooth devices.	Required to be able to connect to paired Bluetooth devices.
android.permission.CHANGE_NETWORK_STATE	normal	change network connectivity	Allows applications to change network connectivity state.

PERMISSION	STATUS	INFO	DESCRIPTION
com.instapro.android.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference
android.permission.MEDIA_PROJECTION	unknown	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE_MEDIA_PROJECTION	normal	allows foreground services for media projection.	Allows a regular application to use Service.startForeground with the type "mediaProjection".
android.permission.CAPTURE_VIDEO_OUTPUT	normal	allows capturing of video output.	Allows an application to capture video output.
android.permission.CALL_PHONE	dangerous	directly call phone numbers	Allows the application to call phone numbers without your intervention. Malicious applications may cause unexpected calls on your phone bill. Note that this does not allow the application to call emergency numbers.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
android.permission.FOREGROUND_SERVICE_LOCATION	normal	allows foreground services with location use.	Allows a regular application to use Service.startForeground with the type "location".
android.permission.FOREGROUND_SERVICE_CAMERA	normal	allows foreground services with camera use.	Allows a regular application to use Service.startForeground with the type "camera".
com.instapro.android.permission.CROSS_PROCESS_BROADCAST_MANAGER	unknown	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE_CONNECTED_DEVICE	normal	enables foreground services with connected device use.	Allows a regular application to use Service.startForeground with the type "connectedDevice".
android.permission.USE_BIOMETRIC	normal	allows use of device-supported biometric modalities.	Allows an app to use device supported biometric modalities.
android.permission.USE_FINGERPRINT	normal	allow use of fingerprint	This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead.
android.permission.MANAGE_OWN_CALLS	normal	enables a calling app to manage its own calls.	Allows a calling application which manages it own calls through the self-managed ConnectionService APIs.

PERMISSION	STATUS	INFO	DESCRIPTION
com.android.vending.BILLING	normal	application has in-app purchases	Allows an application to make in-app purchases from Google Play.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.UPDATE_APP_BADGE	unknown	Unknown permission	Unknown permission from android reference
android.permission.BLUETOOTH_ADMIN	normal	bluetooth administration	Allows applications to discover and pair bluetooth devices.
android.permission.CHANGE_WIFI_STATE	normal	change Wi-Fi status	Allows an application to connect to and disconnect from Wi-Fi access points and to make changes to configured Wi-Fi networks.
android.permission.WRITE_CALENDAR	dangerous	add or modify calendar events and send emails to guests	Allows an application to add or change the events on your calendar, which may send emails to guests. Malicious applications can use this to erase or modify your calendar events or to send emails to guests.

 APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check SIM operator check network operator name check
	Compiler	dexlib 2.x

FILE	DETAILS	
classes10.dex	FINDINGS	DETAILS
	Compiler	dexlib 2.x
	Anti Disassembly Code	illegal class name
classes11.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.MANUFACTURER check Build.BOARD check
	Compiler	dexlib 2.x
	Anti Disassembly Code	illegal class name
classes12.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check
	Compiler	dexlib 2.x
	Anti Disassembly Code	illegal class name

FILE	DETAILS	
classes13.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check possible Build.SERIAL check Build.TAGS check possible VM check
	Compiler	dexlib 2.x
	Anti Disassembly Code	illegal class name
classes14.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.MANUFACTURER check
	Compiler	dexlib 2.x
	Anti Disassembly Code	illegal class name
classes15.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.MANUFACTURER check
	Compiler	dexlib 2.x
classes16.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.MANUFACTURER check
	Compiler	dexlib 2.x
	Anti Disassembly Code	illegal class name

FILE	DETAILS	
classes17.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.HARDWARE check
	Compiler	dexlib 2.x
classes18.dex	FINDINGS	DETAILS
	Obfuscator	unreadable field names unreadable method names
	Compiler	dexlib 2.x
classes2.dex	FINDINGS	DETAILS
	Compiler	dexlib 2.x
	Anti Disassembly Code	illegal class name

FILE	DETAILS	
classes3.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.TAGS check
	Anti Debug Code	Debug.isDebuggerConnected() check
	Compiler	dexlib 2.x
	Anti Disassembly Code	illegal class name
classes4.dex	FINDINGS	DETAILS
	Anti-VM Code	SIM operator check
	Compiler	dexlib 2.x
	Anti Disassembly Code	illegal class name
classes5.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.BOARD check
	Compiler	dexlib 2.x
	Anti Disassembly Code	illegal class name

FILE	DETAILS	
classes6.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.BOARD check SIM operator check network operator name check
	Compiler	dexlib 2.x
	Anti Disassembly Code	illegal class name
classes7.dex	FINDINGS	DETAILS
	Compiler	dexlib 2.x
classes8.dex	FINDINGS	DETAILS
	Compiler	dexlib 2.x
	Anti Disassembly Code	illegal class name
classes9.dex	FINDINGS	DETAILS
	Compiler	dexlib 2.x
	Anti Disassembly Code	illegal class name
lib/arm64-v8a/libbreakpad.so	FINDINGS	DETAILS
	anti_hook	syscalls

FILE	DETAILS	
lib/arm64-v8a/libfbwindstack.so		
	FINDINGS	DETAILS
	anti_hook	syscalls

BROWSABLE ACTIVITIES

ACTIVITY	INTENT
com.instagram.android.activity.MainTabActivity1	Schemes: instagram://, Hosts: headline_event, story-camera, live_camera, reels-camera, direct-inbox, share, reels_home, news, mainfeed,
com.instagram.android.activity.MainTabActivity2	Schemes: instagram://, Hosts: headline_event, story-camera, live_camera, reels-camera, direct-inbox, share, reels_home, news, mainfeed,
com.instagram.android.activity.MainTabActivity3	Schemes: instagram://, Hosts: headline_event, story-camera, live_camera, reels-camera, direct-inbox, share, reels_home, news, mainfeed,
com.instagram.android.activity.MainTabActivity4	Schemes: instagram://, Hosts: headline_event, story-camera, live_camera, reels-camera, direct-inbox, share, reels_home, news, mainfeed,
com.instagram.android.activity.MainTabActivity5	Schemes: instagram://, Hosts: headline_event, story-camera, live_camera, reels-camera, direct-inbox, share, reels_home, news, mainfeed,
com.instagram.android.activity.MainTabActivity6	Schemes: instagram://, Hosts: headline_event, story-camera, live_camera, reels-camera, direct-inbox, share, reels_home, news, mainfeed,
com.instagram.android.activity.MainTabActivity7	Schemes: instagram://, Hosts: headline_event, story-camera, live_camera, reels-camera, direct-inbox, share, reels_home, news, mainfeed,
com.instagram.android.activity.MainTabActivity8	Schemes: instagram://, Hosts: headline_event, story-camera, live_camera, reels-camera, direct-inbox, share, reels_home, news, mainfeed,
com.instagram.android.activity.MainTabActivity9	Schemes: instagram://, Hosts: headline_event, story-camera, live_camera, reels-camera, direct-inbox, share, reels_home, news, mainfeed,
com.instagram.android.activity.MainTabActivity10	Schemes: instagram://, Hosts: headline_event, story-camera, live_camera, reels-camera, direct-inbox, share, reels_home, news, mainfeed,

ACTIVITY	INTENT
com.instagram.android.activity.MainTabActivity11	Schemes: instagram://, Hosts: headline_event, story-camera, live_camera, reels-camera, direct-inbox, share, reels_home, news, mainfeed,
com.instagram.android.activity.MainTabActivity12	Schemes: instagram://, Hosts: headline_event, story-camera, live_camera, reels-camera, direct-inbox, share, reels_home, news, mainfeed,
com.instagram.android.activity.MainTabActivity13	Schemes: instagram://, Hosts: headline_event, story-camera, live_camera, reels-camera, direct-inbox, share, reels_home, news, mainfeed,
com.instagram.android.activity.MainTabActivity14	Schemes: instagram://, Hosts: headline_event, story-camera, live_camera, reels-camera, direct-inbox, share, reels_home, news, mainfeed,
com.instagram.android.activity.MainTabActivity15	Schemes: instagram://, Hosts: headline_event, story-camera, live_camera, reels-camera, direct-inbox, share, reels_home, news, mainfeed,
com.instagram.android.activity.MainTabActivity16	Schemes: instagram://, Hosts: headline_event, story-camera, live_camera, reels-camera, direct-inbox, share, reels_home, news, mainfeed,
com.facebook.secure.deeplink.GlobalUriHandlerActivity	Schemes: instagram://, Hosts: ecp_checkout, ecp_e2e,
	Schemes: http://, https://, instagram://, Hosts: instagram.com, www.instagram.com, applink.instagram.com, familycenter.instagram.com, aistudio.instagram.com, ig.me, ai_manage_memory, active_promotions, ads_payments_prepay_payment_status, android, avatar, avatar_viewer, business_sign_up, business_profile_calling, call_settings, branded_content, branded_content_deal_creator_payout, branded_content_project, branded_content_ad, shops_directory, commerce, community_content, consent-launcher, cowatch, create_room, create_post, dogfooding_assistant, qr-code, suggested_reply, instant_reply, manage_folders, create_folder, responsive_guide, evergreen_safety_check_v2, welcome_message, quick_replies, explore, enter_promotion_payment, editprofile, edit_profile_bio, edit_profile_links, facebook_page_onboarding, inject, fundraiser, fb_profile_link, fb_story_tag_notification, fb_tag_notification, tag_mention_settings, fb_story_user_mention, guide, media, acredirect, inter_app/redirect, inter_app_redirect, open_access_application_enrollment, stories, stories_archive, open_access_profile_review_status, ads_product_page, product_display_page, professional_sign_up, promote, promote_high_performing_ad_upsell, music_selector, boost_with_resshared_media_not_delivering, professional_onboarding_checklist, professional_dashboard, profile, profile_shop, tag, location, user, fb_friends, fbpay_hub, bizwallet, bloks_native_hybrid_shell, shopping_seller_management_creator_media, products_for_you, reconsideration_products_for_you, firestarter_buyer_bootstrap, recommendations_in_explore_products, payments, shop_pay_did_finish, update_payment, bloks_order_receipt, hub_order_details, orders_hub, bwp_login, swx, oauth_account_linking, third_party_oauth, step_up, business_order, follow_and_invite_friends, contact_import_prompt, push_notification, ig_basel, ig_payout_hub, ad_topics, insights, business_conversion, tv, igtv_profile, shopping_editorial, settings_payments, settings_theme, settings, settings_privacy, settings_account, settings_devoptions, ads_pay_now, fbe_app_store, ad_activity, ads_payments, fxim_name_changing_reminder, account_link_auth, smb_select_partner, smb_purchase_options, smb_edit_partner, smsrecovery, voting_info_center, create_shopping_tagged_post, shopping_home, shops_checkout, payout_one_time_link_reonboarding, seller_screen_delegator, igtv_revshare_onboarding, reels_overlay_ads_onboarding, user_pay_onboarding, content_appreciation_management, subscriptions_management, subscriptions_claim_gift, subscriptions_ssc_invitation, creator_tools_value_props, creator_programs, open_creator_tool, open_collab_tools_settings, incentive_platform_management, incentive_platform_available_bonus, incentive_platform_progress_tracking, incentive_platform_xar_upsell, resume_payout_onboarding, product_eligibility, igtv_upload, product_composer, product_collection, open_xac, reels, reels_home, reels_share, reels_effect_page,

ACTIVITY	reels_template_browser, audio, audio_page, business_spa_hub, pro2pro, pro2pro_framework, calendar_auth_success, calendar_auth_failure, INTENT auth_launch, discounts_interstitial, thread, msys_thread, seller_actions_bloks_app, creator_monetization_contact_support, creator_settings, creator_agent_suggested_replies, direct-thread, direct_message_options, shopping_guidance_router, technical_incident,
com.instagram.url.UrlHandlerLauncherActivity	bloks_leave_review, view_lead_details, aradscamera, ar_commerce, upload_contacts_settings, extbrowser, ar, embeds_opt_out_setting, payments_care_csat, recurring_notification, payments_payout_support, redirect_to_app, in_app_webview, trustly_authentication, map, shopping_creator_shop_management, injected_feed_unit_products, discovery_home, messaging_hub, tyi, care, transfer_your_information, collection, manage_qa_private_reply, survey, view_all_lead_opportunities, view_all_leads, fan_club, icebreakers, group_profile_creation, two_factor_setting, post_follow_ty, p2m, p2m_payout_settings, nft_collection_details, nft_collectible_details, nft_collection_listing, mediakit, accountquality, view_lead_gen_guidance_hub, direct_prompt_camera, camera_feed, security_checkup, hacked, view_lead_opportunity_details, wearable_pivot_page_url, wearables_pivot_page, wearables_sharing, ads_consent_growth_url, reels_trends, your_activity, news, share, live_camera, direct-inbox, direct_thread_deletion, create_creator_subscriber_chat, birthday_effects_settings, birthday_visibility_settings, event, event_rsvp, events_discovery, opal_profile, opal_content, add_school, school_container, birthday_center, blocking_list, hide_likes, hidden_words, account_status, settings_security, download_your_information, follower_milestone_share_to_story, achievements_hub, achievements_detail_bottom_sheet, reels_chaining, settings_2, nido, settings_elevation, channel, fb_channel, superlative, meta_pro_engagement, direct_agents, direct_ugc_ai_agent_bot, direct_ai_group_activity, note_viewer, direct-notes, note_prompt_responses, aud_preloads, open_mbs_hub, trending_audio_list, camera_modal, education_hub, direct_spotlight_submission, featured_channels, open_ig_x_posting_setting_page, new_collab_collection, meta_verified, hallpass_members, hallpass_participants, direct_create_group, qp_interstitial, saved, saved_audio, search, live_location, pinned_location, run_bloks_action, wonderwall, wonderwall_activity, encryptedbackups, friend_map, friend_map_location_shared, friend_map_audience_settings, story_camera, reels_lane, fb_profile_with_cta_banner, switcher_home_screen_shortcuts, unvetteddevicelogin, whatsapp, permissions_invitation, p2b_thread_event_async_controller, direct_meta_ai_thread, direct, p2b_thread_event_bloks_controller, broadcastchannelcontrols, preferred_businesses, burner, billingwizard, open_to_collab_surface, ugc_persona_ai_home, ugc_ai_group_chat, parental_access_education, quick_snap_creation_camera, quick_snap_details, quick_snaps_from_author, story_template_discovery_surface, story_ayt_clips_flow, permissions_management, direct_privacy_feature_bundle_upsell, security_alerts_settings, security_alerts_feeds, edit_collaborators, gen_ai_accounts, gen_ai_bot_all_subscriptions, gen_ai_bot_single_subscription, myprofilecard, profilecard, link-spotify-from-audio-browser, permissions_removed_accounts, mifu_carousel, direct_account_theme_picker, ify_carousel, ify_recipe_selector, imagine_me_creator, zero_extrig, ad_slider, signals_playground, messaging_ad_inspiration, creators_inspiration, reels_trials, remix_pivot_page, original_label_pivot_page, ad_preferences, launch_emoji_pong, launch_nom_nom_dash, teen_creator_bespoke, parent_approval, ig_last_resort_recovery, identity_wizard_trigger_handoff, ixt_xfac_bv, memu_to_story, restyle, ig_incentive_platform, permissions_invite_settings, permissions_how_it_works, settings_accessibility_translations, settings_content_preferences, settings_muted_accounts, ai_character_drafts, ai_character_create_profile, nido_education_in_dl, direct_meta_ai_voice, sharesheet, wa_link, telco_ads, friend_lane, local_payment_method, creatorreferrals, show_creation_navigator, invite_from_instagram, create_community_chat, account_recovery, account_recovery/start, show_avatar_quests_home_page, show_avatar_quest_details, hzw_launcher, horizon, delegate_comments, waffle_setup_finished, profile_reorder_grid_entrypoint, accounts_disavow, businessreferrals, horizonweb, refreshprofile, imagine_video, community_notes_hub, secretreelsrequest, crossposting_settings, list, activate, connect_2025_imagine_me, rings_winners, shopfinder, virtual_try_on, popular, rl, p2m_app_switch, protif, growth_create_link_business_chat, business_chat, voice_translation_consent,
com.instagram.url.InstagramHelpDeeplinkAliasActivity	Schemes: http://, https://, Hosts: help.instagram.com, about.instagram.com,
com.instagram.url.InstagramShortenDeeplinkAliasActivity	Schemes: http://, https://, Hosts: instagr.am, m.instagram.com,
com.facebook.CustomTabActivity	Schemes: fbconnect://, Hosts: cct.com.instagram.android,
com.spotify.sdk.android.auth.browser.RedirectUriReceiverActivity	Schemes: https://, Hosts: facebook.com, Path Patterns: /spotify-login-callback,

ACTIVITY	INTENT
com.instagram.loginviaapp.LoginViaApplgActivity	Schemes: http://, https://, xapplva://, sfilvavs://, Hosts: www.facebook.com, m.facebook.com, www.instagram.com, instagram.com, Path Prefixes: /ig/login_via/app/, /lva/i/a/, /unified/login_via/app/, /login_via/app/,

NETWORK SECURITY

HIGH: 4 | WARNING: 1 | INFO: 1 | SECURE: 2

NO	SCOPE	SEVERITY	DESCRIPTION
1	*	high	Base config is insecurely configured to permit clear text traffic to all domains.
2	*	warning	Base config is configured to trust system certificates.
3	*	high	Base config is configured to trust user installed certificates.
4	*	high	Base config is configured to bypass certificate pinning.
5	facebook.com fbcdn.net fbsbx.com facebookcorewwi.onion fbcdn23dssr3jqnq.onion fbsbx2q4mvcl63pw.onion instagram.com cdninstagram.com workplace.com oculus.com facebookvirtualassistant.com discoverapp.com freebasics.com internet.org viewpointsfromfacebook.com meta.com h.facebook.com l.facebook.com l.alpha.facebook.com lm.facebook.com l.instagram.com	secure	Domain config is securely configured to disallow clear text traffic to these domains in scope.

NO	SCOPE	SEVERITY	DESCRIPTION
6	facebook.com fbcdn.net fbsbx.com facebookcorewwi.onion fbcdn23dssr3jqnq.onion fbsbx2q4mvcl63pw.onion instagram.com cdninstagram.com workplace.com oculus.com facebookvirtualassistant.com discoverapp.com freebasics.com internet.org viewpointsfromfacebook.com meta.com h.facebook.com l.facebook.com l.alpha.facebook.com lm.facebook.com l.instagram.com	info	Certificate pinning expires on 2026-11-19. After this date pinning will be disabled. [Pin: x4QzPSC810K5/cMjb05Qm4k3Bw5zBn4lTdO/nEW/Td4= Digest: SHA-256,Pin: ICGRfpgmOUXIwCQ/HXPLQTkFPEFPoDyJvH7ohhQpjzs= Digest: SHA-256,Pin: grX4Ta9HpZx6tSHkmCrvpApTQGo67CYDnvprLg5yRME= Digest: SHA-256,Pin: 58qRu/uxh4gFezqAcERupSkRYBIBAvfcw7mEjGPLnNU= Digest: SHA-256,Pin: r/mlkG3eEpVdm+u/ko/cwxzOMo1bk4TyHlByibiA5E= Digest: SHA-256,Pin: i7WTqTvh0OiolrulfFR4kMPnBqrS2rdiVPI/s2uC/CY= Digest: SHA-256,Pin: uUwZgwDOxcBXRQcntwu+kYFpkiVkOaezL0WYEZ3anjc= Digest: SHA-256,Pin: WoiWRylOVNa9ihaBciRSC7XHjliYS9VwUGOlud4PB18= Digest: SHA-256,Pin: Wd8xe/qfTwq3ylFNd3lpaqLHZbh2ZNCLluVzmeNkcpw= Digest: SHA-256,Pin: ape1HlIZ6T5d7GS61YBs3rD4NVvkfnVwELcCRW4Bqv0= Digest: SHA-256,Pin: oC+voZLly4HLE0FVT5wFtxzKKokLDRKY1oNkfjYe+98= Digest: SHA-256,Pin: K87oWBWM9UZfyddvDfoxL+8lpNyoUB2ptGtn0fv6G2Q= Digest: SHA-256,Pin: cGuxAXyFXFkWm61cF4HPWX8S0srS9j0aSqN0k4AP+4A= Digest: SHA-256,Pin: aCdH+LpiG4fn07wpXtXKvOciocDANj0daLOJKNJ4fx4= Digest: SHA-256,Pin: rn+WLLnmp9v3uDP7GPqbcaiRdd+UnCMrap73yz3yu/w= Digest: SHA-256,Pin: C5+lpZ7tcVwmwQIMcRtPbsQtWLABXhQzejna0wHFr8M= Digest: SHA-256,Pin: diGVwiVYbubAl3RW4hB9xU8e/CH2GnkuvVFZE8zmgl= Digest: SHA-256,Pin: q4PO2G2cbkZhZ82+JgmRUyGMOAeozA+BSXVXQWB8XWQ= Digest: SHA-256]
7	h.facebook.com l.facebook.com l.alpha.facebook.com lm.facebook.com l.instagram.com	high	Domain config is insecurely configured to permit clear text traffic to these domains in scope.
8	h.facebook.com l.facebook.com l.alpha.facebook.com lm.facebook.com l.instagram.com	secure	Certificate pinning does not have an expiry. Ensure that pins are updated before certificate expire. []

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

TITLE	SEVERITY	DESCRIPTION
Certificate algorithm might be vulnerable to hash collision	warning	Application is signed with SHA1withRSA. SHA1 hash algorithm is known to have collision issues. The manifest file indicates SHA256withRSA is in use.

Q MANIFEST ANALYSIS

HIGH: 0 | WARNING: 118 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version 9, minSdk=28]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	App has a Network Security Configuration[android:networkSecurityConfig=@xml/fb_network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
3	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
4	Activity (com.instagram.mainactivity.LauncherActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
5	Activity (com.OM7753.gold.PinLockActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
6	Activity (com.instagram.mainactivity.InstagramMainActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
7	Activity-Alias (com.instagram.android.activity.MainTabActivity1) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
8	Activity-Alias (com.instagram.android.activity.MainTabActivity2) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
9	Activity-Alias (com.instagram.android.activity.MainTabActivity3) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
10	Activity-Alias (com.instagram.android.activity.MainTabActivity4) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
11	Activity-Alias (com.instagram.android.activity.MainTabActivity5) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
12	Activity-Alias (com.instagram.android.activity.MainTabActivity6) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
13	Activity-Alias (com.instagram.android.activity.MainTabActivity7) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
14	Activity-Alias (com.instagram.android.activity.MainTabActivity8) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
15	Activity-Alias (com.instagram.android.activity.MainTabActivity9) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
16	Activity-Alias (com.instagram.android.activity.MainTabActivity10) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
17	Activity-Alias (com.instagram.android.activity.MainTabActivity11) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
18	Activity-Alias (com.instagram.android.activity.MainTabActivity12) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
19	Activity-Alias (com.instagram.android.activity.MainTabActivity13) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
20	Activity-Alias (com.instagram.android.activity.MainTabActivity14) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
21	Activity-Alias (com.instagram.android.activity.MainTabActivity15) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
22	Activity-Alias (com.instagram.android.activity.MainTabActivity16) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
23	Activity (com.instagram.url.UrlHandlerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
24	Activity (com.instagram.url.UrlHandlerLauncherActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
25	Activity-Alias (com.instagram.url.InstagramHelpDeeplinkAliasActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
26	Activity-Alias (com.instagram.url.InstagramShortenDeeplinkAliasActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
27	Activity (com.facebook.CustomTabActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
28	Service (com.facebook.rti.push.service.FbnsService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
29	Content Provider (com.instagram.contentprovider.users.impl.IgLoggedInUsersContentProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
30	Broadcast Receiver (com.instagram.launcherbadges.LauncherBadgesReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
31	TaskAffinity is set for activity (instagram.features.clips.pip.ui.ClipsPiPInternalActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
32	Content Provider (com.instagram.contentprovider.DeferredCurrentUserProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
33	Content Provider (com.instagram.barcelona.feed.crossapp.contentprovider.ThreadsContentProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
34	Content Provider (com.instagram.contentprovider.AsyncFamilyAppsUserValuesProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
35	Content Provider (com.instagram.liteprovider.v2.FirstPartyUserValuesLiteProviderV2) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
36	Content Provider (com.instagram.liteprovider.usdid.UssidValuesProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
37	Content Provider (com.instagram.contentprovider.InstallReferrerProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
38	Content Provider (com.instagram.whatsapp.foabackuptoken.FoaBackupTokenProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
39	Content Provider (com.instagram.common.analytics.fdidlite.AsyncInstagramFDIDLiteProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
40	Content Provider (com.instagram.creation.drafts.contentprovider.ClipsDraftProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
41	Content Provider (com.instagram.contentprovider.DeferredDeeplinkProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
42	Service (com.meta.mfa.service.MfaCrossAppServiceImpl) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
43	Service (com.meta.trusteddevice.service.TrustedDeviceFoundationServiceImpl) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
44	Activity (com.instagram.urlhandlers.boostresharedmedianotdelivering.BoostResharedMediaNotDeliveringUrlHandlerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
45	Activity-Alias (com.meta.foa.deeplink.FoaDeeplinkActivityAliasAppScheme) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
46	Activity-Alias (com.meta.foa.deeplink.FoaDeeplinkActivityAliasUniversalLink) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
47	Broadcast Receiver (com.instagram.common.analytics.phoneid.InstagramPhoneIdRequestReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
48	Content Provider (com.instagram.common.analytics.phoneid.AsyncInstagramPhoneIdProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
49	Broadcast Receiver (com.instagram.push.InstagramAppUpgradeEventReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
50	Broadcast Receiver (com.instagram.push.FbnsInitBroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
51	Broadcast Receiver (com.instagram.notifications.push.ADMMessageHandler\$Receiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.amazon.device.messaging.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
52	Service (com.instagram.fbpay.w3c.ipc.IsReadyToPayServiceImpl) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
53	Service (com.fbpay.w3c.ipc.AutofillKeyFetchServiceImpl) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
54	Activity (com.instagram.fbpay.w3c.views.PaymentActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
55	Broadcast Receiver (com.facebook.oxygen.preloads.sdk.firstparty.managedappcache.IsManagedAppReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.facebook.appmanager.ACCESS [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
56	TaskAffinity is set for activity (com.instagram.rtc.activity.RtcCallActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
57	TaskAffinity is set for activity (com.instagram.rtc.activity.RtcCallIntentHandlerActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
58	Activity (com.spotify.sdk.android.auth.browser.RedirectUriReceiverActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
59	Service (com.instagram.direct.stella.StellaDirectMessagingService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
60	Activity (com.facebook.flipper.android.diagnostics.FlipperDiagnosticActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
61	Service (com.facebook.analytics2.logger.GooglePlayUploadService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.permission.BIND_NETWORK_TASK_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
62	Service (com.facebook.pushlite.PushLiteGCMJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.permission.BIND_NETWORK_TASK_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
63	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
64	Broadcast Receiver (com.instagram.publisher.CopyypastaConnectivityChangeReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
65	TaskAffinity is set for activity (com.instagram.share.handleractivity.ShareHandlerActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
66	Activity (com.instagram.share.handleractivity.ShareHandlerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
67	TaskAffinity is set for activity (com.instagram.share.handleractivity.ShareHandlerActivityMultipleFeedAlias)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
68	Activity-Alias (com.instagram.share.handleractivity.ShareHandlerActivityMultipleFeedAlias) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
69	TaskAffinity is set for activity (com.instagram.share.handleractivity.StoryShareHandlerActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
70	Activity (com.instagram.share.handleractivity.StoryShareHandlerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
71	TaskAffinity is set for activity (com.instagram.share.handleractivity.ReelShareHandlerActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
72	Activity (com.instagram.share.handleractivity.ReelShareHandlerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
73	TaskAffinity is set for activity (com.instagram.share.handleractivity.MultiStoryShareHandlerActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
74	Activity (com.instagram.share.handleractivity.MultiStoryShareHandlerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
75	TaskAffinity is set for activity (com.instagram.share.handleractivity.CustomStoryShareHandlerActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
76	Activity (com.instagram.share.handleractivity.CustomStoryShareHandlerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
77	TaskAffinity is set for activity (com.instagram.share.handleractivity.ClipsShareHandlerActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
78	Activity (com.instagram.share.handleractivity.ClipsShareHandlerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
79	TaskAffinity is set for activity (com.instagram.share.handleractivity.ClipsMusicShareHandlerActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
80	Activity (com.instagram.share.handleractivity.ClipsMusicShareHandlerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
81	TaskAffinity is set for activity (com.instagram.share.handleractivity.ClipsThreadShareHandlerActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
82	Activity (com.instagram.share.handleractivity.ClipsThreadShareHandlerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
83	TaskAffinity is set for activity (com.instagram.share.handleractivity.ClipsBaseIShareHandlerActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
84	Activity (com.instagram.share.handleractivity.ClipsBaseIShareHandlerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
85	TaskAffinity is set for activity (com.instagram.share.handleractivity.NotesMusicShareHandlerActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
86	Activity (com.instagram.share.handleractivity.NotesMusicShareHandlerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
87	Broadcast Receiver (com.instagram.metacasper.receiverfeatures.IgFbClientSignalStaticBroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
88	Broadcast Receiver (com.instagram.metacasper.receiverfeatures.IgPreloadsFbnsClientSignalStaticBroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
89	Broadcast Receiver (com.instagram.pendingmedia.service.debug.DebugCommandsReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
90	Broadcast Receiver (com.facebook.secure.usdid.signing.CrossSigningBroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
91	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
92	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
93	Activity (com.instagram.lockscreen.CameraLauncherActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
94	Activity (com.instagram.bloks.extensions.plugins.bkigactionwarequestotp.BloksWhatsAppCodeReceiverActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
95	Broadcast Receiver (com.instagram.bloks.extensions.plugins.bkigactionwarequestotp.BloksWhatsAppCodeReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
96	TaskAffinity is set for activity (com.instagram.direct.share.handler.DirectShareHandlerActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
97	Activity (com.instagram.direct.share.handler.DirectShareHandlerActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
98	TaskAffinity is set for activity (com.instagram.direct.share.handler.DirectExternalMediaShareActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
99	Activity (com.instagram.direct.share.handler.DirectExternalMediaShareActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
100	Activity-Alias (com.instagram.direct.share.handler.DirectExternalMediaShareActivityPhoto) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
101	Activity-Alias (com.instagram.direct.share.handler.DirectExternalMediaShareActivityVideo) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
102	Activity (com.instagram.direct.share.handler.DirectMultipleExternalMediaShareActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
103	Activity-Alias (com.instagram.direct.share.handler.DirectMultipleExternalMediaShareActivityMultiMediaFromMWA) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
104	Service (com.instagram.direct.share.choosertarget.DirectChooserTargetService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_CHOOSER_TARGET_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
105	Activity (com.instagram.direct.stella.permission.StellaPermissionActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
106	Activity (com.instagram.loginviaapp.LoginViaAppIlgActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
107	Activity (com.instagram.settings.activity.NotificationSettingsHandlerActivity) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.instapro.android.permission.SYSTEM_ONLY</br>protectionLevel: signatureOrSystem [android:exported=true]	info	An Activity is found to be exported, but is protected by a permission. However, the protection level of the permission is set to signatureOrSystem. It is recommended that signature level is used instead. Signature level should suffice for most purposes, and does not depend on where the applications are installed on the device.
108	Broadcast Receiver (com.instagram.notifications.push.fbns.IgPushSdkFbnsReceiverShim) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
109	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
110	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
111	Service (com.meta.wearable.acdc.sdk.service.ACDCRegistrationService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
112	TaskAffinity is set for activity (com.instagram.acp.igacpsecuritykey.IGACPSecurityKeySignInActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
113	Broadcast Receiver (com.instagram.appcomponentmanager.IgAppComponentReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
114	Broadcast Receiver (com.facebook.appcomponentmanager.testreceivers.AppComponentManagerTestingReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
115	Broadcast Receiver (com.facebook.appcomponentmanager.testreceivers.FirstEnableStageTestReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
116	Broadcast Receiver (com.facebook.appcomponentmanager.testreceivers.SecondEnableStageTestReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
117	Service (com.instagram.notifications.push.fcm.GetFCMTokenAndRegisterWithServerGCMService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.permission.BIND_NETWORK_TASK_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
118	Service (androidx.sharetarget.ChooserTargetServiceCompat) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_CHOOSER_TARGET_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
119	Activity-Alias (com.facebook.secure.packagefinder.PackageFinderActivity) is not Protected. [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
120	High Intent Priority (999) - {1} Hit(s) [android:priority]	warning	By setting an intent priority higher than another intent, the app effectively overrides other requests.

</>

CODE ANALYSIS

HIGH: 1 | WARNING: 5 | INFO: 1 | SECURE: 1 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
----	-------	----------	-----------	-------

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	X/AbstractC07790Rq.java X/AbstractC08510Uk.java X/AbstractC159906Or.java X/AbstractC197117oA.java X/AbstractC21100rx.java X/AbstractC25773A8y.java X/AbstractC39051fo.java X/AbstractC49942JkY.java X/AbstractC69594Rf3.java X/AbstractC75524UnH.java X/AbstractC76118VEm.java X/AbstractC76974VjC.java X/AbstractC78960WqK.java X/AbstractC78985Wqz.java X/AbstractDialogInterfaceOnClickListenerC77949WMk.java X/AbstractServiceC04600Fj.java X/BWX.java X/C06840Nz.java X/C0FA.java X/C152105xl.java X/C152205xv.java X/C153315zi.java X/C164776d6.java X/C173156qc.java X/C190357dG.java X/C21520sd.java X/C28941Az.java X/C2HH.java X/C2HK.java X/C34981Yf.java X/C35401Zv.java X/C36511bi.java X/C37231cs.java X/C3VL.java X/C42281GjQ.java X/C5J5.java X/C6AU.java X/C7JD.java X/C80454Xqy.java X/C81337Yey.java X/RunnableC83104ZmR.java X/RunnableC83559Zys.java X/Vg2.java X/ZiQ.java com/ACRA/log/AndroidLogDelegate.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
2	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	X/AbstractC164786d7.java X/AbstractC194517jy.java X/AbstractC199867sb.java X/AbstractC20930rg.java X/AbstractC27492AqN.java X/AbstractC74413UFh.java X/C0A4.java X/C148905sb.java X/C165026dV.java X/C196997ny.java X/C214528b9.java X/C2UZ.java X/C4VR.java X/C68883RJq.java X/C68902mr.java X/C69472nm.java X/C69612RfN.java X/C69959RIN.java X/C73591TkE.java X/C86017bxp.java X/QHq.java X/TQD.java X/VM9.java X/XL6.java
3	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/instagram/direct/msys/armadillo/IGSecureMessageMasterKeyProvider.java com/sammods4h/task/DevMsg.java
4	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	X/C125554w2.java X/C41523GTh.java
5	The App uses the encryption mode CBC with PKCS5/PKCS7 padding. This configuration is vulnerable to padding oracle attacks.	high	CWE: CWE-649: Reliance on Obfuscation or Encryption of Security-Relevant Inputs without Integrity Checking OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-3	X/ZiQ.java
6	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	X/AbstractC96153pi.java X/C22790ug.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
7	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	X/C22150te.java X/EnumC30652C0s.java
8	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	X/AbstractC164786d7.java

SHARED LIBRARY BINARY ANALYSIS

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
1	arm64-v8a/libsuperpack-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strlen_chk', '__fwrite_chk', '__memcpy_chk', '__strncpy_chk', '__fgets_chk', '__strchr_chk', '__fread_chk', '__write_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
2	arm64-v8a/libbreakpad.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__strlen_chk', '__write_chk', '__vsnprintf_chk', '__read_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
3	arm64-v8a/libProMods.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memmove_chk', '__strlen_chk', '__vsnprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
4	arm64-v8a/libunwindstack_binary.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	\$ORIGIN/./__unwindstack_binary-binary__shared_libs_symlink_tree:\$ORIGIN high The binary has RUNPATH set. In certain cases, an attacker can abuse this feature and or modify environment variables to run arbitrary libraries for code execution and privilege escalation. The only time a library should set RUNPATH is when it is linked to private libraries in the same package. Remove the compiler option --enable-new-dtags,-rpath to remove RUNPATH.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
5	arm64-v8a/libgraphics-core.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strlen_chk', '__memmove_chk', '__vsnprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
6	arm64-v8a/libbunwindstack.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	\$ORIGIN high The binary has RUNPATH set. In certain cases, an attacker can abuse this feature and or modify environment variables to run arbitrary libraries for code execution and privilege escalation. The only time a library should set RUNPATH is when it is linked to private libraries in the same package. Remove the compiler option --enable-new-dtags,-rpath to remove RUNPATH.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
7	arm64-v8a/libbreakpad_cpp_helper.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
8	arm64-v8a/libarcore_sdk_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
9	arm64-v8a/libandroidx.graphics.path.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
10	arm64-v8a/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__read_chk', '__vsnprintf_chk', '__fwrite_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
11	arm64-v8a/libsuperpack-jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strlen_chk', '__fwrite_chk', '__memcpy_chk', '__strncpy_chk', '__fgets_chk', '__strchr_chk', '__fread_chk', '__write_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
12	arm64-v8a/libbreakpad.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__strlen_chk', '__write_chk', '__vsnprintf_chk', '__read_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
13	arm64-v8a/libProMods.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memmove_chk', '__strlen_chk', '__vsnprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
14	arm64-v8a/libunwindstack_binary.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Position Independent Executable (PIE) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	\$ORIGIN/./__unwindstack_binary-binary__shared_libs_symlink_tree:\$ORIGIN high The binary has RUNPATH set. In certain cases, an attacker can abuse this feature and or modify environment variables to run arbitrary libraries for code execution and privilege escalation. The only time a library should set RUNPATH is when it is linked to private libraries in the same package. Remove the compiler option --enable-new-dtags,-rpath to remove RUNPATH.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
15	arm64-v8a/libgraphics-core.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strlen_chk', '__memmove_chk', '__vsnprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
16	arm64-v8a/libbunwindstack.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	\$ORIGIN high The binary has RUNPATH set. In certain cases, an attacker can abuse this feature and or modify environment variables to run arbitrary libraries for code execution and privilege escalation. The only time a library should set RUNPATH is when it is linked to private libraries in the same package. Remove the compiler option --enable-new-dtags,-rpath to remove RUNPATH.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
17	arm64-v8a/libbreakpad_cpp_helper.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	False high This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries. Not applicable for Dart/Flutter libraries unless Dart FFI is used.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
18	arm64-v8a/libarc4_sdk_jni.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
19	arm64-v8a/libandroidx.graphics.path.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
20	arm64-v8a/libc++_shared.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__read_chk', '__vsnprintf_chk', '__fwrite_chk']	True info Symbols are stripped.

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
---------	-----------	-------	-------

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	X/AbstractC04830Gg.java X/AbstractC67695Qn0.java X/C031609v.java X/C0A0.java X/C0FA.java X/C1B.java X/C82631ZcT.java X/C99D.java X/DB4.java X/Qu5.java com/ACRA/collector/LogFileCollector.java
00004	Get filename and put it to JSON object	file collection	X/AA0.java
00022	Open a file from given absolute path of the file	file	X/AbstractC70567RyQ.java X/C100463wf.java X/C22150te.java X/C99D.java
00063	Implicit intent(view a web page, make a phone call, etc.)	control	X/C49918JkA.java com/OM7753/task/DevMsg.java com/apksam/task/DevMsg.java com/sammods4h/task/DevMsg.java
00089	Connect to a URL and receive input stream from the server	command network	com/OM7753/task/DevMsg.java com/apksam/task/DevMsg.java com/sammods4h/task/DevMsg.java
00162	Create InetAddress object and connecting to it	socket	X/VG3.java com/ACRA/util/FakeSocketFactory.java
00163	Create new Socket and connecting to it	socket	X/VG3.java com/ACRA/util/FakeSocketFactory.java

FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
App talks to a Firebase database	info	The app talks to Firebase database at https://api-4809448487316591555-410575.firebaseio.com

TITLE	SEVERITY	DESCRIPTION
Firebase Remote Config disabled	secure	Firebase Remote Config is disabled for https://firebaseremoteconfig.googleapis.com/v1/projects/390017741467/namespaces/firebase:fetch?key=AlzaSyA61fjQCSE2EqQMc_IX6XVYhKBXWh9MD3k. This is indicated by the response: {'state': 'NO_TEMPLATE'}

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	16/25	android.permission.INTERNET, android.permission.ACCESS_NETWORK_STATE, android.permission.WAKE_LOCK, android.permission.GET_ACCOUNTS, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.VIBRATE, android.permission.CAMERA, android.permission.READ_CONTACTS, android.permission.ACCESS_FINE_LOCATION, android.permission.RECORD_AUDIO, android.permission.READ_EXTERNAL_STORAGE, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.READ_PHONE_STATE, android.permission.READ_CALL_LOG, android.permission.SYSTEM_ALERT_WINDOW, android.permission.ACCESS_WIFI_STATE
Other Common Permissions	12/44	android.permission.AUTHENTICATE_ACCOUNTS, android.permission.FOREGROUND_SERVICE, com.google.android.c2dm.permission.RECEIVE, android.permission.BLUETOOTH, android.permission.MODIFY_AUDIO_SETTINGS, com.google.android.gms.permission.AD_ID, com.android.launcher.permission.INSTALL_SHORTCUT, android.permission.CHANGE_NETWORK_STATE, android.permission.CALL_PHONE, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE, android.permission.BLUETOOTH_ADMIN, android.permission.CHANGE_WIFI_STATE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
www.bloks.commerce.shoppingcart.merchantview	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.meta.com	ok	IP: 57.144.40.141 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
privacycenter.instagram.com	ok	IP: 57.144.40.34 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
google.com	ok	IP: 142.250.193.46 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.avatar.editor.cds.launcher	ok	No Geolocation information available.
www.netflix.com	ok	IP: 44.237.234.25 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map
www.minishops.ad.dynamic.shop.collection	ok	No Geolocation information available.
www.bloks.ig	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
apksam.com	ok	IP: 185.199.110.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
developer.android.com	ok	IP: 172.217.26.110 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.mv.unified	ok	No Geolocation information available.
www.creators	ok	No Geolocation information available.
transparency.meta.com	ok	IP: 57.144.40.141 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
google.github.io	ok	IP: 185.199.110.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
www.bloks.commerce.media-grid	ok	No Geolocation information available.
www.fxcal.settings.async	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
aistudio.instagram.com	ok	IP: 57.144.40.34 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
graph-www.facebook.com	ok	IP: 57.144.48.141 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
www.lassovideos.com	ok	No Geolocation information available.
business.facebook.com	ok	IP: 57.144.40.141 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
www.bloks.commerce.cart.singlemerchantcart	ok	No Geolocation information available.
www.instagram.partnership	ok	No Geolocation information available.
gateway.push.apple.com	ok	No Geolocation information available.
cloud.notify.windows.com	ok	No Geolocation information available.
www.minishops.ad.storefront	ok	No Geolocation information available.
www.bloks.commerce.cart.multimerchantcart	ok	No Geolocation information available.
www.fbpay.hub	ok	No Geolocation information available.
www.yp.supervision	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
fcm.googleapis.com	ok	IP: 216.239.36.55 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
0.push.samsungosp.com	ok	No Geolocation information available.
www.fbwat.ch	ok	IP: 57.144.40.141 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
payments-graph.facebook.com	ok	IP: 57.144.40.141 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
android.googleapis.com	ok	IP: 216.239.38.223 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.fam.native.ads.bloks.main.controller	ok	No Geolocation information available.
www.streamable.com	ok	IP: 49.44.79.236 Country: India Region: Kerala City: Kochi Latitude: 9.939880 Longitude: 76.260223 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.buyer.reconsideration.wishlist	ok	No Geolocation information available.
www.bloks.commerce.cart.routing	ok	No Geolocation information available.
www.bio.product.details.variants.page.controller	ok	No Geolocation information available.
schemas.android.com	ok	No Geolocation information available.
fburl.com	ok	IP: 57.144.48.146 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
instagram.com	ok	IP: 57.144.40.34 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
api.amazon.com	ok	IP: 98.82.109.28 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
www.bloks.commerce.cart.footer.prefetch.async	ok	No Geolocation information available.
www.caa.login.aymh.screen	ok	No Geolocation information available.
www.screenquery.wearableslandingpagequery	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.sharechat.com	ok	IP: 34.111.108.23 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.ig.ixt.triggers.screen.support	ok	No Geolocation information available.
www.minishops.ad.collection	ok	No Geolocation information available.
api.whatsapp.com	ok	IP: 57.144.41.32 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
www.ig.ccp	ok	No Geolocation information available.
api.push.apple.com	ok	IP: 17.188.182.202 Country: United States of America Region: California City: Cupertino Latitude: 37.316605 Longitude: -122.046486 View: Google Map
www.fxcal.link.async	ok	No Geolocation information available.
www.instagram.com	ok	IP: 57.144.40.34 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map

DOMAIN	STATUS	GEOLOCATION
genai-graph.facebook.com	ok	IP: 163.70.145.20 Country: France Region: Ile-de-France City: Nanterre Latitude: 48.891979 Longitude: 2.206750 View: Google Map
b-graph.facebook.com	ok	IP: 57.144.48.1 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
graph.facebook.com	ok	IP: 57.144.40.141 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
www.igca.partnership.inapp.optin.flow	ok	No Geolocation information available.
pastebin.com	ok	IP: 104.20.29.150 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.messenger.aibot.good	ok	No Geolocation information available.
fakechat.net	ok	IP: 185.199.108.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.ig.about	ok	No Geolocation information available.
www.bloks.p2m.incentive.landing.page.screen	ok	No Geolocation information available.
genai-graph.instagram.com	ok	IP: 57.144.40.141 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
www.fb.watch	ok	IP: 163.70.145.20 Country: France Region: Ile-de-France City: Nanterre Latitude: 48.891979 Longitude: 2.206750 View: Google Map
mqtt.parse.com	ok	No Geolocation information available.
www.ig.creator	ok	No Geolocation information available.
www.biig.bio.productcreation	ok	No Geolocation information available.
www.internalfb.com	ok	IP: 57.144.40.134 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
graph.oculus.com	ok	IP: 57.144.41.141 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.xmwb.ssi	ok	No Geolocation information available.
www.privacy.consent.prompt.action	ok	No Geolocation information available.
www.messenger.aibot.feedback	ok	No Geolocation information available.
www.services.ig.appointment.customer	ok	No Geolocation information available.
play.google.com	ok	IP: 142.251.43.110 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
api.development.push.apple.com	ok	IP: 17.188.168.147 Country: United States of America Region: California City: Cupertino Latitude: 37.316605 Longitude: -122.046486 View: Google Map
www.async.components.cpdpscreenquery	ok	No Geolocation information available.
help.instagram.com	ok	IP: 57.144.40.34 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
www.fx.settings.individual	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
secure.facebook.com	ok	IP: 163.70.145.7 Country: France Region: Ile-de-France City: Nanterre Latitude: 48.891979 Longitude: 2.206750 View: Google Map
www.nme.ig	ok	No Geolocation information available.
m.facebook.com	ok	IP: 57.144.48.1 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
payments-graph.instagram.com	ok	IP: 57.144.40.192 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
www.facebook.com	ok	IP: 57.144.48.1 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
www.mv	ok	No Geolocation information available.
www.shop.collection.screen	ok	No Geolocation information available.
www.ix	ok	No Geolocation information available.
www.minishop.collections	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.bloks.pc.async.home	ok	No Geolocation information available.
about.meta.com	ok	IP: 57.144.40.141 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
www.ig	ok	No Geolocation information available.
updates.push.services.mozilla.com	ok	IP: 151.101.105.91 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.bloks.cxf.cdpd	ok	No Geolocation information available.
www.screen	ok	No Geolocation information available.
www.xmwb.ed	ok	No Geolocation information available.
api-4809448487316591555-410575.firebaseio.com	ok	IP: 35.201.97.85 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
www.survey	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
m.instagram.com	ok	IP: 57.144.40.34 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
nnapi.ovi.com	ok	No Geolocation information available.
www.ig.pro	ok	No Geolocation information available.
www.ig.giving.profile	ok	No Geolocation information available.
www.bloks.monetization.crossposting.start	ok	No Geolocation information available.
www.bloks.commerce.cart.statepublish.async	ok	No Geolocation information available.
www.pro	ok	No Geolocation information available.
dm3p.notify.windows.com	ok	IP: 4.213.25.249 Country: United States of America Region: Washington City: Redmond Latitude: 47.682899 Longitude: -122.120903 View: Google Map
push.apple.com	ok	No Geolocation information available.
chrome.googleapis.com	ok	IP: 216.239.38.223 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.bloks.imagine	ok	No Geolocation information available.
www.bloksshellexampleprebundledscreenquery	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
lookaside.facebook.com	ok	IP: 57.144.48.128 Country: United States of America Region: California City: Palo Alto Latitude: 37.441879 Longitude: -122.143021 View: Google Map
www.creators.best	ok	No Geolocation information available.
www.bloks.commerce.shop.inventory.settings	ok	No Geolocation information available.

TRACKERS

TRACKER	CATEGORIES	URL
Facebook Flipper	Analytics	https://reports.exodus-privacy.eu.org/trackers/392
Facebook Login	Identification	https://reports.exodus-privacy.eu.org/trackers/67
Facebook Notifications		https://reports.exodus-privacy.eu.org/trackers/68
Google Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/48

HARDCODED SECRETS

POSSIBLE SECRETS
"firebase_database_url" : "https://api-4809448487316591555-410575.firebaseio.com"
"google_api_key" : "AlzaSyA61fjQCSE2EqQM_c_JX6XVYhKBXWh9MD3k"
3zm83GueFdZc03peMLTszjls7veieqaGSvqMt6075s
q4PO2G2cbkZhZ82+JgmRUyGMOAeozA+BSXVXQWB8XWQ=

POSSIBLE SECRETS
czD7n7zbifyJ6snZ1K5ViS5Gks5u2c9zL7OHrb0w
oXiTMLDip81kTvgXrtXtypfecxU3vmuNPICfkOM
5GnEGZrUS01RAKrrlxRgbzjB15ESacq3JqdZW9gEtZg
MCluzmTgXDuDTHyG9AnpK6nb1ffPe
jYWbZ4GQZ28iGykpjgUFoIDIGPXHb2siWpDljhIYw
jjXMpyOWBPAVUW5TdC0UOQCtSXS0dPbHY00jE7I1oqg
grX4Ta9HpZx6tSHkmCrvpApTQGo67CYDnvprLg5yRME=
RdBiQjfrXe1WnMMVVkuOoFfs8ri2eE
j6dyXYflkddeJxE4pzmilaZ2S4qYC9CwaCMxfzg1zTY
Xz5Q9DVYPJrmJJAqcfc0AEQlen4sYK2s
1RBv0Am3VA2bLMifS4uOCNDDeaKSVc7CU
QlxtFBGdYCGYrxHsjlOjuVtflcYmazY6jN6TX1cpgqc
a4b7452e2ed8f5f191058ca7bbfd26b0d3214bfc
2v68LjdrY5QoGvulTHKywirmgTy2Oe
89925ddc219159c80e423a137397e1bb3b814426
da822d65ff9cfcde28bfdae01cae3eb3369aa3c7
6b7603bffac240d4073c8a1b8f725fda0bbeb2a4
AmAh7ABiZKt6MB7Ztc184dTajOdRLGy48Z1wIYFj2T4
ilevJuB7FM2hbqbNvEalC0sSLIEcDgidA6sgzc
5T7TTXxkmQH5fdzat3ewWNAAuwHC9eF2

POSSIBLE SECRETS
6PDrONEnh3P7htSccijrhAA8B9sXJeGvGHy
ape1HIIZ6T5d7GS61YBs3rD4NVvkfnVwELcCRW4Bqv0=
77ul7rkwecsCAsroSCH86xmkGUSkPTduXkp2u6kDL4Y
TuZz0WoA2PmrHxH826GLPqgB5xYhKwTR5X17cEgDRQI
11ddddf7ea6eda560658324f65a68f315adff5a9
af5cc50d8ae1bce9bafe081571f1aba0435127bb
5e8f16062ea3cd2c4a0d547876baa6f38cabf625
58qRu/uxh4gFezqAcERupSkRYBIBAvfcw7mEjGPLnNU=
sXPlixIZ1lvokCdbRCr64p0GHvtNvywjWNQmqJtqWw8Q
aCdH+LpiG4fN07wpXtXKvOciocDANj0daLOJKNJ4fx4=
ZWkE4zW88gcERR0YSGDghDZDer3EdbcpWmloH7I3
vybElaK24hv56tyQiWFXmLmGbCmgTEF57IU
rAusqYUIziLdH2vjRhJ9iPN8Axi1QIsEeksvpaPpywQ
L12xaMFWOL0dKniANu2zVcbTGQ7a5A
WoiWRyIOVNa9ihaBciRSC7XHjliYS9VwUGOlud4PB18=
VSIRoP8NGnYBLRTCCPi6M3OQd3ZJc
j7DW1GBqpKusFNd9HZfVNAhgyfgQRaoVc
jriiCfLI5AQq3PaWv3Uemavb2hMrZhZ
QH5XpDABqOLMQmPoU1yYkDqj4encoo
rn+WLLnmp9v3uDp7GPqbcaiRdd+UnCMrap73yz3yu/w=

POSSIBLE SECRETS
TMinTbXc5WFYgsXN8isdVqC2EACEZpcdz5s7l1bO
8HDq3A7YtbDvW2mWAdx2n7jVz22nVg2GExKhBXOplos
i1R0ZwdXk2ev6WLsW1iXdNyytsuVi570wNd9O6D5wka
uSEJtZCVlVzKr17Lzw8VPslkCkZYwQFmetlrfkmaQJl
e5ab0db1f1a69f321e964ac1f2d8b0ea675c6629fe4286383caa9d520ba16e74
308203a33082028ba00302010202043bf7ce11300d06092a864886f70d01010b0500308181310b3009060355040613025553311330110603550408130a43616c69666f726e6961311330110603550407130a4d656e6c6f205061726b31163014060355040a130d46616365626f6f6b20496e632e31183016060355040b130f46616365626f6f6b204d6f62696c65311630140603550403130d46616365626f6f6b20496e632e301e170d3136303430383230323732305a170d3433303832353230323732305a308181310b3009060355040613025553311330110603550408130a43616c69666f726e6961311330110603550407130a4d656e6c6f205061726b31163014060355040a130d46616365626f6f6b20496e632e31183016060355040b130f46616365626f6f6b204d6f62696c65311630140603550403130d46616365626f6f6b20496e632e30820122300d06092a864886f70d01010105000382010f003082010a0282010100a09e4f30e482383ab2021a5efd8db0cf67e40ee7bf98340486fc15c1392fb0663999aa946452748ebd619c0306d3d3a1885ac8bbd80366fdd839bf5261a2c74bc83adc4179632865ea556371ed708b4be945f7be06cea483fdd5f1c751e28bebeae00fb5216b0dbaba29f8a183681c6a388c7f5c7081757e4b5ba63dae8990a7d124495a33247d56304495f2487e5d23c79b516bf775c02435a7c3219bf546ca04dac7a112e04d8190d16097002ab0026e70ba418854536b57b9323d1d6577a3da770c466a44be72a58519b9538c77a6181683724240b94fa21140cd998dee2db12f4445886cd24bfdfd8f07b394002d42171c699093990d48717e62efe77d1b0203010001a321301f301d0603551d0e04160414d1a2853abf61f5b382015c1c046c62ff339d07bc300d06092a864886f70d01010b050003820101007de29b76bf3787fec4de674186fc1c16f2c91a5db68b8b79c372ea5db683b296b99db373ac28dfa82a6df83ec42f3a17197cc4ae2e6dff2f62423ad10e0c361a9dd4a19331d9993e51493255e1be1404f37e66614f3798afe85b8cf54c8cf774b4aa30fc171373f5005834867cc511e0f7ccf5cd3f684c6007f47ae91a11cb5cf9d63032507405541c8df2fd696a84e11536271194c40aba02077891e7e0ea59a80abb60d9250f20b635e5e78d7814bc3ec24f401f41c70203cc3c770e6833e12636a094f3f1f026fd658a723fc5ca9b6bde3d4a1ce915a8ef84e40047fb4a88aaa2124bd7eb2f08280c7177e6b47adb237c95366b22ce3b634fd0a6c408feff
28cfca2117bc964f7de76a691f5a08f9e695cef3
cGuxAXyFXfkWm61cF4HPWX8S0srS9j0aSqN0k4AP+4A=
30820332308202f0a00302010202044c2536a4300b06072a8648ce3804030500307c310b3009060355040613025553311330110603550408130a43616c69666f726e6961311430120603550407130b53616e746120436c61726131163014060355040a130d576861747341707020496e632e31143012060355040b130b456e67696e656572696e67311430120603550403130b427269616e204163746f6e301e170d3130303632353233303731365a170d3434303231353233303731365a307c310b3009060355040613025553311330110603550408130a43616c69666f726e6961311430120603550407130b53616e746120436c61726131163014060355040a130d576861747341707020496e632e31143012060355040b130b456e67696e656572696e67311430120603550403130b427269616e204163746f6e308201b83082012c06072a8648ce3804013082011f02818100df7f53811d75122952df4a9c2eece4e7f611b7523cef4400c31e3f80b6512669455d402251fb593d8d58fabfc5f5ba30f6cb9b556cd7813b801d346ff26660b76b9950a5a49f9fe8047b1022c24fbbba9d7feb7c61bf83b57e7c6a8a6150f04fb83f6d3c51ec3023554135a169132f675f3ae2b61d72aeff22203199dd14801c70215009760508f15230bccb292b982a2eb840bf0581cf502818100f7e1a085d69b3dddecbbcab5c36b857b97994afbbfa3aea82f9574c0b3d0782675159578ebad4594fe67107108180b449167123e84c281613b7cf09328cc8a6e13c167a8b547c8d28e0a3ae1e2bb3a675916ea37f0bfa213562f1fb627a01243bcc4f1bea8519089a883dfe15ae59f06928b665e807b552564014c3bfecf492a0381850002818100d1198b4b81687bcf246d41a8a725f0a989a51bce326e84c828e1f556648bd71da487054d6de70fff4b49432b6862aa48fc2a93161b2c15a2ff5e671672dfb576e9d12aaff7369b9a99d04fb29d2bbbb2a503ee41b1ff37887064f41fe2805609063500a8e547349282d15981cdb58a08bede51dd7e9867295b3dfb45ffc6b259300b06072a8648ce3804030500032f00302c021400a602a7477acf841077237be090df436582ca2f0214350ce0268d07e71e55774ab4eacd4d071cd1efad
9lujZx6jrDrZ5oYGBEroEyiA2x7wdavEUslqzXHMBoc
3Occv5K3fs6f4TMEZqQMaePOi26G1HRcRTaiMhLfbVg
ZiilZ7fdUdXcbGMNL6M656x4mTCC9kdSoSNBOiflrBAA

POSSIBLE SECRETS

f249176f09e26ce54212b472dbab8fa8

3082058d30820375021438b5685cd2614040c120b0738809131c78e6af76300d06092a864886f70d01010b05003081813116301406035504030cd46616365626f6fb20496e632e311830116060355040b0c0f46616365626f6fb204d6f62696c6531163014060355040a0c0d46616365626f6fb20496e632e3113301106035504070c0a4d656e6c6f205061726b3113301106035504080c0a43616c69666f726e6961310b3009060355040613025533020170d3231313032383130353731315a180f32303531313032383130353731315a3081813116301406035504030cd46616365626f6fb20496e632e311830116060355040b0c0f46616365626f6fb204d6f62696c6531163014060355040a0c0d46616365626f6fb20496e632e3113301106035504070c0a4d656e6c6f205061726b3113301106035504080c0a43616c69666f726e6961310b30090603550406130255330820222300d06092a864886f70d01010105000382020f00382020a0282020100ac1b4121a5e4fb9e980fd83d7520f4cac5372030fab28d704f83faf8117d839fff32344f36b7190c8808375d6321ce26ed214af7220c67c9671c3d557fdffaff97f2fa761da9c11a3fba4c4720de900a4d147cb22e5208a406c1ab06bf6c8b1b2ec18a2db1c4b97196e799307ed7ee371ad5af822d649b41974b247681fe7b710f3f4db28368a64025a1300f2321d8b5719a8aa5804a8ea1a540940424ee2a2243c466b82dd77924eaab7952f3bfafcaacf79107de38f8b46e48172cd7833f9d8ad82e0c54de5e088e44d256a93ce18c60d19163dae7f28f43ade802ce99a155315788aa0a980c2c7c3fea8151afdad5353c92c7905adabf229d55ab73546efd856d3d3b5459c52851e84e19f44876ccb9c60f0db9a7e4d116b092d5570217db4ce96f9bd9f6ca51123e2a80e267adc5f627570dfdb37ba474d119e08a1313b41c3b39ed268b905a7ce5d490f8fd27b31553fba61e6bcd30dcde551ba0271ed9397bcd712d441bc99f71057739fae2e4386e8b7a72ebe3795a016eda3bcd6a0e8836b5c07e650d881219c8969d5422cd995eace78cc3db32d6216cb9bdaf5ca2db4bef124661e6c3ac5888c555938908c2b5abe3fb7b2932b1a059ecc0172f0cc420469a95fc7f8d6fb05682dbc0008f4aeef5a495874cf698efd57b81a6cee5372d69695361c0972cbd9dac295d0dfb76b5e6488a2ee284529790203010001300d06092a864886f70d01010b0500038202010054ad7ceb0787847b14ab7a3aa345b893d81522943be546bc5d3d724c00e96988400bba01b18a6fe6261d54e22ca3c0737c16decc4f0c893b5108285a5a97809149d34bffe993575b18a39be0bb68cf87ba52681662d21aa7d2dda283c86015cf08432b18fd9f4d4923710c9f35db8439830374ae9015b8c45c385d112ca15d458fe0cfd822bfc5a7db1e81f5cbd23050ce033e0e74cdbfdb6bb76bf0e47f3aeacaffdf41e3b24aae6070318139becd48ed843c777ebff0b545710de04b2d005305a01aebecce7e0dae9cae305d2d2877ff294cd04c4e01f4476fcbcb3863bbc34cf3ee9d04f92ab0ebde73f5e5a15889d3e0bd9bdc034800dc6c756ed375625c9b302d2d6d7001d2f163171afce1d40baab36675b2aa09bd28959d68360bb361dce697a7a5f5bfce5433365116ecb0183f1057519093ad933c6080fc82b2923a25630c6e88887541d138493b09b568391054bda728fdd7d57dc82ed706f4fff9a76748c14103a9fc6e3403278c32e35cda1a9d8d34bcf864cee67078d42fa54ba396b662d563226d5a86a6a4bd5be9e3828b45cf7116e3419f09526bf23698f0e5d7488579abcb8d13e75b2c8d1834763e47196f5176c1eb89a1769f608d2f38f16df39e67c51e0c49ec1ba24f4ec555f2f072475e07ae8bf3c6af6e497a78b3bf28a1501d3c8206530e9602f29f6d94242af84c18325ab1fb874dade4a4

3082065f30820447a0030201020214608af6f97a000d1858206016571e5747d3373664300d06092a864886f70d01010b0500306e3116301406035504030cd46616365626f6fb20496e632e310b3009060355040613025533113301106035504080c0a43616c69666f726e69613113301106035504070c0a4d656e6c6f205061726b311d301b060355040a0c144d65746120506c6174666f726d732c20496e632e3020170d3233303931323230303634365a180f32303533303931313230303634365a306e3116301406035504030cd46616365626f6fb20496e632e310b3009060355040613025533113301106035504080c0a43616c69666f726e69613113301106035504070c0a4d656e6c6f205061726b311d301b060355040a0c144d65746120506c6174666f726d732c20496e632e30820222300d06092a864886f70d01010105000382020f003082020a0282020100b6365e7d75bdf3f02f67825c97f466d1983a2dba829c4201dd7e5ab5cc8a039a919800c0f1366a67d5f799d88aa0ad5bd181990388b0824ee05fc249cc69b7a2d9f02ea9a7ff76a4ec3fbc86984c5840745beac35a3cd4bfd913aa0514e9b48b1ae64ff4057a52db64d46fa48bbd12a562b7761accf3420f0e65ca892d28affc0b5d5bc1f5e6de1d950df3f26275ba0da61572251f0fab79eb45b7f758cd3f04b26ae34eb5046815398cb5812a324d4398c3c6e0164dd959e627800c6e5331b3bea97d2832a3ed47004194f94eba1e438dabd58acba0c14166a5fd0463fc3df03db053637dff108fe7c9b3ad64d07eae886961e6ec6722b77b856d6f84a635467165471fa711d3e625ca583072350dab2af178de87d721c136b40c234949878632ed67851149b25cd1d75a1bfd381da8bb133f54be984d08bf948c7f95c6066d4b64c51c5a16851bf5f04a6b9d8c2c5d889b1365483ad6c7b4790af4b270a805b50f2b0e47118fd892e571fd2e5d80cc7a9803b69bd48ca48c8758eab4c698c8c15ee05620ba31560811c1db03fa9cf3836440053c44601485718ce354b630650742ff4a0ac70ff5a6d72b992b350da7f558fb8f5a7932175b10ce379d12d5da5e36c928b124f42e1ca79b03c9c5be79e9ecba7b98973f8ea821d4140f932013ab10f9175693d47fc1fe60349292d46b90fdada56f5a9cc31e62f6af0203010001a381f23081ef301d0603551d0e04160414fa5e823c3bc5748a3b67f9ec05cd63e893597a703081ab0603551d230481a33081a08014fa5e823c3bc5748a3b67f9ec05cd63e893597a70a172a470306e3116301406035504030cd46616365626f6fb20496e632e310b3009060355040613025533113301106035504080c0a43616c69666f726e69613113301106035504070c0a4d656e6c6f205061726b311d301b060355040a0c144d65746120506c6174666f726d732c20496e632e8214608af6f97a000d1858206016571e5747d3373664300b0603551d0f04040302078030130603551d25040c300a06082b06010505070303300d06092a864886f70d01010b05000382020100264db453ee274f03aac4c867601eb6323d164b2fac799c7658aeb0bc208bad8ddfe864246bffa431632c04a43d8efe9956ae773d4f617196afa1b9f5f3ac1f551c19801c20bbfd5515867035bda5128b2356cd953bc4b1c5358f894d23068a9d40a8756b3a7eb4de31fbd87e1592fe8efea037d5110c32c45e7579e2edaaa2e4981d450b243b9aa45ac4affcbcfb695c7d96af3dcef09060ef2f43849e6b2130ad479e32dbb64017693a3805bea04501e52943a954d5849a0db08cbbaad0da55b27197b62610533e798b1125165d976d3857bc2c2ec97c79ea7405cec250b29d5fea79294b67a1b0f738044c5981f241ec81977c50468a714df42044aa3b1dd3f46099423c4876f96cd6bc7d9f7da5cbca37c9ff5510d6489c8eb95da805dd6ba52cc11c2745d77b31b7b56a1f868a173b73cd770582e1fb49798d58654e489181ee1f3952bf15b8ee47fd85b85c34af86cc9701f06b8b0aa3a83b80c426acca354725d4ec081d70125fa7bba037e96882ef401bdc16fde1661cd20f4da7e6879cfe8868321213c6cd4bef7313145d593c66c7fb089aeffec2bf8bcbab174b3e18ee4bf06566d9e5f557563ace72784fca0f4ca0df48e61d4d3f069716eadabacd7c9af59e98f5cd82f43df0cfb1b60152fdc638324fa57511d6cde875df8a585952fddfbf6e03e21f9e603fba4c21957331e555ce457afba8f48

32058a9b59412435b9a737869178f40b70f7e4e5

sFuP1YxKZhUvSVD07qxH67dGzFAoeykLoFN3PHnQbsc

nuft37y7s5Be58urvdEq0IRr540eLxESBKPX7nC11j4

POSSIBLE SECRETS
7oVvh3Fck1xX0J5u42DHceCqMylqewU2TWaJlChTsZA
mIlPXMWT1x8ZD2U8VwrmJGxvi20zii6nj
6875945d398f9fd6e332c3950d576e7b
DBaujfiBkYkRdrNvtqHVxpa5W1kE4QheLLDRkQ7Syv8
Wd8xe/qfTwq3ylFNd3lpaqLHZbh2ZNCLluVzmeNkcpw=
BHW1qv5BLCwc378Tf0pJ6g2Mrz6xkMRE
2aa35f54399381d98405d8e58fa72ef6fabea513
8a3c4b262d721acd49a4bf97d5213199c86fa2b9
oC+voZLIy4HLE0FVT5wFtxzKKokLDRKY1oNkfjYe+98=
C5+lpZ7tcVwmwQIMcRtPbsQtWLABXhQzejna0wHFr8M=
rbPBrH2K54ycBnaWuvl8pTxd7Clb
he7AWhFEJyHnLDw6N74RdhwQXHsJRDBZvQMCNgOUEgQ
diGVwiVYbubAl3RW4hB9xU8e/CH2GnkuvVFZE8zmgzl=
tLXzXE27lXmkgnQiBquXXjL69T1ZBOt8Uk2MjhDs
ui1sfL4sZoq87KETIWllg1GPbvD5YRhwwq73X28NIPXA
083c91286b5271b7f187fb0a353f72c2ccc374c6
uUwZgwDOxcBXrQcntwu+kYFpkiVkOaezL0WYEZ3anjc=
pA2oClnRcMqpUM8VwYxFTUejmyaYnYtkDs10W6cb9dw
XdkQEeiVelyDkvBEAHtGJKKHfdsrOf9te68UpjJVhA
62Yjx8iYhpF3VA6BQQvyUObpLzjXx0Gs5PEm1cLJaf4

POSSIBLE SECRETS
uMnSimFvgxSFwj8TbauRsJHJmqA9ylclGiXRTzvBn6E
s452ixLN9bp5lwrqz90SfjWl124b0g0Yz
ZjFWitD4QhI3DDX7jC4kAdDOffGgtl0Kqf0Mg71Nkzs
b556a00e0a5977a698a08f349235af69c09203ae
3082059d3082038502143160e1f50c1859ba8b7b7acf067f078cbfcf959c300d06092a864886f70d01010b0500308189311c301a06035504030c134d65746120506c6174666f726d7320496e632e31143012060355040b0c0b4d657461204d6f62696c65311c301a060355040a0c134d65746120506c6174666f726d7320496e632e3113301106035504070c0a4d656e6c6f205061726b3113301106035504080c0a43616c69666f726e6961310b30090603550406130255533020170d3233303132363130353733365a180f32303533303132353130353733365a308189311c301a06035504030c134d65746120506c6174666f726d7320496e632e31143012060355040b0c0b4d657461204d6f62696c65311c301a060355040a0c134d65746120506c6174666f726d7320496e632e3113301106035504070c0a4d656e6c6f205061726b3113301106035504080c0a43616c69666f726e6961310b300906035504061302555330820222300d06092a864886f70d01010105000382020f003082020a0282020100aca0b68381b85da953428ec7e955a7dc4ffac48a070988d3c170f12a27ebdb3e0992309093936bf7187fdf3e09a770f98f18463e0d54a6bff3bf311d21d12b35565ba06949d8a0b6e2014c7ec923c3fd26d2c899babeeca7acfd5afb66bb3e0587605128645612eeb4588df197d949f4f305fd7b89efdf146edf1b2bce60ec069f13a3d01ca4a309ab350d7a0fc943109df22dbde608a55b1dcb7a7c5cfd2d388dde6a7fdba3a292dbfcadd4583d8c974ed3f2833e3a9fea6eac299d13977e35b48a306617b377beec9a21da82901d5f678a8e4be0d5636c71cd2775dd2336902413795a41edfd1f1d0b571dce5f841ee29cf56a325ab33343e9a9222dbb18ed4c5a4cb4e360e4c781aa72cb20279faf2ea5c61a762ecb6f127dd7fad6d33b49fc2384756dbcf55d1c059aaef47cce7337a92d9ffb008d73474dc7c084dfad3378cf00c09f581fd8bdfd65fe12ac8e21412baa3e47a061e36d4586449b4e13ff0c3afc7006020c661e10a3c4b9cfd0bfedf11d590faaddadc66fd0c4d8533631480f9ac8a32e3c4747e83e7fe9ab3b4dfefb97495e189687ece26fde846a14192ac83b45f8370f3f62a0d05a2230df73066106283ef8064fd84b02932a6d6b03ce15ee56d37297d9bed3707fd7bfede058bd5b535de1a2b02f7c6211753be3a00ec2417764642deb52aadd4c1f33c085055fb44d10397a8cd2b7061499e350203010001300d06092a864886f70d01010b050003820201004bf00f58a9f528600486111bcaf414a92e96b5fc2bb4af059ac715141d5650b2e48a7136e97cc71f99e6df2a2e9bcfea4d2fc2fc473026287084fac93db0a5c6dae0b3b26c6999d26b787faade034a5a420fd1114cbb91eed3599c782a025892458ec28ef55e8ed86b221f7cbf499a60063bd32a6bd271c97412dbdc1d482c62e5f6d7b04098d4a3c406a69f5b9167134d5b04102f77ca7937d260b61d7f6f9e8fdd46279fd8962b55f0279017b13558185abf76f3ad07169e4fda6a37e92f5c19f9607c99260c798a9271f7f998ffda692222330290b10473cee6bd51ffc72f93c5a0124abd7fb39442381b627f4786e8619161c49058f8a708c8e1f2d391961ce775abb1ac8dc39bddf5acaa927e0f2fb607021ffa4e950f61ed285f5a7865cc489fa12c6e36903737e9ab8fce80e16964b89de84694071775fcd8f9d835610a824ecc4490180345058220e289828186d86c25217f12f38b91d2035420b05efccf9b423b739bab0744497f5f92481e277a5cf54d062e73be7a9aef6f3a2321280631951455550b6a4603ee19f0f37e44d06a08cf6826664891709d2b8a70ee7c714e0c7fa6dcbb528f08f5406cd085327fcd88b38759d20a053457e1baf49df8ecb6d596b46c508e2ed43f40f44df5ea961e3c6372be123dbc1af57a879cec30524c8240961bf66e0da7f01e2833bbbed5f9d06cc09c79c035584b48ede2b
a4fd8ee38e0bdfcdde36b8bea677ae49cc245312
2fVHk8mxQ75WrNH1AsBaRn5iU8KZEhp5zx9J8Y
3c2ad996f96b9e5c19426a9a019f106f5d616cd0
8B0D2687-42A4-44CB-9436-FBA3B9B96DE2
oSjSY8pqhXpum64U6nRyis9rV9XfVU3BgyBK6ru6RS8
YdNexVtjCN6dzf64lx6i9T0xlmvIA8AL7NhSaND5tpE
fdc39538-ce6c-421a-b0be-8d5558467a8f
K87oWBWM9UZfyddvDfoxL+8lpNyoUB2ptGtn0fv6G2Q=

POSSIBLE SECRETS
308205c5308203ada00302010202045fca505b300d06092a864886f70d01010b0500308192310b3009060355040613025553311330110603550408130a43616c69666f726e6961311330110603550407130a4d656e6c6f205061726b31233021060355040a131a46616365626f6f6b20546563686e6f6c6f676965732c204c4c4331233021060355040b131a46616365626f6f6b20546563686e6f6c6f676965732c204c4c43310f300d060355040313065374656c6c61301e170d3230303430373138333535305a170d3437303832343138333535305a308192310b3009060355040613025553311330110603550408130a43616c69666f726e6961311330110603550407130a4d656e6c6f205061726b31233021060355040a131a46616365626f6f6b20546563686e6f6c6f676965732c204c4c4331233021060355040b131a46616365626f6f6b20546563686e6f6c6f676965732c204c4c43310f300d060355040313065374656c6c6130820222300d06092a864886f70d01010105000382020f003082020a028202010084d098956083fbd1bc6eae58928c08db3ea76a465bc8ad121081db753f0a3902596c0330af27d3b60ecfba2d524acaa33df58580de31b659d4a1f59b8fab7bb230f5cafd29660c08f6c95a4d9dccdcb4dafb436a88828196f3b9d69b79f87e44f471ec19a1422d0234b6a1ce8b99b64044c85952fff20d7432c8c14a4f4f7500af7e7f8cb7133dadcb282b3f3f65df6d864ac6db06e707f2da43bb5745d5ed26b5e2386cf9ab9e40c977bee2bf1c36ea16369901ebef63eae4262585577d5068caded4e85ce053d0e14687be554a98201951202e7e16d0c3e02e7025ca4ec8200c89fcb702bfb0d1feca111a7bf1330e993e4f3196a9cee488d244ee40e43e0025945491e753b7e2fe3d32c01c4083ddb23552af88623208399608034912108401c2ccc1012692a9be86d0fd3b54f5d1430c10eb55d5fd991c7628e533247d8b0996fff12b6f19d1a1030639326dfff19f16aa64997307c8e35789cf2ae1acb916847dba7d5764f39c4f020ed4a249030ec7192436089709e069aa623f63874a27ec0a785c2f56c3ac0af400a339aae10b4232144e6bac9bbca291dc2f74bec6e311e3742076cbb63e1c13fd5b983131c863a53d84ba435b391ee73e91682e76064754f12b7323f12ce0986c6cec275f7b7632cef403e4f9a05fbe57ce2e4ef40f0e37a31e0f2fe3d0ac28f6de03cc67c3695e7c3eb3f35ae14bafb0d784490203010001a321301f301d0603551d0e04160414137f663552f0be513f3190c457e1d678e4fcbadd300d06092a864886f70d01010b0500038202010019e82117b7b3e72064c909f841cb5a7ae66c57d86c063b3bb5889b982809f0519d49b4b925bcfdc4ad127a86e9c9c0b4c6f012b5f661ad8e8627f7d694c621a80cd754334aae4d99bc249157efa9aad7082bb603268f86e6d44e43271f6af695d80e2ead272ddc61c1b7efc0b01e8392d1229fe9c4e86bc14c4f5caaecd26dbe46a4d7db2cbe358fda5dbe08600b9c6c9a4061f4982b793f3a9d025d8329b54035d1aae724857b2403d5c999b76f7ce87fa27db44034feaeab7f990bf4d9012a79457d8b8c8769ed169ec28d5f3aac653ff8d141e8e9e3456df2727307d7b53cf1e38e61534f02053b370a8bf57b9632e1034234d0a1669964d6f075a76295582a1e47bcd07447863520f17158d107bcc47b990bb55ab662d6b0a462feca9973b1458d3c843a6178467609212e8c9a5c805abf06487762d6e4eea1b2536cd51f72d05db55886c7dd333619c908f0def6175704e166b1069a58cbd0bbacb855b8bb5f7267e99b9e6c6871551ee946e45ae027d600fc480bdcc4f0caf4b55d8c7d3bf4a48f52c21d201f8054def88e8bf36ca7754bcaa4698fc6801aef2b2ecccb2b1c51b15279af87c9bdc1754408984bdf3c66673f23c42047b0c4b027ca6440c467c36d4952b1cf57bb60a9054d88187173a1ec0ba5c568950f15a579fa90080070b2855434184c29c44fe6713ef470aa6da5c3b6acfd105c08319da60928f97
QNC4oAwpdT0ElfpXWujgRZDGvKI0dunabP0fAVcl
4dJkibgNvwschNsyH9YBK3Hwl5zTikQlBgZu10E
ICGRfpgmOUXIWcQ/HXPLQTkFPEFPoDyjhV7ohhQpjs=
azGZDq3U2OPfsFdCgajvtrlaIKOQ8GSKar92TLKbcjs
xW9QqCYCnb2jOlJxA6lkyhyiB07Xne7nb64Y4dbmx2g
30820268308201d102044a9c4610300d06092a864886f70d0101040500307a310b3009060355040613025553310b3009060355040813024341311230100603550407130950616c6f20416c746f31183016060355040a130f46616365626f6f6b204d6f62696c653111300f060355040b130846616365626f6f6b311d301b0603550403131446616365626f6f6b20436f72706f726174696f6e3020170d3039303833313231353231365a180f32303530303932353231353231365a307a310b3009060355040613025553310b3009060355040813024341311230100603550407130950616c6f20416c746f31183016060355040a130f46616365626f6f6b204d6f62696c653111300f060355040b130846616365626f6f6b311d301b0603550403131446616365626f6f6b20436f72706f726174696f6e30819f300d06092a864886f70d010101050003818d0030818902818100c207d51df8eb8c97d93ba0c8c1002c928fab00dc1b42fca5e66e99cc3023ed2d214d822bc59e8e35ddcf5f44c7ae8ade50d7e0c434f500e6c131f4a2834f987fc46406115de2018ebbb0d5a3c261bd97581ccfef76afc17135a6d59e8855ecd7eacc8f8737e794c60a761c536b72b11fac8e603f5da1a2d54aa103b8a13c0dbc10203010001300d06092a864886f70d0101040500038181005ee9be8bcbb250648d3b741290a82a1c9dc2e76a0af2f2228f1d9f9c4007529c446a70175c5a900d5141812866db46be6559e2141616483998211f4a673149fb2232a10d247663b26a9031e15f84bc1c74d141ff98a02d76f85b2c8ab2571b6469b232d8e768a7f7ca04f7abe4a775615916c07940656b58717457b42bd928a2
RKhpUi1KI9bHcO1rS0FHy3ICrjOO2X6k5yEm
2eC54WVokOBCMfraLI5w5AkPzV4OhG2rUnfhWHKBM0M
ykG4fdbRb6a4ltrVijAx0l43fmUg05SW4BmU

POSSIBLE SECRETS

3082024d308201b6a00302010202044f31d2cb300d06092a864886f70d0101050500306a310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d53616e204672616e636973636f31163014060355040a130d496e7374616772616d20496e63311630140603550403130d4b6576696e2053797374726f6d3020170d3132303230383031343133315a180f32313132303131353031343133315a306a310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d53616e204672616e636973636f31163014060355040a130d496e7374616772616d20496e63311630140603550403130d4b6576696e2053797374726f6d30819f300d06092a864886f70d010101050003818d003081890281810089ebcac015660b42a5c080bf694c52e29e9df83a4c94964b022ca38d2ba2157d8e4650955c787906ac344bdbb7d202a92231403d48e9e2f0df3cb917cfa9b9741314c85052673d42ad00f2c251be4a6b012fb9d5b33131b0e5ca0b9193856dc311dc65dc45f97d2632e72bec2b4964adfd5d30675d5d372fbaf11359a7afb550203010001300d06092a864886f70d0101050500038181002aefd84526b570192967b679a685bcd12cf40030589594d04d885cfa8a311372fb93f2c1c8ba636f061aeb87207f5a1ad26fe58747c30714f1e9b918ab2e090d5250307655eeab5fede1e6409316c5d29779c037b550f29bcad40fa70c947b616cc05daa5532c0ecc3ece773a71f37287a4ac32f2bd7feede847cbac5671969

 SCAN LOGS

Timestamp	Event	Error
2026-02-13 07:39:24	Generating Hashes	OK
2026-02-13 07:39:24	Extracting APK	OK
2026-02-13 07:39:24	Unzipping	OK
2026-02-13 07:39:33	Parsing APK with androguard	OK
2026-02-13 07:39:36	Extracting APK features using aapt/aapt2	OK
2026-02-13 07:39:38	Getting Hardcoded Certificates/Keystores	OK
2026-02-13 07:39:58	Parsing AndroidManifest.xml	OK
2026-02-13 07:39:58	Extracting Manifest Data	OK

2026-02-13 07:39:58	Manifest Analysis Started	OK
2026-02-13 07:39:59	Reading Network Security config from fb_network_security_config.xml	OK
2026-02-13 07:39:59	Parsing Network Security config	OK
2026-02-13 07:39:59	Performing Static Analysis on: InstaPro 🍌 (com.instapro.android)	OK
2026-02-13 07:40:00	Fetching Details from Play Store: com.instapro.android	OK
2026-02-13 07:40:01	Checking for Malware Permissions	OK
2026-02-13 07:40:01	Fetching icon path	OK
2026-02-13 07:40:01	Library Binary Analysis Started	OK
2026-02-13 07:40:01	Analyzing lib/arm64-v8a/libsuperpack-jni.so	OK
2026-02-13 07:40:01	Analyzing lib/arm64-v8a/libbreakpad.so	OK
2026-02-13 07:40:01	Analyzing lib/arm64-v8a/libProMods.so	OK
2026-02-13 07:40:01	Analyzing lib/arm64-v8a/libunwindstack_binary.so	OK
2026-02-13 07:40:01	Analyzing lib/arm64-v8a/libgraphics-core.so	OK

2026-02-13 07:40:01	Analyzing lib/arm64-v8a/libfbunwindstack.so	OK
2026-02-13 07:40:01	Analyzing lib/arm64-v8a/libbreakpad_cpp_helper.so	OK
2026-02-13 07:40:01	Analyzing lib/arm64-v8a/libarc4core_sdk_jni.so	OK
2026-02-13 07:40:01	Analyzing lib/arm64-v8a/libandroidx.graphics.path.so	OK
2026-02-13 07:40:01	Analyzing lib/arm64-v8a/libc++_shared.so	OK
2026-02-13 07:40:01	Analyzing apktool_out/lib/arm64-v8a/libsuperpack-jni.so	OK
2026-02-13 07:40:01	Analyzing apktool_out/lib/arm64-v8a/libbreakpad.so	OK
2026-02-13 07:40:01	Analyzing apktool_out/lib/arm64-v8a/libProMods.so	OK
2026-02-13 07:40:01	Analyzing apktool_out/lib/arm64-v8a/libunwindstack_binary.so	OK
2026-02-13 07:40:01	Analyzing apktool_out/lib/arm64-v8a/libgraphics-core.so	OK
2026-02-13 07:40:01	Analyzing apktool_out/lib/arm64-v8a/libfbunwindstack.so	OK
2026-02-13 07:40:01	Analyzing apktool_out/lib/arm64-v8a/libbreakpad_cpp_helper.so	OK

2026-02-13 07:40:01	Analyzing apktool_out/lib/arm64- v8a/libarccore_sdk_jni.so	OK
2026-02-13 07:40:01	Analyzing apktool_out/lib/arm64- v8a/libandroidx.graphics.path.so	OK
2026-02-13 07:40:01	Analyzing apktool_out/lib/arm64- v8a/libc++_shared.so	OK
2026-02-13 07:40:01	Reading Code Signing Certificate	OK
2026-02-13 07:40:03	Running APKiD 3.0.0	OK
2026-02-13 07:40:33	Detecting Trackers	OK
2026-02-13 07:40:58	Decompiling APK to Java with JADX	OK
2026-02-13 07:57:38	Decompiling with JADX timed out	TimeoutExpired(['/home/mobsf/.MobSF/tools/jadx/jadx-1.5.0/bin/jadx', '-ds', '/home/mobsf/.MobSF/uploads/0a81f1f1a1ae1cc43e88017688a810f2/java_source', '-q', '-r', '--show-bad-code', '/home/mobsf/.MobSF/uploads/0a81f1f1a1ae1cc43e88017688a810f2/0a81f1f1a1ae1cc43e88017688a810f2.apk'], 999.999963798)
2026-02-13 07:57:38	Converting DEX to Smali	OK
2026-02-13 07:57:38	Code Analysis Started on - java_source	OK
2026-02-13 07:59:10	Android SBOM Analysis Completed	OK
2026-02-13 07:59:25	Android SAST Completed	OK

2026-02-13 07:59:25	Android API Analysis Started	OK
2026-02-13 07:59:37	Android API Analysis Completed	OK
2026-02-13 07:59:38	Android Permission Mapping Started	OK
2026-02-13 08:04:02	Android Permission Mapping Completed	OK
2026-02-13 08:04:04	Android Behaviour Analysis Started	OK
2026-02-13 08:04:33	Android Behaviour Analysis Completed	OK
2026-02-13 08:04:33	Extracting Emails and URLs from Source Code	OK
2026-02-13 08:04:42	Email and URL Extraction Completed	OK
2026-02-13 08:04:42	Extracting String data from APK	OK
2026-02-13 08:04:43	Extracting String data from SO	OK
2026-02-13 08:04:43	Extracting String data from Code	OK
2026-02-13 08:04:43	Extracting String values and entropies from Code	OK
2026-02-13 08:04:48	Performing Malware check on extracted domains	OK
2026-02-13 08:05:29	Saving to Database	OK

Report Generated by - MobSF v4.4.5

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).