1. Design and develop the given pages using Bootstrap

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="utf-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1" />

  <title>Lab-11 Layout Part A</title>

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet"

    integrity="sha384-QWTKZyjpPEjISv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH" crossorigin="anonymous" />

</head>

<body class="p-5">

  <div class="d-flex bg-dark flex-wrap justify-content-between p-1">

    <div class="h3 text-light">LOGO</div>

    <div>

      <ul class="nav nav-pills px-3 pt-2">

        <li class="nav-item"><a href="#" class="nav-link disables text-light">Home</a></li>

        <li class="nav-item"><a href="#" class="nav-link disables text-secondary">Contact</a></li>

        <li class="nav-item"><a href="#" class="nav-link disables text-secondary">About Us</a></li>
```

```
        <li class="nav-item"><a href="#" class="nav-link disables text-secondary">Massages <span

                class="badge text-bg-success">12</span></a></li>

    </ul>

  </div>

</div>

<p class="fs-1 fw-bolder">Dashboard:</p>

<table class="table table-striped">

  <thead>

    <tr>

      <th scope="col">Name</th>

      <th scope="col">Team</th>

      <th scope="col">All Star</th>

      <th scope="col">Remove</th>

    </tr>

  </thead>

  <tbody>

    <tr>

      <td>Steph</th>
```

```html
<td>Warriors</td>

<td>Yes</td>

<td><svg xmlns="http://www.w3.org/2000/svg" width="25" height="25" fill="red"

    class="bi bi-x-square-fill" viewBox="0 0 16 16">

    <path

        d="M2 0a2 2 0 0 0-2 2v12a2 2 0 0 0 2 2h12a2 2 0 0 0 2-2V2a2 2 0 0 0-2-2zm3.354 4.646L8 7.293l2.646-2.647a.5.5 0 0 1 .708.708L8.707 8l2.647 2.646a.5.5 0 0 1-.708.708L8 8.707l-2.646 2.647a.5.5 0 0 1-.708-.708L7.293 8 4.646 5.354a.5.5 0 1 1 .708-.708" />

    </svg></td>

</tr>

<tr>

  <td>Lebron</th>

  <td>Cavaliers</td>

  <td>Yes</td>

  <td><svg xmlns="http://www.w3.org/2000/svg" width="25" height="25" fill="red"

    class="bi bi-x-square-fill" viewBox="0 0 16 16">

    <path

        d="M2 0a2 2 0 0 0-2 2v12a2 2 0 0 0 2 2h12a2 2 0 0 0 2-2V2a2 2 0 0 0-2-2zm3.354 4.646L8 7.293l2.646-2.647a.5.5 0 0 1 .708.708L8.707 8l2.647 2.646a.5.5 0 0 1-.708.708L8 8.707l-2.646 2.647a.5.5 0 0 1-.708-.708L7.293 8 4.646 5.354a.5.5 0 1 1 .708-.708" />

    </svg></td>
```

```
        </tr>

        <tr>

          <td>Dwayne</th>

          <td>Heat</td>

          <td>Yes</td>

          <td><svg xmlns="http://www.w3.org/2000/svg" width="25" height="25" fill="red"

              class="bi bi-x-square-fill" viewBox="0 0 16 16">

            <path

              d="M2 0a2 2 0 0 0-2 2v12a2 2 0 0 0 2 2h12a2 2 0 0 0 2-2V2a2 2 0 0 0-2-2zm3.354 4.646L8 7.293l2.646-2.647a.5.5 0 0 1
.708.708L8.707 8l2.647 2.646a.5.5 0 0 1-.708.708L8 8.707l-2.646 2.647a.5.5 0 0 1-.708-.708L7.293 8 4.646 5.354a.5.5 0 1 1 .708-.708" />

          </svg></td>

        </tr>

        <tr>

          <td>Kobe</th>

          <td>Lakers</td>

          <td>Yes <span class="badge text-bg-warning">last</span></td>

          <td><svg xmlns="http://www.w3.org/2000/svg" width="25" height="25" fill="red"

              class="bi bi-x-square-fill" viewBox="0 0 16 16">

            <path
```

```
            d="M2 0a2 2 0 0 0-2 2v12a2 2 0 0 0 2 2h12a2 2 0 0 0 2-2V2a2 2 0 0 0-2-2zm3.354 4.646L8 7.293l2.646-2.647a.5.5 0 0 1
.708.708L8.707 8l2.647 2.646a.5.5 0 0 1-.708.708L8 8.707l-2.646 2.647a.5.5 0 0 1-.708-.708L7.293 8 4.646 5.354a.5.5 0 1 1 .708-.708" />

          </svg></td>

      </tr>

      <tr>

        <td>Isaiah</th>

        <td>Celtics</td>

        <td>Yes <span class="badge text-bg-success text-light">First</span></td>

        <td><svg xmlns="http://www.w3.org/2000/svg" width="25" height="25" fill="red"

            class="bi bi-x-square-fill" viewBox="0 0 16 16">

            <path

              d="M2 0a2 2 0 0 0-2 2v12a2 2 0 0 0 2 2h12a2 2 0 0 0 2-2V2a2 2 0 0 0-2-2zm3.354 4.646L8 7.293l2.646-2.647a.5.5 0 0 1
.708.708L8.707 8l2.647 2.646a.5.5 0 0 1-.708.708L8 8.707l-2.646 2.647a.5.5 0 0 1-.708-.708L7.293 8 4.646 5.354a.5.5 0 1 1 .708-.708" />

          </svg></td>

      </tr>

    </tbody>

  </table>

  <p class="fs-2 fw-bolder">Todos:</p>

  <ul class="list-group">
```

```
        <li class="list-group-item list-group-item-success">Feel good about Bootstrap</li>

        <li class="list-group-item list-group-item-info">Feel informed about Bootstrap</li>

        <li class="list-group-item list-group-item-warning">Feel warned about Bootstrap</li>

        <li class="list-group-item list-group-item-warning">Maybe I should read the docs...</li>

        <li class="list-group-item list-group-item-danger">Danger Zone</li>

        <li class="list-group-item list-group-item-danger">I really should read the docs...</li>

    </ul>

    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"

        integrity="sha384-YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcIdslK1eN7N6jIeHz"

        crossorigin="anonymous"></script>

</body>

</html>
```

OUTPUT

LOGO

Home   Contact   About Us   Massages [12]

Dashboard:

Name	Team	All Star	Remove
Steph	Warriors	Yes	❌
Lebron	Cavaliers	Yes	❌
Dwayne	Heat	Yes	❌
Kobe	Lakers	Yes last	❌
Isaiah	Celtics	Yes First	❌

Todos:

Feel good about Bootstrap
Feel informed about Bootstrap
Feel warned about Bootstrap
Maybe I should read the docs...
Danger Zone
I really should read the docs...

2. Design and develop the given pages using Bootstrap

```html
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="utf-8">

  <meta name="viewport" content="width=device-width, initial-scale=1">

  <title>Lab-11 Layout Part B</title>

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">

</head>

<body>

  <nav class="navbar bg-dark">

    <div class="container-fluid ">

      <a class="navbar-brand  text-secondary text-start mx-3">Project Name</a>

      <form class="d-flex gap-3">

        <input class="form-control w-50 h-100" type="email" placeholder="Email" aria-label="email">

        <input class="form-control w-50 h-100" type="password" placeholder="Password" aria-label="password">

        <button class="btn btn-success btn-sm  px-4" type="submit">Signin</button>

      </form>
```

```
    </div>

</nav>

<!-- Jumbotron -->

<div class="container-fluid">

    <div class="p-5 mb-4 bg-light rounded">

        <h1 class="display-4">Hello, world!</h1>

        <p class="lead">

            This is a template for a simple marketing or informational website. It includes a large callout

            called a jumbotron and three supporting pieces of content. Use it as a starting point to create something more unique.

        </p>

        <button class="btn btn-primary">Learn more &raquo;</button>

    </div>

</div>

<!-- Three Columns Section -->

<div class="container-fluid p-5">

    <div class="row">

        <div class="col-md-4">

            <h2>Heading</h2>
```

```html
        <p>Donec id elit non mi porta gravida at eget metus. Fusce dapibus, tellus ac cursus commodo.</p>

        <button class="btn btn-outline-secondary">View details &raquo;</button>

      </div>

      <div class="col-md-4">

        <h2>Heading</h2>

        <p>Donec id elit non mi porta gravida at eget metus. Fusce dapibus, tellus ac cursus commodo.</p>

        <button class="btn btn-outline-secondary">View details &raquo;</button>

      </div>

      <div class="col-md-4">

        <h2>Heading</h2>

        <p>Donec sed odio dui. Cras justo odio, dapibus ac facilisis in, egestas eget quam.</p>

        <button class="btn btn-outline-secondary">View details &raquo;</button>

      </div>

    </div>

  </div>

  <!-- Footer -->

  <footer class="mx-5 mt-5 mb-3 text-muted">

    &copy; Company 2014
```

```
    </footer>

</body>

</html>
```

OUTPUT

3. Design and develop the given pages using Bootstrap

<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1">

  <title>Bootstrap Pricing Table</title>

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">

</head>

<body>

<!-- Navigation Bar -->

<nav class="navbar navbar-light bg-light px-3">

  Company name

  <div>

    Enterprise

    Features

    Support

```
            <a href="#" class="me-3 text-dark text-decoration-none">Pricing</a>

            <a href="#" class="btn btn-outline-primary">Sign up</a>

        </div>

</nav>

<!-- Pricing Section -->

<div class="container text-center my-5">

    <h2 class="fw-bold">Pricing</h2>

    <p class="text-muted">Quickly build an effective pricing table for your potential customers with this Bootstrap example.</p>

    <div class="row row-cols-1 row-cols-md-3 g-4 mt-4">

        <!-- Free Plan -->

        <div class="col">

            <div class="card shadow-sm">

                <div class="card-header text-center">

                    <h4 class="fw-normal">Free</h4>

                </div>

                <div class="card-body">

                    <h2 class="card-title">$0 <small class="text-muted">/ mo</small></h2>

                    <ul class="list-unstyled mt-3 mb-4">
```

```
            <li>10 users included</li>

            <li>2 GB of storage</li>

            <li>Email support</li>

            <li>Help center access</li>

        </ul>

        <a href="#" class="btn btn-outline-primary w-100">Sign up for free</a>

      </div>

    </div>

</div>

<!-- Pro Plan -->

<div class="col">

    <div class="card shadow-sm">

        <div class="card-header text-center">

            <h4 class="fw-normal">Pro</h4>

        </div>

        <div class="card-body">

            <h2 class="card-title">$15 <small class="text-muted">/ mo</small></h2>

            <ul class="list-unstyled mt-3 mb-4">
```

```
                <li>20 users included</li>

                <li>10 GB of storage</li>

                <li>Priority email support</li>

                <li>Help center access</li>

            </ul>

            <a href="#" class="btn btn-primary w-100">Get started</a>

        </div>

    </div>

</div>

<!-- Enterprise Plan -->

<div class="col">

    <div class="card shadow-sm">

        <div class="card-header text-center">

            <h4 class="fw-normal">Enterprise</h4>

        </div>

        <div class="card-body">

            <h2 class="card-title">$29 <small class="text-muted">/ mo</small></h2>

            <ul class="list-unstyled mt-3 mb-4">
```

```
        <li>30 users included</li>

        <li>15 GB of storage</li>

        <li>Phone and email support</li>

        <li>Help center access</li>

      </ul>

      <a href="#" class="btn btn-primary w-100">Contact us</a>

    </div>

   </div>

  </div>

 </div>

</div>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>

</body>

</html>
```

OUTPUT

Company name		Enterprise Features Support Pricing Sign up

Pricing

Quickly build an effective pricing table for your potential customers with this Bootstrap example.

Free	Pro	Enterprise
$0 / mo	**$15** / mo	**$29** / mo
10 users included 2 GB of storage Email support Help center access	20 users included 10 GB of storage Priority email support Help center access	30 users included 15 GB of storage Phone and email support Help center access
Sign up for free	Get started	Contact us